District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

1220 S St. Francis Dr., Santa Fe, NM 8/505	Santa Fe, NM 87505	District Office.
Pit, Closed-Le	oop System, Below-Grade T	ank, or
Proposed Alternative	Method Permit or Closure P	
Type of action: Permit of a pit, cl Closure of a pit, c	osed-loop system, below-grade tank, or closed-loop system, below-grade tank, on existing permit submitted for an existing permitted or	proposed alternative method proposed alternative method
Instructions: Please submit one application (Form	C-144) per individual pit, closed-loop system	m, below-grade tank or alternative request
lease be advised that approval of this request does not relieve the nvironment. Nor does approval relieve the operator of its respons		
Operator:EnerVest Operating, LLC	OGRID #:1431	99
Address:1001 Fannin Street Ste 800H	ouston, Texas 77002	1
Facility or well name:Jicarilla Gas Com B #001	Married Colors	
API Number:30-039-06258	OCD Permit Number:	
U/L or Qtr/QtrGSection31Town		
Center of Proposed Design: Latitude36.446589	Longitude107.39810915	NAD: □1927 🛭 1983
Surface Owner: Federal State Private Tribal Tru	st or Indian Allotment	
2.		
<u>Pit:</u> Subsection F or G of 19.15.17.11 NMAC		
Temporary: Drilling Workover		
Permanent Emergency Cavitation P&A		
Lined Unlined Liner type: Thicknessm	iiLLDPE HDPE PVC Oth	ner
String-Reinforced		
Liner Seams: Welded Factory Other	Volume:bbl	Dimensions: L x W x D
3. Closed-loop System: Subsection H of 19.15.17.11 NM.	A.C.	
Type of Operation: P&A Drilling a new well Wo		ch require prior approval of a permit or notice of
intent)		
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-of		Other
Lined Unlined Liner type: Thickness		Other
Liner Seams: Welded Factory Other Other		S RECEIVED S
4. Subsection I of 19.15.17.11 NMAC		erflow shut-off Column Co
		BELLA COURT OF A
Volume: 95 bbl Type of fluid: 1		OIL CONS. DIV. DIST 4
Tank Construction material:Steel(Tank #1)		
Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☒ Visible sidewalls only ☒ Other _ See closure plan		
Liner type: Thicknessmil HDPE PVC Other Below grade tank to be closed per NMAC 19.15.17.13		
Emic type. Timeknessmiii [] HDP	LIVE Mother Below grade tank to	oc ciosca pei NiviAC 17.13.17.13
5. Alternative Method:		

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,			
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet			
☐ Alternate. Please specify_Four foot hog wire			
7.			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)			
Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
8. Signer, Subsection C of 10.15.17.11 NIMAC			
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC			
Signed in Compliance with 15.15.5.105 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for			
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☐ No ☐ NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	163 110		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No		
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC			
Previously Approved Design (attach copy of design) API Number: or Permit Number:			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)			
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.19 NMAC and 19.15.17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.			
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future serious Yes (If yes, please provide the information below) \(\subseteq \) No	vice and operations?		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			

19.		
Operator Application Certification: Lhosphy contify that the information submitted with this application is true	a accurate and complete to	the heat of my knowledge and balief
I hereby certify that the information submitted with this application is true	_	· -
Name (Print): Ronnie L. Young		Compliance Supervisor
Signature: L. L.	Date:	9.9.09
e-mail address:ryoung@enervest.net	Telephone:	713-495-6530
20. OCD Approval: ☐ Permit Application (including closure plan) ☐ Clo		
OCD Representative Signature: Bel Fall		Approval Date: 10-21-09
Title: Envirospec	OCD Permit Nu	nber:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
22.		
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ ☐ If different from approved plan, please explain.	Alternative Closure Metho	d Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:		Permit Number:
Disposal Facility Name:		Permit Number:
Were the closed-loop system operations and associated activities performe Yes (If yes, please demonstrate compliance to the items below)		of be used for future service and operations?
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
24.		de d
Closure Report Attachment Checklist: Instructions: Each of the followark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closures) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	losure)	
On-site Closure Location: Latitude	Longitude	NAD: □1927 □ 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Title:		
Signature: Date:		
e-mail address:	Telephone:	

EnerVest Operating, LLC (EV)

BELOW-GRADE TANK CLOSURE REQUIREMENTS

Rule 19.15.17.13

J. EV shall research county tax records to determine the name and address of the surface owner of the properties involved. EV shall notify this surface owner via certified mail, return receipt requested that the closure of a below-grade tank is being planned.

EV will notify the appropriate district office prior to any closure operations beginning. Such notification shall be at least 72 hours prior to beginning work but not more than one week prior to beginning work. Such notice shall contain at a minimum the following:

Operators Name Unit letter, Section, Township, & Range of well Lease name and well number API Number of well

A. EV shall close all existing below-grade tanks which do not meet the requirements of NMAC 19.15.17.11 by June 15. 2013 or retrofit each one to insure total compliance with the subsections of 19.15.17.11 before June 15, 2013.

Within 60 days of cessation of the below-grade tanks operation or as required by Subsection B of 19.15.17.17 NMAC, EV shall close the below-grade tank in accordance with a closure plan that the appropriate division district office approves.

E. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in one of the below division-approved facility as indicated below:

TNT Land Farm Permit # NM-01-0008 Environtech Land Farm Permit # NM-01-0011

EV will remove the below-grade tank and steam clean in an attempt to put back into service. If the tank is not reusable it will be disposed of, after cleaning, by crushing or cutting into pieces and sold for scrap iron.

EV will remove any and all on-site equipment associated with the below-grade tank, unless it is used elsewhere for other purposes.

In instances where there are multiple below-grade tanks on site, EV will make every attempt to limit the new below-grade tanks to a single unit. This will be dependent on possible hazardous road conditions during the winter months.

Upon removal of the below-grade tank, EV will inspect the area previously beneath the below-grade tank looking for any wet, discolored, or any other showing evidence of a release. Upon such discovery, EV will take, at a minimum, a five point composite sample; collect individual grab samples and analyze for the following:

Components	Test Method	Limits (mg/Lg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.1	250 or background, whichever is greater

EV will insure that the results of all sampling shall be reported to the division on approved form C-141.

If there is no indication of any release due to the absence of wet, discolored, or any other evidence or sampling demonstrates that concentrations specified above have NOT been exceeded, or that a release has NOT occurred, EV will backfill the excavation with compacted, non-waste containing, earthen material, construct a division prescribed soil cover, and recontour and re-vegetate the site. The division prescribed soil cover, recontouring, and re-vegetation shall comply with 19.15.17.13.

If it has been determined that a release HAS OCCURRED, EV will immediately begin the notification process, dependent upon the determination of a MAJOR or MINOR release, as defined in 19.15.29.7(A)(B). Within 24 hours the appropriate division district office and the Division Environmental Chief will receive verbal notification of such a release, to include well name and number, location, API No., and type & amount of release. Within fifteen (15) days, the appropriate division district office and the Division Environmental Chief will receive a completed form C-141, outlining the details of the release.

Any and all contaminated soil or sludge will be removed and transported to one of the following:

TNT Land Farm Permit # NM-01-0008 Environtech Land Farm Permit # NM-01-0011

EV will insure the site shall be contoured to blend in with the surrounding terrain.

EV will insure the soil cover shall consist of the background thicknes of topsoil or one foot of suitable material for establishing vegetation at the site, which ever is greater.

EV will insure the soil shall be spread in such a manner as to prevent the pooling of water

If the reclaimed area is NOT part of the pad area, the area shall be reseeded at the first growing season after the completion of all work. The seed mixture shall be drilled on the contour whenever practical and comprised of Jicarilla Apache Tribal approved mixture. At least 70 percent of the native perennial cover (unimpacted by overgrazing, fire, or other intrusive damage) shall be maintained through two successive growing seasons. Irrigation will not be used to accomplish the required ground cover.

Within 60 days of completion of closure operations, EV will file Form C-144, with attachments, outlining the detailed operations of the closing operations.

GERMEED MAIL REGEIPT 1902 2440 Postage Ronnie Youha Certified Fee 0000 Return Receipt Fee (Endorsement Required) Restricted Delivery Fee Travilla Cras Com 18#1 0080 Total Postage & Mr. Manuel Myore - Bureau of Indian Affairs Sent To Jicarilla Agency 700 Street, Apt. No.; or PO Box No.
City, State, ZiP+4 PO Box 167 Dulce, New Mexico 87528

■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to:	A. Signature X. Agent Addressee B. Received by (Printed Name) C. Date of Defivery L. M. V. C. M. St. D. Is delivery address different from item 1? Yes If YES, enter delivery address below:	
Mr. Manuel Myore Bureau of Indian Affairs Jicarilla Agency Branch of Real Property PO Box 167 Dulce, New Mexico 87528	3. Service Type Certified Mail	
JICARILLA GAS COM B # 1	4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label)		
PS Form 3811, February 2004 Domestic Ref	turn Receipt 102595-02-M-1540	
