District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec. NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

strict IV	Santa Fe, NM 8/505	Environmental Bureau office and provide a copy to the
20 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office
	Closed-Loop System, Below-	
Proposed .	Alternative Method Permit or	Closure Plan Application
Type of action:	mit of a pit, closed-loop system, below-g	grade tank, or proposed alternative method
Cid	osure of a pit, closed-loop system, below-	grade tank, or proposed alternative method
X Mo	odification to an existing permit	
	osure plan only submitted for an existing of ow-grade tank, or proposed alternative m	permitted or non-permitted pit, closed-loop system, aethod
Instructions: Please submit one applicati	on (Form C-144) per individual pit, clos	sed-loop system, below-grade tank or alternative request
• • • • • • • • • • • • • • • • • • • •	=	erations result in pollution of surface water, ground water or the opticable governmental authority's rules, regulations or ordinances
perator: Burlington Resources Oil & Gas		OGRID#: 14538
ddress: PO Box 4289, Farmington, NM		
acility or well name: SAN JUAN 28-6 UN	IT 206N	
API Number: 30-039-3	0638 OCD Permit	Number:
	10 Township: 027N Range	
enter of Proposed Design: Latitude:	36.587821 °N Longitude	
urface Owner: Federal	State X Private Tribal Trust of	r Indian Allotment
X Pit: Subsection F or G of 19.15.17.11 NM.	AC	
Temporary: X Drilling Workover	- ·	
Permanent Emergency Cavitation X Lined Unlined Liner type	<u> </u>	PE HDPE PVC Other
X Lined Unlined Liner type X String-Reinforced	Thickness 12 mil X LLDF	TOTE TYCE OHE
	Cother Velume	4400 bbl. Dimensions I (51 W 451 D 10)
Liner Seams: X Welded X Factory	Other Volume:	
	19 15.17.11 NMAC ag a new well Workover or Drilling (Ap notice of intent)	oplies to activities which require prior approval of a permit or
Drying Pad Above Ground Steel	Tanks Haul-off Bins Other	E HDPE PVD Other 20112131415767
Lined Unlined Liner type:		E HDPE PVD Other
Liner Seams Welded Factory	Other	PE HDPE PVD Other RECEIVED
		13; OCI#2009
Below-grade tank: Subsection I of 19.1:	5.17.11 NMAC	1 m
Volume: bbl	Type of fluid:	OIL CONS. DIV. DIST.
Tank Construction material:		
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift a	and automatic overflow shut-off
Visible sidewalls and liner	isible sidewalls only Other	
Liner Type: Thickness mi	I DADRE DAVC DOU	her

6 '						
Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insi	titution or chu	ech)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet						
X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.						
7						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)						
Screen Netting Other						
Monthly inspections (If netting or screening is not physically feasible)						
8	+	•				
Signs: Subsection C of 19.15.17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19.15.3.103 NMAC						
0	 -					
Administrative Approvals and Exceptions:						
Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank:	idoration of or	proval				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)						
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
10						
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable						
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the						
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for						
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	Yes	□No				
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Yes	По				
application.		□'``°				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No				
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering		По				
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		□,,,				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality						
Within 500 feet of a wetland.	Yes	□No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		_				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	∐ Yes	∐No				
Within an unstable area.	Yes	∏No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological						
Society, Topographic map	□ v _{ac}					
Within a 100-year floodplain	Yes	∐No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC					
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19 15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative					
Proposed Closure Method. Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures based upon the appropriate requirements of 19 15 17 13 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S	teel Tanks or Haul-off Bins Only: (19.15.17 13.D NMAC)	. Let m				
Instructions. Please identify the facility or facilities for the disposal of liquids, drilli are required	ng fituas and ariti cuttings. Ose attachment if more than two fa	cinties				
Disposal Facility Name:	Disposal Facility Permit #					
Disposal Facility Name.	Disposal Facility Permit #.					
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No		ervice and operations?				
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Sub Site Reclamation Plan - based upon the appropriate requirements of Sub	oriate requirements of Subsection H of 19.15.17.13 NMAC section I of 19.15.17.13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NM Instructions Each string criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office for consideration of approval. Justifications and/or demonstrations of equivalency are required.	n. Recommendations of acceptable source material are provided belov we or may be considered an exception which must be submitted to the :					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS: Data of	btained from nearby wells	Yes No				
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste	□Yes □No				
- NM Office of the State Engineer - tWATERS database search; USGS; Data of		∏N/A				
Ground water is more than 100 feet below the bottom of the buried waste						
- NM Office of the State Engineer - tWATERS database search; USGS; Data of	btained from nearby wells	N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	Yes No					
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo, satellite image		Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database; Visual inspection (cer Within incorporated municipal boundaries or within a defined municipal fresh water	xistence at the time of the initial application. tification) of the proposed site	∐Yes ∐No				
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland		Yes No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual r						
Within the area overlying a subsurface mine Written confirantion or verification or map from the NM EMNRD-Mining an	YesNo					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology &	Yes No					
Topographic map Within a 100-year floodplain. - FEMA map		Yes No				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Ea by a check mark in the box, that the documents are attached.		e plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropr						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Sub-	section H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144 Oil Conservation Division

Page 4 of 5

19 Operator Application	Certification:			
	ormation submitted with this application is true, ac	curate and complete to the	e best of my knowledge and belief	
Name (Print):	Tainia Sessions	Title.	Staff Regulatory Technician	
Signature	Tamossu	Date [.]	10-13-09	
e-mail address:	sessitd@conocophillips.com	Telephone	505-326-9834	
20 OCD Approval:	Permit Application (including closure plan)	Closure Plan (only	OCD Conditions (see attac	hment)
OCD Representative S	ignature:	Z	Approval Date:	10-21-09
Title:	Ensiro/spec	OCD Per	mit Number:	
21				
	red within 60 days of closure completion): Su	absection K of 19 15 17 13 NMA	AC.	
Instructions: Operators ar	e required to obtain an approved closure plan prioi	r to implementing any clos	sure activities and submitting the closs	•
	bmitted to the division within 60 days of the comple been obtained and the closure activities have been		es. Please do not complete this section	n of the form until an
, p wood o prom nus	Some and the change deliving have been		re Completion Date:	
22 Closuro Mothoda				
Closure Method: Waste Excavation	and Removal On-site Closure Method	Alternative Closur	e Method Waste Removal (Cla	osed-loop systems only)
	proved plan, please explain.			occi roop ajaronia omyj
	proceed plant prouse expirition			
23 Closure Report Regardin	g Waste Removal Closure For Closed-loop Syste	ms That Utilize Above G	Fround Steel Tanks or Haul-off Bins	Only
	ify the facility or facilities for where the liquids, dr			
were utilized.		D. 15 1.	B 137 1	
Disposal Facility Name		-	y Permit Number	
Disposal Facility Name	ystem operations and associated activities performe	_	y Permit Number:	
	demonstrate compliane to the items below)	No	tor be used for future service and oper	irtions?
	areas which will not be used for future service and	_		
	Photo Documentation)	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Soil Backfilling an	d Cover Installation			
Re-vegetation App	lication Rates and Seeding Technique		···	
24				
Closure Report Atta the box, that the docum	achment Checklist: Instructions: Each of the fo	ollowing items must be at	tached to the closure report. Please i	ndicate, by a check mark in
	Notice (surface owner and division)			
	otice (required for on-site closure)			
=	site closures and temporary pits)			
=	mpling Analytical Results (if applicable)			
=	campling Analytical Results (if applicable)		,	,
=	Name and Permit Number			
Soil Backfilling a	and Cover Installation			
Re-vegetation Ap	oplication Rates and Seeding Technique			
Site Reclamation	(Photo Documentation)			
On-site Closure l	Location: Latitude:	Longitude:	NAD	927 🔲 1983
25				
Operator Closure Cert	-		and a discount of the second	r r ris de e r r r r r r
	formation and attachments submitted with this closi all applicable closure requirements and conditions			teage and bettef. I also certify that
			p	
Name (Print):		Title:		
Signature:		Date:		
a mail addr		Telephone:		-
e-mail address·	_	relephone:		

Form C-144 Oil Conservation Division

Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 01/13/2010)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.