District II
1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd, Aztec, NM 87410

District III

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

, , , , , , , , , , , , , , , , , , , ,	
4147	Pit, Closed-Loop System, Below-Grade Tank, or
-11-1	Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system
	below-grade tank, or proposed alternative method

perator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
address: PO Box 4289, Farmington, NM 87499	
acility or well name: CULPEPPER MARTIN 112S	
API Number: 30-045-34833	OCD Permit Number:
I/L or Qtr/Qtr: O(SW/SE) Section: 33 Township: 032N	Range: 012W County: San Juan
enter of Proposed Design: Latitude: 36.93818 °N	Longitude: <b>108.097062</b> °W NAD: <b>X</b> 1927 1983
urface Owner: Federal State X Private 7	Tribal Trust or Indian Allotment
X Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary. X Drilling Workover	
Permanent Emergency Cavitation P&A	
X Lined Unlined Liner type: Thickness 12 mil	X LLDPE HDPE PVC Other
X String-Reinforced	
Liner Seams: X Welded X Factory Other	Volume:
Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Type of Operation: P&A Drilling a new well Workover notice of in	or Drilling (Applies to activities which require prior approval of a permit or
Drying Pad Above Ground Steel Tanks Haul-off Bins	Other
Lined Unlined Liner type Thickness mil	CLLDPE CHDPE PVD Other
Liner Seams:   Welded   Factory   Other	
	OtherOtherOtherOTILUE IVE
Below-grade tank: Subsection I of 19.15.17 11 NMAC	90 OCT 2009
Volume: bbl Type of fluid:	\~
Tank Construction material:	TIL CONS. DIV. DIST
Secondary containment with leak detection Visible sidewalls, lin	
	ner, 6-inch lift and automatic overflow shut-off Other  Corrections overflow shut-off Other
Visible sidewalls and liner Visible sidewalls only	

Form C-144

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet	mion or chire	.11)
X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.		
7  Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent puts and permanent open top tanks)		l
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8 Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9 Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Fencing/BGT Liner)	deration of app	oroval
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- V <sub>I</sub> sual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	│ ∐ <sup>NA</sup>	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.	Yes	No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map		_
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  [Notice and the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9				
Situng Criteria Comphance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oıl Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15 17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative				
Proposed Closure Method. Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.  Destroyle and Propositives, based upon the correspondence of 10.15.17.13 NIMAC.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC				
Site Regiamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks of Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and	r Haul-off Bins Only: (19.15 17.13 D NMAC)  drill cuttings. Use attachment if more than two facilities			
Disposal Facility Name	1 Facility Permy #			
	Disposal Facility Name Disposal Facility Permit #.			
	Disposal Facility Name Disposal Facility Permit #:  Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Vec. (If we places provide the information of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?			
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I of I Site Reclamation Plan - based upon the appropriate requirements of Subsection G	19.15 17.13 NMAC			
Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommenda certain siting criteria may require administrative approval from the appropriate district office or may be consideration of approval Justifications and/or demonstrations of equivalency are required. Please re-	considered an exception which must be submitted to the Santa Fe Envir			
Ground water is less than 50 feet below the bottom of the buried waste	Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from	nearby wells			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes	No		
- NM Office of the State Engineer - IWATERS database search, USGS; Data obtained from a	nearby wells N/A			
Ground water is more than 100 feet below the bottom of the buried waste.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from i	nearby wells N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercomeasured from the ordinary high-water mark).	course or lakebed, sinkhole, or playa lake	No		
- Topographic map; Visual inspection (certification) of the proposed site,				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence a - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	it the time of initial application.	∐No		
visual inspection (certification) of the proposed site, vertil photo, satellite image	∏Yes	□No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality		No		
Within 500 feet of a wetland	Yes	No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (cer	rtification) of the proposed site			
Within the area overlying a subsurface mine.	∐Yes	No		
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Div Within an unstable area.</li> </ul>	VISION Yes	□No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resc				
Topographic map Within a 100-year floodplain FEMA map	Yes	□No .		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the follows a check mark in the box, that the documents are attached.	lowing items must bee attached to the closure plan. Plea	se indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirem	nents of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Sub	section F of 19.15.17.13 NMAC	1		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction (if applicable) based upon the applicable (if applicable) based upon the applicable (if applicable)	riate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) -		IMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirem				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Parmit Number (for liquids drilling fluids and drill cuttings or in case on site closure standards cannot be achieved)				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of I				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Page 4 of 5

19			
Operator Application Cer	tification:		
I hereby certify that the inform	ation submitted with this application is true, ac	curate and complete to the	best of my knowledge and belief
Name (Print)	Tamia Sessions	Title.	Staff Regulatory Technician
Signature:	Tamponi	Date:	10~13~09
e-mail address:	sessitd@conocophillips.com	Telephone:	505-326-9834
20		<b>-</b>	
OCD Approval: Perm	nit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
OCD Representative Signa	ature: Bel Sill		Approval Date: 10-21-09
Title:	Enviro/spec	OCD Perm	nit Number:
***************************************			
Instructions: Operators are rec report is required to be submitted	•	to implementing any closuition of the closure activities completed	tre activities and submitting the closure report. The closure s. Please do not complete this section of the form until an c Completion Date:
Closure Method:			
Waste Excavation and	Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems only)
If different from appro-	ved plan, please explain.		
		<del></del>	
	aste Removal Closure For Closed-loop Syste the facility or facilities for where the liquids, dr		ound Steel Tanks or Haul-off Bins Only: ngs were disposed. Use attachment if more than two facilities
Disposal Facility Name:		Disposal Facility	Permit Number:
Disposal Facility Name:		Disposal Facility	
•	n operations and associated activities performe	•	
_	constrate complitane to the items below)	No	,
Required for impacted area	s which will not be used for future service and	operations:	
Site Reclamation (Phot	to Documentation)		
Soil Backfilling and Co	over Installation		
Re-vegetation Applicat	non Rates and Seeding Technique		
the box, that the document Proof of Closure Not Proof of Deed Notice Plot Plan (for on-site Confirmation Sampli Waste Material Samp Disposal Facility Nar Soil Backfilling and	s are attached. ice (surface owner and division) c (required for on-site closure) closures and temporary pits) ing Analytical Results (if applicable) bling Analytical Results (if applicable) me and Permit Number Cover Installation ration Rates and Seeding Technique toto Documentation)	llowing items must be atta	NAD   1927   1983
25			
Operator Closure Certifica			
	ation and attachments submitted with this clost pplicable closure requirements and conditions	-	and complete to the best of my knowledge and belief. I also certify that losure plan.
Name (Print):		Title:	
Signature:		Date:	
e-mail address:		Telephone:	

Form C-144

## Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

## Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- (Revised Closure Date of 01/17/10) is requested to complete closure activities.
  Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sampling results from Envirotech.

BR realizes this does not relieve any of the requirements of Part 17.