District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S. St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

4153

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the appropriate the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

environment Not does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: CULPEPPER MARTIN 16 100
API Number: 30-045-34871 OCD Permit Number:
U/L or Qtr/Qtr: C(NE/NW) Section: 4 Township: 031N Range: 012W County: San Juan
Center of Proposed Design: Latitude: 36.932451 °N Longitude: 108.103298 °W NAD: X 1927 1983
Surface Owner: Federal State X Private Tribal Trust or Indian Allotment
2 X Pit: Subsection F or G of 19.15.17.11 NMAC Temporary. X Drilling Workover Permanent Emergency Cavitation P&A
X Lined Unlined Liner type: Thickness 12 mil X LLDPE HDPE PVC Other
X String-Reinforced Liner Seams. X Welded X Factory Other Volume: 4400 bbl Dimensions L 65' x W 45' x D 10'
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams. Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: bbl Type of fluid: OIL CONS. DIV. DIST. Tank Construction material:
Secondary containment with leak detection
5 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of batbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of batbed wire evenly spaced between one and four feet Valuerates. Places precify At hospital force with a simple strand of howbord wire on top.				
X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.				
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		,		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No		
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	□No		
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes	□No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No		
Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	□No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19 15.17.9 NMAC and 19.15 17 13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC					
Closure Tails cause upon the appropriate requirements of subsection e of 15 15.1775 that is and 15.15.1715 that is					
Proposed Closure: 19 15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative					
Proposed Closure Method. Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or	Haul-off Bins Only: (19 15 17 13 D NMAC)				
Instructions. Please identify the facility or facilities for the disposal of liquids, drilling fluids and are required.	drill cuttings. Use attachment if more than two facilities				
•	Facility Permit #				
	Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur or Yes (If yes, please provide the information No		erations?			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC Instructions. Each stung criteria requires a demonstration of compliance in the closure plan. Recommenda certain siting criteria may require administrative approval from the appropriate district office or may be conforced for consideration of approval Justifications and/or demonstrations of equivalency are required. Please results of the consideration of approval.	onsidered an exception which must be submitted to the Santa Fe Enviro.				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes	No			
- NM Office of the State Engineer - IWATERS database search; USGS Data obtained from	nearby wells N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes .	No			
- NM Office of the State Engineer - tWATERS database search; USGS; Data obtained from n	nearby wells N/A				
Ground water is more than 100 feet below the bottom of the buried waste	Yes	No			
- NM Office of the State Engineer - (WATERS database search; USGS; Data obtained from n	earby wells N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercomeasured from the ordinary high-water mark).	ourse or lakebed, sinkhole, or playa lake	No			
- Topographic map; Visual inspection (certification) of the proposed site		_			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	the time of initial application.	∐No 			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five hous purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the	time of the initial application	∏No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field corpursuant to NMSA 1978, Section 3-27-3, as amended		No			
 Written confirmation or verification from the municipality; Written approval obtained from Within 500 feet of a wetland 	Yes	□No			
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (cert		LJ. 10			
Within the area overlying a subsurface mine.	Yes	No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Div					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resort Topographic map	urces; USGS; NM Geological Society;	□N0			
Within a 100-year floodplain FEMA map	Yes	No			
On Site Closure Plan Checklists (10.15.17.12 NMAC) Instructions, Each of the follows	owing items must be attached to the desired	o indicat-			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the follows a check mark in the box, that the documents are attached.	oming uems musi vee anachea to the closure plan. Pleas	e inaicaie,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirem	ents of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction Construction (if applicable) based upon the appropriate Construction (if applicable) based upon the applicable (if applicable) based upon the	ate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Faculity Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

19 Operator Application Certification:					
Thereby certify that the information submitted with this application is true, a	ecurate and complete to the	e best of my knowledge and belief.			
Name (Print): Tamia Sessions	Title	Staff Regulatory Technician			
Signature Tambesse	Date:	10-13-09			
e-mail address: sessitd@conocophillips.com	Telephone	505-326-9834			
20 OCD Approval: XPermit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)			
1/20					
OCD Representative Signature:		Approval Date: 10-21-09			
Title: Ensiro/spec	OCD Per	mit Number:			
21					
Closure Report (required within 60 days of closure completion): s	Subsection K of 19 15 17 13 NMA	С			
Instructions: Operators are required to obtain an approved closure plan price	or to implementing any clos	ure activities and submitting the closure report. The closure			
report is required to be submitted to the division within 60 days of the compl approved closure plan has been obtained and the closure activities have been	•	es. Please do not complete this section of the form until an			
The state of the s	· —	re Completion Date:			
Closura Mathod:					
Closure Method: Waste Excavation and Removal On-site Closure Method	Alternative Closure	e Method Waste Removal (Closed-loop systems only)			
If different from approved plan, please explain.					
23 Closure Report Regarding Waste Removal Closure For Closed-loop Syst	ems That Utilize Above G	round Steel Tanks or Haul-off Bins Only:			
Instructions: Please identify the facility or facilities for where the liquids, d					
were utilized.	B 1B W	u Domeit Numbon			
Disposal Facility Name	 ·	y Permit Number			
Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliant to the items below)	No	оруния			
Required for impacted areas which will not be used for future service and	—— l operations:	•			
Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Closumo Bonart Attachment Checkliste Vastrusticus, Erak of the f	Collowing items	galactic the clasure report. Blanca in Ports. Long-to-to-on-the			
Closure Report Attachment Checklist: Instructions: Each of the f the box, that the documents are attached.	ouowing uems must be att	ucnea to the closure report. Flease indicate, by a check mark in			
Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location. Latitude:	Longitude:	NAD 1927 1983			
25					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this clos	•				
the closure complies with all applicable closure requirements and conditions	s specified in the approved	closure plan.			
Name (Print):	Title				
Signature:	Date				
e-mail address:	Telephone:				

Form C-144 Oil Conservation Division

Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 01/14/10)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sampling results from Envirotech.

BR realizes this does not relieve any of the requirements of Part 17.