District I

1625 N French Dr., Hobbs, NM 88240

District II 1301 W Grand Ave, Artesia, NM 88210

District III 1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S. St. Francis Dr. Santa Fe. NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 3 St. Haner DI , Santa FC, 144 87503	
Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Application	
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method	
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method	
X Modification to an existing permit	
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,	
below-grade tank, or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request	
Please be advised that approval of this request does not relieve the operation of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.	
	$\neg$
Operator: Burlington Resources Oil & Gas Company, LP  OGRID#: 14538	-
Address: PO Box 4289, Farmington, NM 87499	-
Facility or well name: MANSFIELD 2B	-
API Number: 30-045-35009 OCD Permit Number:	-
U/L or Qtr/Qtr: B(NW/NE) Section: 19 Township: 30N Range: 9W County: San Juan	-
Center of Proposed Design: Latitude: 36.8011 °N Longitude: 107.82114 °W NAD: 1927 X 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	,
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	ᆜ
2   X   Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary: Drilling Workover  Permanent Emergency X Cavitation P&A (Pre-set)	
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other	
String-Reinforced	
Liner Seams: Welded Factory Other Volume bbl Dimensions L x W x D	
	긬
Closed-loop System: Subsection H of 19.15.17 11 NMAC	
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or	
notice of intent)	
Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other	
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVD Other	~ <b>~</b> 3
Liner Seams: Welded Factory Other	<u>)</u>
4 REU COMO	
Below-grade tank: Subsection I of 19.15.17.11 NMAC	แรน์
Volume: bbl Type of fluid   CONS. DIV. U	"
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
Visible sidewalls and liner Visible sidewalls only Other	المرا
Liner Type Thickness mil HDPE PVC Other	
	믁
5 Alternative Method:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	
buominiar of an exception request is required. Exceptions must be submined to the sama re Environmental bureau office for consideration of approval	

Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC				
9				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
X Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Cavitation pit for Pre-set)	deration of ap	proval		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC	<del> </del>			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	<del>I</del>			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	□Yes	$\square_{N_0}$		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	L] 163			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes	□No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No		
(Applied to permanent ptts)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	г¬			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	∐Yes	∐No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.	Yes	No		
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>				
Within a 100-year floodplain	Yes	□No		
- FEMA map				

Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
Closed-loop Systems Permit Application Attachment Checklist:  Subsection B of 19.15 17.9 NMAC  Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17 11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC				
14 Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency X Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Character to the Plane of dayly or facilities for the dispensal at bounds drelling fluids and drill author. U				
Instructions. Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. U. are required.	se attachment if more than two jacutiles			
	# <u>NM-01-0011 / NM-01-0010B</u>			
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas tha  Yes (If yes, please provide the information  No	t will not be used for future service and operations?			
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable certain siting criteria may require administrative approval from the appropriate district office or may be considered an exceptor consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17.10	tion which must be submitted to the Santa Fe Environmental Bureau office			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS. Data obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, (measured from the ordinary high-water mark).	sinkhole, or playa lake Yes No			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for do purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal to NMSA 1978, Section 3-27-3, as amended	nicipal ordinance adopted Yes No			
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>	☐ Yes ☐ No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the p				
Within the area overlying a subsurface mine.  - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No			
Within an unstable area.	Yes No			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Topographic map</li> </ul>	A Geological Society;			
Within a 100-year floodplain FEMA map	Yes No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must by a check mark in the box, that the documents are attached.	ust bee attached to the closure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.1	7.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  V Disposed Facility Name and Parmit Number (for liquids, drilling fluids and drill cuttings or in account to be provided account to achieved)				
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13				

Form C-144 Oil Conservation Division

Page 4 of 5

19					
Operator Applicat			a accounts and any firm of	a heart of multiprovided as 11.2.0	
Name (Print):	ue unormation subm	itted with this application is tru  Tamra Sessions	e, accurate and complete to th  Title	e best of my knowledge and belief Staff Regulatory Technician	
Signature.		_ //		10-19-09	
e-mail address:	Jamra d se	essions@conocophillips.com		505-326-9834	
e-man address.	tanna u.se	зазона е сопосоришра.сот	Telephone.	303-320-7034	
20 OCD Approval: OCD Representation	· ·	tion (including closure plan)	Closure Plan (only	OCD Conditions (see attachr	_
•	Ÿ.	1 Sec 13 m			10-22-01
Title:	Enviro	Spec	OCD Per	mit Number:	
Instructions: Operato report is required to b	ors are required to ob be submitted to the d		prior to implementing any clo mpletion of the closure activit been completed.	AC Sure activities and submitting the closur les. Please do not complete this section re Completion Date:	- ·
22					
Closure Method:  Waste Excava	ation and Removal	On-site Closure Metlease explain	hod Alternative Closus	re Method Waste Removal (Close	ed-loop systems only)
Instructions: Please i were utilized.	identify the facility o		ds, drilling fluids and drill cu	Ground Steel Tanks or Haul-off Bins C tings were disposed. Use attachment if	
Disposal Facility I	<del></del>			ty Permit Number:	
Disposal Facility			·	ty Permit Number:	trana?
_		s and associated activities perion mplilane to the items below)	No	not be used for future service and opear	tions
Required for impa	tcted areas which will tion (Photo Documei ng and Cover Installa	I not be used for future service ntation)	<b>—</b>	· .	
24					
rite box, that the decomposition of Clo Proof of Clo Proof of Decomposition of Plot Plan (for Confirmation Waste Material Soil Backfill Re-vegetation Site Reclam	Socuments are attack sure Notice (surfaced Notice (required or on-site closures a in Sampling Analytical Sampling Analytical scility Name and Pelling and Cover Inston Application Rates ation (Photo Documents)	ned.  e owner and division)  for on-site closure)  and temporary pits)  ical Results (if applicable)  ytical Results (if applicable)  mit Number  allation  s and Seeding Technique	he following items must be al	tached to the closure report. Please in	
25					
Operator Closure  I hereby certify that t	he information and a		•	te and complete to the best of my knowle	edge and belief I also certify that
	with all applicable c	losure requirements and condit		l closure plan	
Name (Print).			Title:		
Signature:  - e-mail address			Date:		
-man address -			1 ciepnone		

## Burlington Resources Oil & Gas Company, LP Cavitation Pit for Closed-Loop Locations

## Design:

Burlington Resources Oil & Gas Company, LP will use a cavitation pit plan when the surface casing will be pre-set on closed-loop locations. The drill cuttings will be stockpiled on the surface.

## **Operations and Maintenance:**

The cavitation pit will be operated and maintained as follows:

- 1. Only Fresh water and air will be used in the drilling of the surface casing.
- 2. The Cement used will be: Neat Cement with no additives.
- 3. All of the fluids will be removed within 48hrs after drilling.
- 4. A representative five point composite sample will be taken of the drill cuttings, after the setting of the surface casing is complete, using sampling tools and all samples will be tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the testing criteria is not met, all contents will be dug and hauled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e.

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	500

The NMOCD will be notified via email of the test results of the cavitation surface as follows:

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	N/D
BTEX	EPA SW-846 8021B or 8260B	50	10.7
TPH	EPA SW-846 418.1	2500	178
GRO/DRO	EPA SW-846 8015M	500	N/D
Chlorides	EPA 300.1	500	20

## Closure Plan:

- 1. The NMOCD will be notified of the sample results and the intent to start the closure process 3-7 days prior to the drill cuttings being transported, moved, or distributed on location.
- 2. In the event the criteria are not met, all solids and liquids will be removed and disposed of at Envirotech (Permit #NM-01-0011) and/or Basin Disposal Facility (Permit #NM-01-005) and/or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B).
- Testing results will be submitted with the Closure Report of the well locations Closed-Loop Permit on Form C-144.

Burlington Resources is aware that approval of this plan does not relieve Burlington Resources of liability should operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve ConocoPhillips of its responsibility to comply with any other applicable governmental authority's rules and regulations.