<u>District I</u>
1625 N French Dr , Hobbs, NM 88240
<u>District II</u>
1301 W Grand Avenue, Artesia, NM 88210
<u>District III</u>
1000 Rto Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application								
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request								
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.								
Operator: ELM RIDGE EXPLORATION COMPANY, LLC OGRID #: 149052								
Address: P. O. BOX 156, BLOOMFIELD, NM 87413								
Facility or well name: BISTI GALLUP 22 #2								
API Number: 30-045-34209 OCD Permit Number:								
U/L or Qtr/Qtr B Section 22 Township 25 N Range 12 W County: SAN JUAN								
Center of Proposed Design: Latitude 36.39156' N Longitude 108.09721' W NAD: 1927 \ 1983								
Surface Owner: Federal State Private Tribal Trust or Indian Allotment								
	 							
Pit: Subsection F or G of 19.15.17.11 NMAC								
Permanent Emergency Cavitation P&A								
☑ Lined ☐ Unlined Liner type: Thickness 20 mil ☑ LLDPE ☐ HDPE ☐ PVC ☐ Other								
⊠ String-Reinforced								
Liner Seams: Welded Factory Other Volume: 9.939 bbl Dimensions: L 160' x W 40' x D 10'								
3.								
Closed-loop System: Subsection H of 19.15.17.11 NMAC								
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)								
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other								
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other								
Liner Seams: Welded Factory Other Other	-							
Below-grade tank: Subsection I of 19.15.17.11 NMAC	1							
Volume:bbl Type of fluid: 50 DEC 2008 3								
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:								
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off								
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other								
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:								
Alternative Method:								
Submittal of an exception request is required. Exceptions must be submitted to the Sente Re Environmental Rureau office for consideration of approval.								

· ·							
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)							
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,							
institution or church) The surface of the surface							
Alternate. Please specify minimum 36" hog wire topped with at least 1 strand of barbed wire = at least 48" high fence							
7.							
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other							
☐ Monthly inspections (If netting or screening is not physically feasible)							
6.							
Signs: Subsection C of 19.15.17.11 NMAC							
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
⊠ Signed in compliance with 19.15.3.103 NMAC							
9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.							
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau offic consideration of approval. See request for alternate marking on Page 2 of attachment							
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.							
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yeś ☐ No ☐ NA						
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	L les L No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No						
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No						
Within a 100-year floodplain FEMA map	☐ Yes ☐ No						

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
Emergency Response Plan
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14.
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15.
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Son Backin and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.								
Disposal Facility Name:	Disposal Facility Permit Number:							
Disposal Facility Name:	Disposal Facility Permit Number:							
	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No							
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19.15.17.13 NMA(1 of 19.15.17.13 NMAC	C						
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requiconsidered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate disti Il Bureau office for consideration of approval. Justi	rict office or may be						
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Date of the State Engineer - iWATERS database	a obtained from nearby wells	☐ Yes ☑ No ☐ NA						
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Date	a obtained from nearby wells	☐ Yes ⊠ No ☐ NA						
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; USGS; Database search; USGS; USGS; USGS; USGS; USGS; USGS; USGS;	a obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☑ No						
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellit		☐ Yes ☑ No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or some NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	☐ Yes ⊠ No						
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx	·	☐ Yes ⊠ No						
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site	☐ Yes ⊠ No						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	☐ Yes ⊠ No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map	y & Mineral Resources; USGS; NM Geological	☐ Yes 🖾 No						
Within a 100-year floodplain FEMA map		☐ Yes ⊠ No						

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): BRIAN WOOD Title: CONSULTANT
Signature: Date: 11-27-08
e-mail address: brian@permitswest.com Telephone: (505) 466-8120
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Stand Jell Approval Date: 12-10-08
Title: Ensiro/spec OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date: February 2, 2009
Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a checkmark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) See a blacked Proof of Deed Notice (required for on-site closure) NA Plot Plan (for on-site closures and temporary pits) See a blacked Confirmation Sampling Analytical Results (if applicable) See a blacked Waste Material Sampling Analytical Results (required for on-site closure) See a blacked Disposal Facility Name and Permit Number NA Soil Backfilling and Cover Installation See a blacked Re-vegetation Application Rates and Seeding Technique See a blacked Site Reclamation (Photo Documentation) see a blacked On-site Closure Location: Latitude 36.29 S6 Longitude -108.0972 NAD: 1927 1983
Operator Closure Certifiquation:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Amy Mackey Title Administrative Manager
Signature:
e-mail address: anackey 1@ elmoidge. Net Telephone: 505-632-3476, 201
Approved Brand Fra NMOLD 11/2/09

Elm Ridge Exploration Bisti Gallup 22-2 Closure Date: February 2, 2009

Project No. 03056-0157

Drill Pit Closure Checklist

- 1) An alternative interim marking system will be used to allow for safer and more efficient operations. A minimum 4" O.D. steel pipe will be set at least 36" deep at the center of the pit. A threaded collar will be on the top of the pipe. A minimum 12" x 12" steel plate will be welded atop the threaded collar. The top of the plate will be flush with ground level. The standard location information listed will be welded onto the plate, plus a notation that it marks an on-site buried, temporary pit. Upon plugging the well, the plate will be removed, and the pit will be marked as described in 19.15.17.13.F(1)(d).

 See attached photo for on-site temporary ground-level marker. In ground marker will be replaced by a division approved four (4) foot riser upon P&A of this well location. Information welded onto the marker will include: Elm Ridge Exploration, Lease #NM-25449, Bisti Gallup 22-2, UL B, Sec. 22, Twn. 25N, Rng 12W, on-site burial and the date.
- 2) Elm Ridge Exploration will close the pit in accordance with OCD rules 19.15.17.12 &13. Post closure documents will be submitted within 60 days of pit closure and will include forms C-105 and C-144, cover details, pit diagram, inspection report and closure sampling results. See attached C-105, C-144, pit diagrams, closure sampling results. Cover was installed in accordance with 19.15.17.12 &13.
- 3) All free standing liquids will be removed before backfilling the pit and disposed of at an Elm Ridge Disposal Well or at Basin Disposal's evaporation pond.

 Liquid was removed and disposed of at Carson WDW 242 on January 12, 2009. The rig release date for this drill pit is prior to rule 19.15.17, April 4, 2008.
- 4) Due to the land being located on federal land, managed by the Bureau of Land Management (BLM), a deed notice was not applicable.
- 5) Due to confusion associated with the transition period pertaining to 19.15.17, the new 'Pit Rule', a drill pit inspection log was not maintained on this drill pit. Elm Ridge Exploration will comply with the rule and perform drill pit inspections as standard operating procedure as of 7/31/09, and will perform all necessary drill pit inspections after this date.
- 6) The preferred method of closure will be on-site, in place burial, assuming all criteria outlined in 19.15.17.13 (B) are met.
 The drill pit met all requirements, and was buried in-place on February 2, 2009.
- 7) The surface owner has been notified.
 - The BLM was notified on January 29, 2009. See attached BLM notification.
- 8) After approval of this application, Elm Ridge Exploration will notify the OCD verbally, or by other means, at least 72 hours, but not more than one week, prior to any closure operations. The notice shall include the operator's name and the location to be closed by unit letter, section, township and range, well name and number and API number.

 The Oil Conservation Division, Aztec Office, was notified on January 29, 2009. See attached OCD notification.
- 9) All liner above the mud level will be cut and removed after stabilization. Removed liner will be disposed of in a licensed disposal facility. Liner was cut, removed, and disposed after stabilization of the drill pit contents at San Juan County Regional Landfill, Solid Waste Facility Permit SW 05-30 (P).

Closure Date: February 2, 2009

Project No. 03056-0157

10) Elm Ridge Exploration will stabilize or solidify the contents to a bearing capacity sufficient to support the temporary pit's final cover. Elm Ridge Exploration will mix the contents with soil or other material at a mixing ratio of no greater than 3-1, soil or other material: to drill pit contents.

Contents of drill pit were mixed at a 3:1 ratio of soil to contents of drill pit.

11) A five (5)-point composite sample will be taken of the pit, and all samples will be tested per Subsection B of 19.15.17.13(B)(1)(b). If the criteria are not met, then all contents will be handled per subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13. (i.e. dig and haul). If a dig and haul is required, then the disposal facility will be Envirotech's Landfarm (NM01-0011).

Initial sampling on 1/15/09 returned results that were below the NMOCD regulatory standards for all constituents analyzed; see attached laboratory results.

Sample	Chloride	Benzene (8021)	BTEX (8021)	TPH (418.1)	DRO/GRO (8015)
NMOCD Regulatory Standards	1,000 mg/kg	0.2 mg/kg	50.0 mg/kg	2,500 mg/kg	500 mg/kg
Contents Pre-Mix #1	800 mg/kg	0.0017 mg/kg	0.0516 mg/kg	148 mg/kg	35.5 mg/kg

12) After completing solidification and testing, the pit area will be backfilled with compacted, waste free, earthen material. At least four (4) feet of cover will be achieved. The cover will include one (1) foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

Site was backfilled using one (1) foot of topsoil and approximately four (4) feet of non-waste containing earthen material used for cover.

13) Recontouring of the location will match the fit, shape, line, form, and texture of the surrounding area. Re-shaping will control drainage and prevent ponds and erosion. Natural drainages will be unimpeded. Water bars and/or silt traps will be placed where needed to prevent erosion on a large scale. Final recontour will have a uniform appearance with smooth surface, fitting the natural landscape.

The site was recontoured to match the fit, shape, line and form of the surrounding area. It was re-shaped to prevent ponding and erosion, and in such a way that natural drainage was unimpeded. Water bars or silt traps were not needed to prevent erosion. The final recontour has a uniform appearance and a smooth surface, and fits the natural landscape. See attached photos of site recontouring.

14) Notice will be sent to the OCD when the reclaimed area is seeded.

Elm Ridge Exploration will comply with the BLM's re-seeding requirements in this area in accordance with the federal rules and regulations as allowed by the BLM/OCD Memorandum of Understanding. Re-seeding was scheduled to begin on July 7, 2009 per the BLM.

Submit To Appropriate District Office Two Copies			State of New Mexico Energy, Minerals and Natural Resources				Form C-105 July 17, 2008									
District I 1625 N French Dr District II	, Hobbs, NM	88240	Energy, Willierals and Natural Resources				1. WELL API NO. 30-045-34209									
1301 W Grand Avenue, Artesia, NM 88210 District III 1302 G. cl. Ct. F.								ŀ	2 Type of Le	ease						
1000 Rio Brazos Re					20 South S Santa Fe, N				r.		☐ STA		☐ FEE	\boxtimes	FED/IND	IAN
1220 S St Francis			ļ								3 State Oil &					
WELL (ETION OF	RECC	MPL	ETION RE	POF	RT AN	ID	LOG		5 Lease Nam					1 () () () () () () () () () (
COMPLETI	Ü	RT (Fill in boy	es #1 throu	ah #31	for State and Fe	e welle	only)				Bisti Gallup 2	22	Agice	ment i		
				_			• ,	.d.a	and #22 and	,	6 Well Numb 2	oer				
#33, attach this at	nd the plat to									/or						
	WELL 🔲	WORKOVER	DEEPE	ENING	□PLUGBACI	к 🗆 І	DIFFER	EN	IT RESERV	OIR						
8 Name of Opera Elm Ridge Explo											9 OGRID 149052					
10 Address of O PO Box 156, Blo	perator	ew Mexico. 874	113								11 Pool name	or W	'ıldcat			
12.Location	Unit Ltr	Section	Towns	hin	Range	Lot		-	Feet from t	he	N/S Line	Fee	t from the	E/W	Line	County
Surface:	Oill Ed	Section	TOWNS		runge	1301		+	T CCC II Olii C	110	1475 Elike	100	t Hom the	Livi	- Inc	County
BH:																
13 Date Spudded	l 14 Date	TD Reached		Date Rig	Released 8		1	6 1	Date Compl	eted	(Ready to Proc	luce)		7 Eleva T, GR,		and RKB,
18 Total Measure	ed Depth of	Well	19 P	lug Bac	k Measured Dep	oth	2	0	Was Direct	iona	l Survey Made)	21 Typ	e Elect	ric and O	ther Logs Run
22 Producing Int	erval(s), of	this completion	- Top, Bot	tom, Na	ime								L			
23				CAS	ING REC	ORI) (Re	DC	ort all st	ring	s set in w	ell)				
CASING SI	ZE	WEIGHT LE			DEPTH SET				LE SIZE	ς	CEMENTIN		CORD	A	MOUNT	PULLED
									· · · · · · · · · · · · · · · · · · ·						·	
																-
						\dashv										
24.	Trop		ormon	LIN	ER RECORD	ENT	agne	C3. I	-	25			NG REC		I D. CIV	ED OFF
SIZE	TOP .	В	OTTOM		SACKS CEM	ENI	SCRE	ΕN		SIZ	LE	10	EPTH SE	l	PACK	ER SET
26 P. C.	1/							<u> </u>	D. CHOT	ED	A CIPLIDE OF		IT COLL	DDZE	DEC	
26 Perforation	record (inte	erval, size, and i	iumber)				27 A DEPT	CI H I	D, SHOT, NTERVAL	FRA	ACTURE, CE AMOUNT A					
	_															
28			,	1 /=1					TION		I					
Date First Produc	tion	Produ	iction Meth	nod (Fla	owing, gas lift, p	umping	z - Size i	and	type pump))	Well Status	(Pro	d or Shut	- <i>in)</i>		
Date of Test	Hours T	ested	Choke Size		Prod'n For Test Period		Oıl - B	bl		Gas	s - MCF	 	ater - Bbl	•	Gas - 0	Oil Ratio
Flow Tubing Press	Casing I	I	Calculated 2 Hour Rate	24-	Oıl - Bbl		Ga	ıs -	MCF		Water - Bbl		Oil Gra	ivity - A	API - (Cor	r)
29 Disposition of	f Gas (Sold,	used for fuel, v	ented, etc.)									30 ′	Test Witne	essed B	у	
31 List Attachme	ents	-											· · · · · · · · · · · · · · · · · · ·			
32 If a temporary	· .	•	•			•		At	tached							
33. If an on-site b	uria was us	sed at the well,	eport the e	exact loc								077		3.7.	D 1007	1002
I hereby certif	fy hat the	information	shown e					e a	ınd compl		ngitude -108.0 to the best o		knowle		. <u>D 1927_1</u> 1d beliej	
Signature	X/	/ \/ n s			Printed Name Ms.	Amy	Mack	кey	y Title	Ad	ministrativ	e Ma	anager			
Date F-mail Address	8-22-6	ા ev1 <i>@</i> elmric	lge net													

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northy	Northwestern New Mexico			
T. Anhy_	T. Canyon	T. Ojo Alamo	T. Penn A"			
T. Salt	T. Strawn_	T. Kirtland	T. Penn. "B"			
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"			
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"			
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville			
T. Queen	T. Silurian_	T. Menefee	T. Madison			
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert			
T. San Andres	T. Simpson	T. Mancos_	T. McCracken			
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte			
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite			
T. Blinebry	T. Gr. Wash	T. Dakota				
T.Tubb	T. Delaware Sand	T. Morrison				
T. Drinkard	T. Bone Springs	T.Todilto				
T. Abo	T.	T. Entrada				
T. Wolfcamp	T,	T. Wingate_				
T. Penn	T.	T. Chinle				
T. Cisco (Bough C)	T,	T. Permian	OH OD CAG			

		1: 1 Cililaii	
			OIL OR GAS SANDS OR ZONES
No. 1, from	to	No. 3, from	to
No. 2, from	to	No. 4, from	to
	IMPO	RTANT WATER SANDS	
Include data on rate of v	vater inflow and elevation to v	which water rose in hole.	
No. 1, from	to	feet	***************************************
No. 2, from	to	feet	***************************************
		feet	
•			

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology	
			,			1		
						į		

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico

Form C-102 Revised August 15, 2000

DISTRICT II B11 South First, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe. NM 87505 Submit to Appropriate District Office State Lease: — 4 Copies Fee Lease — 3 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

DISTRICT IV 2040 South Pacheco, Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

30-045- 3420	5890	BISTI LOWER BUGALLUP	•
Property Code 36290	•	pperty Name 210 FATHINGTON NM GALLUP 22	* Well Number
*100RID No. 149052	-	erator Name EXPLORATION, LLC	¹ Elevation 6391'

UL or lot no. Section Township Lot idn North/South line Range Feet from the Feet from the East/West. line County В 22 25N 12W 880' NORTH 2150 EAST' SAN JUAN 11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	annigo .	pit center	North/South line	Feet from the	East/West, line County RCVD MAR16 07
14 Dedicated Acres	, .	30	u Joint or Inf	N 36.39156° W 108.09721°	Code a	¹⁵ Order No.	OIL CÓNS. DIV. DIST. 3

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION




EXHIBIT H

LATITUDE: 36.39150°N **ELM RIDGE EXPLORATION, LLC** LONGITUDE: 108.09723°W **BISTI GALLUP 22 #2 DATUM: NAD 83** 880' FNL & 2150' FEL LOCATED IN THE NW/4 NE/4 OF SECTION 22, T25N, R12W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO GROUND ELEVATION: 6391', NAVD 88 25' 25' 50' FINISHED PAD ELEVATION: 6390.7', NAVD 88 SCALE = 50' F+0.6 C-0\0 B' C-0.9 В F+3.5 C' C-2.1 1001 NO NEW ACCE 1 FOOT CONTOUR INTERVAL SHOWN Russell Surveying 1409 W. Aztec Blvd. #5 Aztec, New Mexico 87410 SCALE: 1" = 50" JOB No.: ERE009 DATE: 11/17/06 (505) 334-8637

James Mcdaniel

From:

James Mcdaniel

Sent:

Thursday, January 29, 2009 9:44 AM

To:

'brandon.powell@state.nm.us'

Subject:

Bisti Gallup 22-2 Closure Activities

Mr. Brandon Powell,

Please accept this email as the required notification for closure activities to be performed by Elm Ridge Exploration at the Bisti Gallup 22-2 well site located in Section 22, Township 25N, Range 12W, Unit B, San Juan County, New Mexico. The API # is 3004534209, and closure activities are scheduled to begin on Monday, February 2, 2009. The BLM has been notified as the surface owner. Thank you for your time in regards to this event.

James P McDaniel Project Scientist Envirotech, Inc

505-793-5392

James Mcdaniel

From:

James Mcdaniel

Sent:

Thursday, January 29, 2009 9:37 AM

To: Subject: 'Mark Kelly (mark_kelly@nm.blm.gov)' FW: Sundry Notice, Bisti Gallup 22-2

Attachments:

sundry Notice editable.pdf

Mr. Mark Kelly,

Attached is a Sundry notice for closure activities that will be performed by Elm Ridge Exploration at the Bisti Gallup 22-2 well site. Closure Activities will begin on Monday, February 2, 2009.

James P McDaniel Project Scientist Envirotech, Inc

505-793-5392

Form 3160-5 (August 2007)

(Instructions on page 2)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 201

5. Lease Serial No. NMNM-25449

Do not use this t	ionices and Report form for proposals to d Use Form 3160-3 (APD)	rill or to re-e	nter an	6. If Indian, Allottee o	r Tribe Name
SUBMI	T IN TRIPLICATE – Other inst	ructions on page	2.	7. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well					
☑ Oil Well ☐ Gas V	/ell Other			8. Well Name and No. Bisti Gallup 22-2	
Name of Operator Elm Ridge Exploration				9. API Well No. 30-045-34209	
3a. Address PO Box 156 Bloomfield, NM 87413	i	Phone No. (included 5) 632-3476	le area code)	10. Field and Pool or I	Exploratory Area
4. Location of Well <i>(Footage, Sec., T.,</i> 880 FNL & 2150 FEL, B-22-25N-12W	R.,M., or Survey Description)			11. Country or Parish, San Juan County, N	
12. CHEC	K THE APPROPRIATE BOX(E	S) TO INDICATE	NATURE OF NOTI	CE, REPORT OR OTHI	ER DATA
TYPE OF SUBMISSION			TYPE OF AC	ΓΙΟΝ	
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Trea New Constru Plug and Aba	t Rec action Rec andon Ten	duction (Start/Resume) lamation omplete aporarily Abandon ter Disposal	Water Shut-Off Well Integrity Other
the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready fo EIm Ridge Exploration, Inc is notify activities will begin on Monday, Feb	work will be performed or provide yed operations. If the operation re Abandonment Notices must be fil r final inspection.) ng making the necessary surfaruary 2, 2009 and continue for	the Bond No. on sults in a multiple ed only after all re ace notification of the entire week.	file with BLM/BIA. completion or recom quirements, including their intent to close	Required subsequent rep pletion in a new interval g reclamation, have been	orts must be filed within 30 days , a Form 3160-4 must be filed once completed and the operator has
14. Thoroby certary that the follogoling is	rue and correct. Hame (171mea/19)	Title			
Signature		Date			
	THIS SPACE FO	R FEDERAL	OR STATE OF	FICE USE	
Approved by	•		Title		Date
Conditions of approval, if any, are attache that the applicant holds legal or equitable entitle the applicant to conduct operations	title to those rights in the subject lea	warrant or certify	Office		
Title 18 U.S.C. Section 1001 and Title 43 fictitious or fraudulent statements or repr			nowingly and willfully	to make to any departmen	nt or agency of the United States any false

ELM RIDGE EXPLORATION BISTI GALLUP 22-2

SITE RESTORATION PHOTOGRAPHS

PROJECT NUMBER: 03056-0157 PHOTOS TAKEN: MAY 14, 2009




Photo 1: Steel Marker Plate



Photo 2: Overview of Recontoured Area

ELM RIDGE EXPLORATION BISTI GALLUP 22-2 SITE RESTORATION PHOTOGRAPHS PROJECT NUMBER: 03056-0157 PHOTOS TAKEN: MAY 14, 2009




Photo 3: Overview of Site with Recontoured Area




Photo 4: Site Overview Showing Recontoured Area Level with Natural Surroundings



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Elmridge Res.	Project #:	03056-0157
Sample ID:	#2 Pit	Date Reported:	01-23-09
Laboratory Number:	48751	Date Sampled:	01-15-09
Chain of Custody No:	6191	Date Received:	01-15-09
Sample Matrix:	Sludge	Date Extracted:	01-19-09
Preservative:	Cool	Date Analyzed:	01-20-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	6.7	0.2
Diesel Range (C10 - C28)	28.8	0.1
Total Petroleum Hydrocarbons	35.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Bisti Gallup 22 #2

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client.	QA/QC		Project #:		N/A
Sample ID [.]	01-20-09 QA	/QC	Date Reported:		01-23-09
Laboratory Number:	48749		Date Sampled:		N/A
Sample Matrix:	Methylene Chlo	oride	Date Received:		N/A
Preservative:	N/A		Date Analyzed.		01-20-09
Condition:	N/A		Analysis Reques	ited:	TPH
and a second of Total Salar III. III. III. III.	ALX.07 ANY S. S. L. PROPER S. T. P. SANCE S. T. P. S. C.		LA LALINA MARKA AND A CONTROL FRANK	www.co.org wgg.c .co.c .co.c	
and the second s	I-Cal Date	I-Cal RF:	C-Cal RF.	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	1.0047E+003	1.0051E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1.0367E+003	1.0371E+003	0.04%	0 - 15%
Blank Conc. (mg/L-mg/Kg)		Concentration		Detection Lim	ĬČ.
Gasoline Range C5 - C10	Mark China () Mill after market	ND	And of a second of	0.2	
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	,
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range	
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%	······································
Diesel Range C10 - C28	16.4	16.3	0.6%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accent Rance
Gasoline Range C5 - C10	ND	250	248	99.2%	75 - 125%
Justinie Nange CJ - C10	1412	230	270	JJ.2 /0	13-123/0

ND - Parameter not detected at the stated detection limit.

References:

Diesel Range C10 - C28

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

262

98.5%

Muster of Walters

75 - 125%

250

SW-846, USEPA, December 1996.

16.4

Comments:

QA/QC for Samples 48749 - 48753, 48760, and 48771 - 48774

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Elmridge Res	Project #:	03056-0157
Sample ID:	#2 Pit	Date Reported:	01-23-09
Laboratory Number	48751	Date Sampled:	01-15-09
Chain of Custody:	6191	Date Received:	01-15-09
Sample Matrix:	Sludge	Date Analyzed:	01-20-09
Preservative:	Cool	Date Extracted:	01-19-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Donzono	4 7	0.0
Benzene Toluene	1.7 13.7	0.9 1.0
Ethylbenzene	6.5	1.0
p,m-Xylene	17.9	1.2
o-Xylene	11.8	0.9
Total BTEX	51.6	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Bisti Gallup 22 #2



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	N/A			N/A
Sample ID	01-20-BT QA/QC		Date Reported		01-23-09
Laboratory Number.	48749		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received.		N/A
Preservative:	N/A		Date Analyzed		01-20-09
Condition:	N/A		Analysis [.]		BTEX
Calibration and	I-Cal/RF:	C-Cal RF:	:: %Diff.	Blank	Detect
Detection Limits (ug/L)		Accept Rang	je 0 - 15% ,	Conc	Limit
Benzene	5 4655E+005	5 4764E+005	0.2%	ND	0.1
Toluene	5 2152E+005	5 2257E+005	0.2%	ND	0.1
Ethylbenzene	7 5656E+005	7 5807E+005	0.2%	ND	0.1
p,m-Xylene	1 1786E+006	1 1810E+006	0.2%	ND	0.1
o-Xylene	5 0287E+005	5 0387E+005	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)	Sample	Duplicate	≈€%Diff	Accept Range	Detect, Limit
Benzene	1.3	1.4	7.7%	0 - 30%	0.9
Toluene	13.8	13.5	2.2%	0 - 30%	1.0
Ethylhonzono	4.9	4.6	6.1%	0 - 30%	1.0
Eurymenzene		17.0	6.6%	0 - 30%	1.2
Ethylbenzene p,m-Xylene	18.2	17.0	0.070		

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spik	ced Sample	% Recovery	Accept Range
Benzene	1.3	50.0	49.3	96.1%	39 - 150
Toluene	13.8	50.0	61.8	96.9%	46 - 148
Ethylbenzene	4.9	50.0	51.7	94.2%	32 - 160
p,m-Xylene	18.2	100	114	96.5%	46 - 148
o-Xylene	12.2	50.0	63.6	102%	46 - 148

ND - Parameter not detected at the stated detection limit.

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments:

QA/QC for Samples 48749 - 48753, 48760, and 48771 - 48774.

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Elm Ridge Res	Project #:	03056-0157
Sample ID:	#2 Pit	Date Reported:	01-21-09
Laboratory Number:	48751	Date Sampled:	01-15-09
Chain of Custody No:	6191	Date Received:	01-15-09
Sample Matrix:	Sludge	Date Extracted:	01-15-09
Preservative:	Cool	Date Analyzed:	01-15-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

94.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Bisti Gallup 22 #2.

Analyst

Misthern Weeters Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client: Sample ID: QA/QC

Project #:

N/A

QA/QC

Date Reported:

01-19-09

Laboratory Number:

01-15-TPH.QA/QC 48707

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

01-15-09

Preservative: Condition:

N/A N/A Date Extracted: Analysis Needed: 01-15-09 **TPH**

Calibration

I-Cal Date C-Cal Date

I-Cal RF:

C-Cal RF: % Difference

Accept. Range

01-08-09

01-15-09

1.690

1.720

1.8%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

TPH

ND

16.2

Duplicate Conc. (mg/Kg)

Sample 49.9

41.8

16.2%

Duplicate % Difference Accept. Range +/- 30%

Spike Conc. (mg/Kg)

Sample Spike Added Spike Result % Recovery Accept Range

TPH

49.9

2,000

1,750

85.4%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 48707 - 48709 and 48751 - 48753.

Analyst



Chloride

Client: Elm Ridge Res Project #: 03056-0157 Sample ID: #2 Pit Date Reported: 01-21-09 Lab ID#: 48751 Date Sampled: 01-15-09 Sample Matrix: Sludge Date Received: 01-15-09 Preservative: Cool Date Analyzed: 01-16-09 Condition: Intact Chain of Custody: 6191

Parameter

Concentration (mg/Kg)

Total Chloride

800

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bisti Gallup 22 #2.

Analyst

Review Weelen

CHAIN OF CUSTODY RECORD

Client:		Project Name / Location:						ANALYSIS / PARAMETERS																
Centre of Rea.			Sampler Name: #2.—PT M Lobard										1				Γ			r				
Cliení Address: Sampler Name:					PT M Corps					TPH (Method 8015)	BTEX (Wethod 8021)	VOC (Method 8260)	tals	uo										1
Client Phone No.: Client No.: 03056				711 CODATO				\dashv							\$							_	<u>s</u>	
-	030					Metho	(Meth	Metho	8 Me	/ Ani		with		418.1	RIDE				e Co	e Inis				
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix		No./Volume of Containers	Pre:	Preservative		трн (STEX	VOC (RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE				Sample Cool	Sample Intact
·	}	ļ	4375	Soil Solid	Sludge Aqueous	4				X	X	M						X	X.				F	1
				Soil Solid	Sludge Aqueous													-						
				Soil Solid	Sludge Aqueous									-										
				Soil Solid	Sludge Aqueous																			
				Soil Solid	Sludge Aqueous																			
				Soil Solid	Sludge Aqueous																			
				Soil Solid	Sludge Aqueous				1													+	1	
			<u> </u>	Soil Solid	Sludge Aqueous																			
				Soil Solid	Sludge Aqueous		-																	
				Soil Solid	Sludge Aqueous		_		1															
Relinquished by: (Signature)						Time	\	Recei	ived	l by:	(Signa	ature)	l)	<u> </u>							Date		Time	
Relinquished by: (Signature)						1230					1000										115/26		10	30
Relinquished by: (Signature)							F	Rečei	ived	l by:	y. (Signature)								(
Relinquished by: (Signature)							\$	Received by: (Signature)																
				·		<u> </u>	\perp														<u></u> .			
					FMM		T		[3] 		M	=												ļ

ENVIROTECH INC.

5796 U.S. Highway 64 · Farmington, NM 87401 · Tel 505-632-0615