District I

1625 N French Dr., Hobbs, NM 88240

District II 1301 W Grand Ave, Artesia, NM 88210

District III 1000 Rio Brazos Rd , Aztec, NM 87410

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

State of New Mexico

Energy Minerals and Natural Resources

For temporary pits, closed-loop sytems, and below-grade

Form C-144

July 21, 2008

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

<del></del>	
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
**	of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

environment Not does approval relieve the operator of its responsibility to comply with any other a	pplicable governmental authority's rules, regulations or ordinances				
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538				
Address: PO Box 4289, Farmington, NM 87499					
Facility or well name: CULPEPPER MARTIN 113S					
API Number: 30-045-34828 OCD Permit	t Number·				
U/L or Qtr/Qtr: B(NW/NE) Section: 28 Township: 32N Range	e: 12W County: San Juan				
Center of Proposed Design: Latitude: 36.962313 °N Longitud	e: <u>108.096596 °W</u> NAD: X 1927 1983				
Surface Owner: Federal State X Private Tribal Trust of	or Indian Allotment				
X Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: X Drilling Workover  Permanent Emergency Cavitation P&A  X Lined Unlined Liner type Thickness 12 mil X LLD  X String-Reinforced  Liner Seams. X Welded X Factory Other Volume:					
Closed-loop System: Subsection H of 19 15 17.11 NMAC   Type of Operation					
Below-grade tank: Subsection I of 19 15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Ot	OCT 2009 OIL CONS. DIV. DIST. 3				
5  Alternative Method:  Submittal of an exception request is required Exceptions must be submitted to the Santa Fe	Environmental Bureau office for consideration of approval.				

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.				
7  Netting: Subsection E of 19.15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15 3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	☐Yes ☐NA	No		
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		_		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual Inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No		
Society; Topographic map  Within a 100-year floodplain  - FEMA map	Yes	□No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15 17.9 NMAC and 19.15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist:  Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan  API				
Treviously Approved Operating and Mannematice Figure 7.11				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method. Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC				
Disposal Faculity Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel 7	Sanks or Haul-off Bins Only: (19.15.17 13 D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling flu are required.	ids and drill cuttings. Use attachment if more than two fa	cilities			
·	Disposal Facility Permit #.				
	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information No		rvice and operations?			
Required for impacted areas which will not be used for future vervice and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan Receitain siting criteria may require administrative approval from the appropriate district office or for consideration of approval Justifications and/or demonstrations of equivalency are required	nay be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS Data obtained	ed from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste		— ∏Yes ∏No			
- NM Office of the State Engineer - IWATERS database search; USGS; Data obtaine	d from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtaine	d from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significan (measured from the ordinary high-water mark).		Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exi  - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	stence at the time of initial application	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended					
- Written confirmation or verification from the municipality; Written approval obtained Within 500 feet of a wetland		Yes No			
<ul> <li>US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspect</li> <li>Within the area overlying a subsurface mine.</li> </ul>	ion (certification) of the proposed site	Tyes No			
Written confirantion or verification or map from the NM EMNRD-Mining and Min	eral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;		Yes No			
Topographic map Within a 100-year floodplain - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	the following items must bee attached to the closure	plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate re					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19						
Operator Application Certification:  Thereby certify that the information submitted with this application is true, accur-	tate and complete to the	best of my knowledge and belief				
Name (Print). Tamra Sessions	Title	Staff Regulatory Technician				
Signature: + makes a in	Date:	10-23-09				
e-mail address: sessitd@conocophillips.com	Telephone:	505-326-9834				
o man dedicas.		- The control of the				
20 OCD Approval: Permit Application (including closure plan) OCD Representative Signature:	Closure Plan (only)	OCD Conditions (see attachment)  Approval Date: 11/3/59				
6 Junior						
Title: Enviolata	OCD Peri	nit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  Closure Completion Date:						
22						
Closure Method:  Waste Excavation and Removal On-site Closure Method  If different from approved plan, please explain	Alternative Closure	Method Waste Removal (Closed-loop systems only)				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please identify the facility or facilities for where the liquids, drilliwere utilized.  Disposal Facility Name:	ing fluids and drill cutt Disposal Facility	ngs were disposed. Use attachment if more than two facilities  Permit Number.				
Disposal Facility Name:		Permit Number.				
Were the closed-loop system operations and associated activities performed of Yes (If yes, please demonstrate complifiance to the items below)	ni or in areas that <i>will h</i> a No	or be used for future service and opeartions?				
Required for impacted areas which will not be used for future service and open Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	erations:					
24						
Closure Report Attachment Checklist: Instructions: Each of the follo the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude	wing items must be atta	nched to the closure report. Please indicate, by a check mark in				
25	<del></del>					
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print):	Title.					
Signature.	Date					
e-mail address	Telephone:					

Form C-144 Oil Conservation Division

## Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

## Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 01/23/10)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sampling results from Envirotech.

BR realizes this does not relieve any of the requirements of Part 17.