District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

4	γ	0
ι		

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Not does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: ConocoPhillips Company Address: PO By 4200 Fermington NIM 87400	OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: SAN JUAN 31-6 UNIT 44M	OGD D V. 1
	OCD Permit Number
U/L or Qtr/Qtr: O(SW/SE) Section: 29 Township: 31N	Range: 6W County: Rio Arriba
Center of Proposed Design: Latitude: 36.519043 °N Surface Owner: X Federal State Private Tr	Longitude: 107.290155 °W NAD: X 1927 1983 lbal Trust or Indian Allotment
2	X LLDPE HDPE PVC Other Volume: 4400 bbl Dimensions L 65' x W 45' x D 10'
3 Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation P&A Drilling a new well Workover or notice of inte Drying Pad Above Ground Steel Tanks Haul-off Bins Lined Unlined Liner type: Thickness mil	Drilling (Applies to activities which require prior approval of a permit or ent) Other LLDPE HDPE PVD Other
Liner Seams: Welded Factory Other	A RECEIVED
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid:	87 NOV 2009
Tank Construction material:	OIL CONS. DIV. DIST 3
Secondary containment with leak detection Visible sidewalls, lines Visible sidewalls and liner Visible sidewalls only Ott Liner Type. Thickness mil HDPE PVC	of ther
5 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the	he Santa Fe Environmental Rureau office for consideration of annroyal
Submittal of all exception request is required. Exceptions must be submitted to be	ne dana i e Entromnenta Bareau office for consideration of approva.

6 Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins Four foot height, four strands of barbed wire evenly spaced between one and four feet	titution or chui	rch)
X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.		
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consequences (Fencing/BGT Liner)	sideration of ap	pproval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells		No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. LIS Fish and Wildlife Washard Identification man; Topographic man; Visual inspection (contribution) of the proposed sets		No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.		□No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Ruragu of Goolean & Mineral Resources, USCS, NM Gooleans and Conference of Conf		No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain		
- FEMA map	L L	L110

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15 17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment Contified Engineering Design Plans, based upon the appropriate requirements of 10.15.17.11 NIMAC			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.13.17 17 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan Clause Plan, based upon the appropriate requirements of Subsection C of 10 15 17 0 NMAC and 10 15 17 13 NMAC.			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17 13 NMAC			
14 P. 161			
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method: Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19,15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC			

Form C-144 Oit Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel	Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)	
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fi are required		acilities
Disposal Facility Name:	Disposal Faculity Permit #.	
	Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	ion I of 19.15.17 13 NMAC	С
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15.17.10 NMAC Instructions Each string criteria requires a demonstration of compliance in the closure plan. Re certain string criteria may require administrative approval from the appropriate district office or for consideration of approval Justifications and/or demonstrations of equivalency are required	may be considered an exception which must be submitted to the	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - tWATERS database search; USGS: Data obtain	ned from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ed from nearby wells	□N/A
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obtain	ed from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significa (measured from the ordinary high-water mark)	nt watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex Visual inspection (certification) of the proposed site, Aerial photo; satellite image	ustence at the time of initial application.	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exister - NM Office of the State Engineer - iWATERS database; Visual inspection (certifica	nce at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality		Yes No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspec		☐Yes ☐No
Within the area overlying a subsurface mine	· · · ·	Yes No
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mi	neral Division	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map		Yes No
Within a 100-year floodplain FEMA map		Yes No
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	f the following items must bee attached to the closur	re plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the	appropriate requirements of 19.15 17.11 NMAC	
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Disposal Facility Name and Permit Number (for liquide drilling fluids and drill authors or in cose on site alcours standards cannot be achieved)		
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

19 Operator Applicati	ion Certification:		
	e information submitted with this application is true, acc	curate and complete to the	best of my knowledge and belief.
Name (Print)	Tamra Sessions	Title	Staff Regulatory Technician
Signature	Jampessins	Date	11-4-09
e-mail address	sessitd@conocophillips.com	Telephone:	505-326-9834
OCD Approval:	Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
		,	ш
OCD Representativ			Approval Date:
Title:	Enviro/spec	OCD Peri	nit Number:
			,
Closure Report (re	quired within 60 days of closure completion); Sui	hsection K of 10 15 17 13 NMA	
Instructions Operator	rs are required to obtain an approved closure plan prior	to implementing any clos	ure activities and submitting the closure report. The closure
	e submitted to the division within 60 days of the complet thas been obtained and the closure activities have been		es. Please do not complete this section of the form until an
Sept. 22 Stante o plun		·	e Completion Date:
			- Company Date:
22 Closure Method:			
	tion and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems only)
	m approved plan, please explain.		
23 Closure Report Rega	rding Waste Removal Closure For Closed-loop Syster	ns That Utilize Above G	round Steel Tanks or Haul-off Bins Only:
	dentify the facility or facilities for where the liquids, dri	lling fluids and drill cutt	ings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility N	lame:	Disposal Facility	Permit Number
Disposal Facility N			Permit Number:
1	op system operations and associated activities performed		
Yes (If yes, ple	ease demonstrate complilane to the items below)	No	
1 — - ' ' '	ted areas which will not be used for future service and o	pperations	
ı <u>≍</u> =	on (Photo Documentation) g and Cover Installation		
≒	Application Rates and Seeding Technique		
	Type and the same seeding to an area		
Closure Report	Attachment Checklist: Instructions: Each of the fol	lowing items must be att	ached to the closure report. Please indicate, by a check mark in
the box, that the de	ocuments are attached.		-
ŀ <u>└</u> -2	ure Notice (surface owner and division)		
🛏	d Notice (required for on-site closure)		
	on-site closures and temporary pits) Sampling Analytical Results (if applicable)		
	ial Sampling Analytical Results (if applicable)		
	dity Name and Permit Number		
· 🚅 ·	ng and Cover Installation		
Re-vegetation	Application Rates and Seeding Technique		
Site Reclama	tion (Photo Documentation)		<u>_</u>
On-site Closu	re Location: Latitude:	Longitude	NAD 1927 1983
<u> </u>			
25 On 1974 Clarence (1	N-416 - 41		
Operator Closure (re renort is ture accurate	and complete to the best of my knowledge and belief. Lalso certify that
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):		Title:	
-			
Signature		Date:	
e-mail address		Telephone:	

Form C-144

ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- COP did not meet the closure requirements specified in the referenced rule due to a deficiency in the system.
- (Revised Closure Date of 01/29/10) is requested to complete closure activities.
 Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- Pit is scheduled for closure 11/06/09.

COP realizes this does not relieve any of the requirements of Part 17.