District I 1625 N. French Dr., Hobbs, NM 88240 District III

District III

District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

/ 1	200	1
ч	_/Y	4

4294	Pit, Closed-Loop System, Belo	ow-Grade Tank, or	
Propos	sed Alternative Method Permit of	or Closure Plan Applic	ation
Type of action:	 □ Permit of a pit, closed-loop system, belo □ Closure of a pit, closed-loop system, belo □ Modification to an existing permit □ Closure plan only submitted for an exist 	ow-grade tank, or proposed alto	ernative method
below-grade tank	s, or proposed alternative method	ing permitted of non-permitted	pit, closed toop system,
Instructions: Please submit	one application (Form C-144) per individual pit,	closed-loop system, below-grade	tank or alternative request
environment. Nor does approval relieve to	quest does not relieve the operator of liability should the operator of its responsibility to comply with any	operations result in pollution of surf other applicable governmental author	ace water, ground water or the rity's rules, regulations or ordinances.
Operator: Wil	lliams Operating Co, LLC	OGRID#:	120782
	/ 721 S Main Aztec, NM 87410		
	: 145D		
	535002 OCD Permit		
1	tion 16 Township 31N Rang		· · · · · · · · · · · · · · · · · · ·
Center of Proposed Design: Latitude	<u>36.90498N</u> Longitud	le <u>-107.46109W</u>	NAD: □1927 🖾 1983
Surface Owner: Federal State [Private Tribal Trust or Indian Allotment		
⊠ String-Reinforced	er		
3. Closed-loop System: Subsection	n H of 19.15.17.11 NMAC		
	lling a new well Workover or Drilling (Applie	s to activities which require prior	approval of a permit or notice of
	Steel Tanks		27891080
Lined Unlined Liner type: Tl	hickness mil	DPE PVC Other	3 68 18 9 10 17 12 W
Liner Seams: Welded Factory	Other		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Tank Construction material: Secondary containment with leak Visible sidewalls and liner V	ol Type of fluid: detection Visible sidewalls, liner, 6-inch lift visible sidewalls only Other	and automatic overflow shut-off	OF OIL CONS. DIV. DIST. 3 TO THE CONS. DIV.
Liner type: Thickness	mil		

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify As per BLM specifications	hospital,
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	
9.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office for
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	☐ Yes ☑ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☑ No
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
	☐ Yes ☑ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
(Applies to permanent pits)	⊠ NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☒ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☒ No
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
\cdot	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes 🛛 No
·	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☑ No
Society; Topographic map	
Within a 100-year floodplain.	☐ Yes ☑ No
- FEMA map	L Tes M INO
	, l

•

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
☐ Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Cliner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.		
Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please indentify the facility or facilities for the disposal of liquids		
facilities are required.	B. 15 W. 5 W. 1	
Disposal Facility Name:		
Disposal Facility Name:	Disposal Facility Permit Number:	························
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information below) No	occur on or in areas that will not be used for future serv	rice and operations?
Required for impacted areas which will not be used for future service and operated Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Site Rec	ate requirements of Subsection H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	2
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requested an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	te closure plan. Recommendations of acceptable sour tire administrative approval from the appropriate disti- tal Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; D.	ata obtained from nearby wells	☐ Yes ☑ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	☐ Yes ☒ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	Yes □ No □ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	ignificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☑ No
Within 300 feet from a permanent residence, school, hospital, institution, or chur- Visual inspection (certification) of the proposed site; Aerial photo; Satell		☐ Yes ⊠ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that low watering purposes, or within 1000 horizontal feet of any other fresh water well or NM Office of the State Engineer - iWATERS database; Visual inspection	r spring, in existence at the time of initial application.	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appre		☐ Yes ⊠ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Vis	sual inspection (certification) of the proposed site	☐ Yes ☒ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mini	ng and Mineral Division	☐ Yes ⊠ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geold Society; Topographic map	ogy & Mineral Resources; USGS; NM Geological	☐ Yes ☑ No
Within a 100-year floodplain FEMA map		☐ Yes ☑ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	equirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC appropriate requirements of 19.15.17.11 NMAC appropriate requirements of 19. 15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cannot 1 of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	15.17.11 NMAC

Name (Print): Michael K. Lane	Title: Sr. EH & S Specialist
Signature:	Date: <u>"/2/09</u>
e-mail address: myke.lane@williams.com	. Telephone: <u>505-634-4219</u>
) Closure Plan (only) CCD Conditions (see attachment)
OCD Representative Signature: 32 / July	Approval Date: 11/30/09
Title: Ens. 10/5/00	OCD Permit Number:
	sure plan prior to implementing any closure activities and submitting the closure report. thin 60 days of the completion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	od Alternative Closure Method Waste Removal (Closed-loop systems only)
	ed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than Disposal Facility Permit Number:
Disposal Facility Name:	
	performed on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future ser Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	vice and operations:
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	the following items must be attached to the closure report. Please indicate, by a check on-site closure) Longitude NAD: 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted w belief. I also certify that the closure complies with all applicable	with this closure report is true, accurate and complete to the best of my knowledge and closure requirements and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:

Telephone: __

e-mail address:_

Williams Production Co., LLC San Juan Basin: New Mexico Assets

Temporary Pit
Drilling/Completion and Workover

Type of action & rational

⊠ Transfer • •	Drilling Pit to Completion/Workover Pit Williams proposes to utilize the same pit built to drill the well for the subsequent workover/completion activities noted in the well APD and necessary to bring the subject well into optimum production. Utilization of the same pit will minimize environmental impacts and waste of resources (i.e. waste of fuel and associated greenhouse emissions, surface disturbance). Workover Rig to be mobilized within six months of Drilling Rig demobilized.
☐ Transfer	Drilling Pit trom
•	(well name) As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), Williams is being required to utilize the same well pad for multiple new wells. In these cases, Williams proposes to utilize the same pit for all the new wells to be drilled. Utilization of the same pit will minimize environmental impacts and waste of resources (i.e. waste of fuel and associated greenhouse emissions, surface disturbance). Williams has permitted the common pit for each well, and requests permission to transfer the pit since the first well has been drilled and completed. Pit to be considered closed for first well named. Drill Rig to be rig-up within six months of former rig demobilized.
	As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), Williams can not conduct construction or similar activities during Seasonal Closures and therefore can not meet the closure requirements specified in the referenced rule. Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted. [revised closure date]

Transfer Plan

In accordance with Rule 19.15.17 NMAC, this Modification/Iransfer (M/I) Plan describes the modifications to the Design and Construction (D&C), Operations and Maintenance (O&M) and Closure Plans for the transfer of a previously permitted Temporary Pit on a Williams Production Co, LLC (WPX) location in the San Juan Basin of New Mexico.

This M/1 plan will be followed in that case

D&C Plan:

No proposed changes. Williams will comply with the original Design Plan. This will
include ensuring that the original design of the pit is large enough to accommodate all
of the fluids and solids.

O&M Plan:

- The pit is to be considered out-of-service for the purpose of drilling the referenced well.
- The pit status will be considered in-service during this transition to and during the scheduled workover/completion activities.
- Pit inspections during the period between drill-rigdown and workover/completion-rigup will be weekly.
- The fluid will be removed within 30 days after the completion of each process.
- Williams will conduct an inspection and take photo documentation no more than seven days prior to the pit being placed back into use.
- Williams will notify NMOCD district office 7-14 days prior to start of each process.
- If any mud and solids require removal to ensure the two-foot freeboard is maintained, it will be removed by use of a Supersucker® (or similar equipment that will not damage the liner) and disposed of offsite at Envirotech (Permit Number NM-01-0011).
- Williams will sample the contents of the pit after each process is completed for Benzene,
 BTEX, and TPH (only required for a pit used for multiple wells).
- No other modifications or changes to the operation and maintenance of the pit will take place.

Closure Plan:

- Due to the use of the pit for multiple processes the confirmation sampling will occur only after the contents have been stabilized to ensure a representative sample (only required for a pit used for multiple wells).
- Williams will submit the photo documentation and testing stated above with the C-144 closure.
- All APD #s and well names will be placed on the C-144 form when the closure form is filed
- No additional proposed changes except as noted above, Williams will comply with the rest of the original Closure Plan.

Williams realizes this does not relieve them of any of the requirements of 19.15.17 NMAC.