

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103

Revised March 25, 1999

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.  
30-039-27546

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
E-289-45

7. Lease Name or Unit Agreement Name:

San Juan 29-6 Unit 31326

8. Well No.

SJ 29-6 Unit #207A

9. Pool name or Wildcat

Basin Fruitland Coal - 71629

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other Cathodic groundbed ☒

2. Name of Operator

ConocoPhillips Company 217817

3. Address of Operator

5525 Highway 64, NBU 3004, Farmington, NM 87401

4. Well Location

Unit Letter D : 1105 feet from the North line and 755 feet from the West line

Section 2 Township 29N Range 6W NMPM County Rio Arriba

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
6412' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: Cathodic protection groundbed ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

ConocoPhillips proposes to drill a cathodic protection deep well groundbed for the subject well. Will drill a 6-7/8" hole to an anticipated minimum depth of 300' (maximum depth of 500'). Cement plugs will not be used unless more than water zone is encountered. Prior drilling history for the area indicates only one zone to that depth. If more than one water zone is encountered, notification will be made and details of cement and casing will be provided.

All drilling activity will remain on existing well pad and a Farmington based company will be doing the drilling for ConocoPhillips Company.

See attached drawing on proposed placement of groundbed & underground AC & DC cables and rectifier.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Patsy Clugston TITLE Regulatory Analyst DATE 12/5/03

Type or print name Patsy Clugston Telephone No. 505-599-3454

(This space for State use)

APPROVED BY Denny Fent TITLE Enviro/Engr DATE 1/16/04

Conditions of approval, if any:

**29-6 #207A**

All cable work will be done on  
new and existing well pad - down  
new and existing roadway