

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

JAN 26 2010

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Bureau of Land Management
Huntington Field Office

SUBMIT IN TRIPLICATE- Other instructions on reverse side.		7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. South Hospah #31
2. Name of Operator Nacogdoches Oil & Gas Inc.		9. API Well No. 30-031-20/22
3a. Address PO Box 632418, Nacogdoches TX. 75963	3b. Phone No. (include area code) 936-560-4747	10. Field and Pool, or Exploratory Area South Hospah
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 330' FNL & 2800' FEL. Section 12 17N 9W		11. County or Parish, State McKinley

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other <u>Drill Laterals</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

NOG plans to re-enter the South Hospah #31 and drill (5) 90 degree 600' Laterals at ~~10 degree~~, 110 degree, 180 degree, 125 degree, 270 degree into the Upper Hospah Sand @ 1542'.

Approved for high pressure water
perforation and directional
completion
This is not a drilling operation

RCVD FEB 2 '10
OIL CONS. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Mike Allen		Title VPE&P
Signature		Date 01/26/2010

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by <u>Original Signed: Stephen Mason</u>	Title	Date FEB 01 2010
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

NMOCD

South Hospah #31

Wellbore location: 330' FNL & 2800' FEL
110 Deg @600'=535' FNL 2236' FEL
125 Deg @600'=674' FNL 2309' FEL
180 Deg @600'=1129' FNL 2266' FWL
270 Deg @600'=930' FNL 1570' FWL

South Hospah #47

Wellbore location: 785' FNL & 1775' FWL
45 Deg @600'=361' FNL 2199' FWL
100 Deg @600'=889' FNL 2366' FWL
125 Deg @600'=1129' FNL 2266' FWL
200 Deg @600'=1349' FNL 1570' FWL
240 Deg @600'=1085' FNL 1256' FWL

South Hospah #37X

Wellbore location: 1280' FNL & 1280' FWL
360' deg @600'=380' FNL, 1280' FWL
90 Deg @600'=1280' FNL 1880' FWL
120 Deg @600'=1580' FNL 1799' FWL
195 Deg @600'=1860' FNL 1125' FWL
270 Deg @600'=1280' FNL 680' FWL

1


6

Santa Fe Railroad A

17N

8269

17N



South Hospah Field

8270