<u>District I</u> 1625 N French Dr., Hobbs, NM 88240 District III

District III

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

りかし	~_	ĺ
007	[

Proposed Alternative Method Permit or Closure Plan Application							
Type of action: Permit of a pit, closed-loop system, below-grade tank, or propos Closure of a pit, closed-loop system, below-grade tank, or propo Modification to an existing permit Closure plan only submitted for an existing permitted or non-perbelow-grade tank, or proposed alternative method	ed alternative method seed alternative method						
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below	egrade tank or alternative request						
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable government.							
Operator: HALLADOR PETROLEUM LLP OGRID #: 12672							
Address: 1660 LINCOLN ST., SUITE 2700, DENVER, CO 80264	nom neo se ino						
Facility or well name: HORTON 4B API Number: 30-045-31417 OCD Permit Number:	ROVIDEC 15:08 31_CIUS 15:08						
U/L or Qtr/Qtr K Section 27 Township 32 N Range 12 W County: SAN JUAN	rte e						
Center of Proposed Design; Latitude 36.95508° N Longitude 108.08513° W NAD: ☐ 1927 ☐ 1983							
Surface Owner: Federal State Private Tribal Trust or Indian Allotment	1						
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Scams: Welded Factory Other Volume: bbl Dimensions: L'x V							
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: □ P&A □ Drilling a new well □ Workover or Drilling (Applies to activities which require intent) Drying Pad □ Above Ground Steel Tanks □ Haul-off Bins □ Other □ Lined □ Unlined □ Liner type: Thickness □ mil □ LLDPE □ HDPE □ PVC □ Other □ Liner Seams: □ Welded □ Factory □ Other □							
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 95 bbl Type of fluid: produced water Tank Construction material: single wall steel Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shu Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other							
S. Alternative Method:							

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Lorm C-144---- PageT off!

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) ☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church) ☐ Tank is not within 1,000' of any of the above. Fence was installed at request of surface owner in 2003. This ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet ☐ Alternate. Please specify 48" high (= 36" hog wire + rebar top)						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other expanded metal Monthly inspections (If netting or screening is not physically feasible)	٠					
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC	,					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ⊠ No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☑ No ☐ NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (cartification) of the proposed site: A grial photo: Satellite image.	☐ Yes ⊠ No ☐ NA					
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🛭 No					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes 🛭 No					
Within a 100-year floodplain FEMA map	☐ Yes 🛛 No					

____ Oil-Conservation-Division

Page 2 of 5

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Ptt Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Form C-144 Oil Conservation Division - Days 2502

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drillin facilities are required.		
1 - ,	osal Facility Permit Number:	
	osal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur of ☐ Yes (If yes, please provide the information below) ☐ No	· · · · · · · · · · · · · · · · · · ·	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G	9.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closur provided below. Requests regarding changes to certain siting criteria may require adm considered an exception which must be submitted to the Santa Fe Environmental Bure demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for gui	inistrative approval from the appropriate dist au office for consideration of approval. Just	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	it watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image.		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than a watering purposes, or within 1000 horizontal feet of any other fresh water well or spring. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	in existence at the time of initial application.	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obta	•	☐ Yes ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspe	ction (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and M	ineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mis Society; Topographic map 	neral Resources; USGS; NM Geòlogical	☐ Yes ☐ No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the follow by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subsection of Surface Owner Notice - based upon the appropriate requirements of Subsection Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cutting Soil Cover Design - based upon the appropriate requirements of Subsection II of 19. Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19. Site Reclamation Plan - based upon the appropriate requirements of Subsection G of	ts of 19 15.17.10 NMAC tion F of 19.15.17.13 NMAC te requirements of 19.15.17.11 NMAC sed upon the appropriate requirements of 19.1 NMAC ts of Subsection F of 19.15.17.13 NMAC ion F of 19.15.17.13 NMAC ings or in case on-site closure standards canno 15.17.13 NMAC 15.17.13 NMAC	5.17.11 NMAC
	1	

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): BRIAN WOOD Title: CONSULTANT
Signature: Date: <u>12-11-08</u>
e-mail address: brian@permitswest.com Telephone: (505) 466-8120
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) COCD Conditions (see attachment)
OCD Representative Signature: 3/9/10
Title: Enviro / spec OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24.
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude
25. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address:

- Porm C-144- - Phys 5 505

PAGE 1

Current Situation

There is a 95 barrel single wall steel tank. Walls are visible. Tank is surrounded by hog wire fence topped with re-bar. That fence is surrounded by a 6' high chain link fence topped with barbed wire. There is no secondary containment. The tank has an expanded metal top. After removal of the existing tank, water will be piped to a planned below grade tank. Application for it will be made once the design is finalized.

Time Line

Will close after approval of this application and before June 16, 2013. Will close earlier if OCD determines there is an imminent danger to fresh water, public health, or the environment.

Siting Criteria

1. Depth to ground water is estimated to be >100'. Closest reported water depth and water well is the Talley water well which is $\approx 4,000$ ' northwest in Section 28. Next closest water is the Murray water well which is $\approx 8,500$ ' southeast in Section 35 and in a different watershed. Office of the State Engineer records are attached as Exhibit A. Exhibit B shows the well locations.

≈6,092' Talley water well ground elevation - 90' depth to water

6,138' gas well elevation
- 3' depth to bottom of tank
6,135' tank bottom elevation

≈6,002' water level elevation

6,135' tank bottom elevation
- 6,002' water level elevation
≈133' depth to water

2. Tank is not within 300' of a continuously flowing watercourse. Tank is not within 200' of any other significant watercourse as defined by OCD. Closest first order tributary of Hartley Wash is ≈ 1 mile west (Exhibits B & C).



Hallador Petroleum LLP Horton 4B below grade tank proposed closure 1872' FSL & 1906' FWL Sec. 27, T. 32 N., R. 12 W. San Juan County, New Mexico API # 30-045-31417

- 3. Tank is not within 300' of any building. Closest buildings are >1,500' northwest (Exhibit D).
- 4. Tank is not within 1,000' of any fresh water well or spring (Exhibits A & B).
- 5. Tank is not within municipal boundaries or within a municipal fresh water well field (Exhibits A & B).
- 6. Tank is not within 500' of a wetland (Exhibit E).
- 7. Tank does not overly a mine (Exhibit F).
- 8. Tank is not in an unstable area. No evidence of earth movement was found during a November 6, 2008 field inspection.
- 9. Tank is not within a 100 year flood plain (Exhibit G).
- 10. C-102 is attached as Exhibit H.
- 11. Closure notice to the surface owner (Lesher) is attached as Exhibit I.

Hydrogeology

Surface formation is the Nacimiento. According to Stone et al in <u>Hydrogeology</u> and water resources of San Juan Basin, New Mexico, the Nacimiento is mainly a mudstone. There are also medium to coarse grained sandstone layers in the Nacimiento. Transmissivities of 100 feet² per day can be found in the coarser continuous sandstones. Water in the more extensive sandstones has a specific conductance of 1,500 μ mhos. Specific conductance is >2,000 μ mhos in the finer grained sandstones.



PAGE 3

Closure Plan

Surface owner has been notified via certified return receipt requested mail of the proposed closure.

Will verbally notify OCD at least 72 hours and no more than 1 week before closure. Notice to OCD will include operator name, location (quarter-quarter, section, township, & range), well name & number, and API number.

Will pump out any remaining water and haul to Basin Disposal (NM-01-005)

Will haul sludge to J F J Land Farm (NM-01-010).

Will truck waste qualifying under OCD Rule 19.15.9.712 to the San Juan County landfill.

Will remove tank, pipes, and associated equipment and store at company yard for future reuse.

Will test soil under tank to determine if a release has occurred, even if there is no visible contamination. Will collect, at a minimum, a five point composite sample. Will collect individual grab samples from any area that is wet, discolored, or showing other evidence of a release. Will analyze all samples for:

Component	Test Method	Not to Exceed (mg/kg)
benzene	EPA SW-846 8021B or 8260B	0.2
total BTEX	EPA SW-846 8021B or 8260B	50
ТРН	EPA 418.1	100
chlorides	EPA 300.1	250 or background

If the operator or OCD determines that a release has occurred, then the operator will comply with OCD rules 19.15.3.116 NMAC and 19.15.1.19 NMAC,



Hallador Petroleum LLP Horton 4B below grade tank proposed closure 1872' FSL & 1906' FWL Sec. 27, T. 32 N., R. 12 W. San Juan County, New Mexico API # 30-045-31417

as appropriate. A major (>25 barrels) release requires immediate verbal notice and timely written notice to OCD. A minor release (more than 5 barrels and less than 25 barrels) requires timely written notice to OCD. Timely is defined as 15 days. Written notice will include Form C-141. OCD may require additional sampling delineation upon its review of the results.

If the sampling program demonstrates that a release has not occurred, or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC (table on preceding page); then the operator will back fill the excavation with compacted waste free earthen material, construct an OCD prescribed soil cover, recontour, and revegetate the site. The soil cover, recontouring and re-vegetation requirements will comply with Subsections G, H and I of 19.15.17.13 NMAC. Specific steps are:

back fill to within 12" of grade
bring to grade with 12" topsoil or background thickness, whichever is more
contour to prevent ponding or erosion
seed first growing season after closure
seed with at least 3 native species, at least 1 of which must be a grass
(recommend grass species only for safety & keep seed bag tag)
seed mix will exclude noxious weeds
cover seed
Will file closure report on Form C-144 within 60 days of closure completion with
necessary attachments to document all closure activities including:
proof of notice to surface owner
proof of notice to OCD
plot plan
chemical sampling analysis results
disposal facility name and permit number
back filling & cover details
seeding rate per species
how seeded
photograph of seeded area



PAGE 5

Successful revegetation will be accomplished if:
plant cover equals 70% of adjacent impact free native perennial vegetation
(noxious weeds are not counted toward 70% goal)
70% goal maintained for 2 consecutive growing seasons without irrigation
if unsuccessful, repeat until goals is achieved
notify OCD when 70% goal has been met for 2 consecutive growing seasons
file Form C-144
include photograph of revegetated area

Executed this 11th day of December, 2008.

Brian Wood, Consultant

Permits West, Inc.

37 Verano Loop, Santa Fe, NM 87508

(505) 466-8120

FAX: (505) 466-9682

Cellular: (505) 699-2276

The operator's representative is:

re is: Tim Lovseth
Hallador Petroleum LLP
1660 Lincoln St., Suite 2700
Denver, CO 80264
(303) 839-5504, Extension 317



New Mexico Office of the State Engineer POD Reports and Downloads


Township: 32N Range: 12W Sections:
NAD27 X: Zone: Zone: Search Radius:
County: Basin: Manus de Maria
Owner Name: (First) (Last) ONon-Domestic ODomestic OAII
(POD / Surface Data Report) (Avg Depth to Water Report) (Water Column Report)
Clear Form (iWATERS Menu) (Help)


WATER COLUMN REPORT 12/10/2008


	(quarters are l=NW 2=NE 3=SW 4=SE)						> .							
	(quarte:	s ar	e bi	gge	est	t to	smal	lest)		Depth	Depth	Water	(in	feet)
POD Number	Tws	Rng	Sec	q	q	q	Zone	х	Y	Well	Water	Column		•
SJ 01213	32N	12W	18	2	3	4				640	20	620		
SJ 01212	32N	12W	18	4	1	3				43	5	38		
SJ 03583	32N	12W	23	1	1	1				167	60	107		
SJ 00055	32N	12W	25	2						504				
SJ 02110	32N	12W	28	2	1	4	W	391500	2170000	171	90	81		
SJ 01106	32N	12W	35	3	4					180	115	65		


Record Count: 6

EXHIBITA












MMQonline Public Version










EXHIBITE



State of New Mexico Energy, Minerals & Mining Resources Department OIL CONSERVATION DIVISION 2040 South Pacheco Sonta Fe, NM 87505

MENDED REPORT


| WELL LOCATION AND ACREAGE DEDICATION PLAT | Pool Code | Pool Name | Property Code | Property Name | Well Number | 32.16.7 | HORTON | 4 B | OGRID No. | Operator Name | Bevalian | 23846 | QUESTAR EXPLORATION & PRODUCTION | 6138'

Surface Location Feet from North/South County UL or Lot Rge. Lot lan East/West 27 12 W. SAN JUAN WEST K 32 N. 1872 SOUTH 1906

Bottom Hole Location IF Different From Surface

UL or Lot	Sec.	Тир.	Rge.	Lot lds.	Feet from>	North/South	Feet Irom>	East/West	County		
Dedication 320	Jo	int?	Convolido	tion			Orde	r No.			

NO ALLOWABLE WILL ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNT HAS BEEN APPROVED BY THE DMISION





December 8, 2008

James & Karen Lesher 5609 Cedarwood St. Farmington, NM 87402

Dear Mr. & Ms. Lesher:

As required by NMOCD rule Subsection J of 19.15.17.13 NMAC, I am notifying BLM that Hallador Petroleum LLP plans to close the following below grade tanks on your surface in San Juan County, NM:

Well

API Number

Location

Horton 4B

30-045-31417

NESW 27-32n-12w

Please call me if you have any questions.

Brian Wood

Sincerely,

EXHIBIT I

	N.		
	US PostalS CERTIFIED	MAVEAREC	EIRT:
L D	The state of the s	nly: No Insurance C	the control of the second of the second seco
877°	For delivery informs	tion visit our website a	A CONTRACTOR OF THE PARTY OF TH
_	l Off	ICIAL	Co
133F	Postage	\$,42	ONE POSITION 2008
	Certified Fee	d, 40	J. K. W. Bushand Jino
+000	Return Receipt Fee (Endorsement Required)	2.20	DEC Hele SOUR
	Restricted Delivery Fee (Endorsement Required)	\ <u>}</u>	9/
1830	Total Postage & Fees	\$5.32	USPS
	Sent To	Lesher	
7008	Street, Apt. No.; or PO Box No.		
1-	City, State, ZIP+4		and the second second second second
	insirorihiseobakuguahi	1006 - A - A - A - A - A - A - A - A - A -	Menal Revolución de la menal de la mentre de la menal

Power of Attorney

Know All Men By These Presents:

That I, Victor P. Stabio, Chief Executive Officer and President of Hallador Petroleum Company, with offices at 1660 Lincoln Street, Suite 2700, Denver, Colorado 80264, have made, constituted, and appointed, and by these presents do make, constitute and appoint Brian Wood of Permits West, Inc., whose address is 37 Verano Loop, Santa Fe, New Mexico 87505, my true and lawful attorney, for me, and in my name, place and stead, and to my use to sign any and all forms submitted on behalf of Hallador Petroleum Company to the New Mexico Oil Conservation Division.

This Power of Attorney is execute this 8th day of	December,	2008, but shall be effective
for all intents and purposes as of June 16, 2008.	11:	114

Vistor D. Stobio

Chief Executive Officer and President of Hallador Petroleum Company

Corporate Acknowledgment

STATE OF COLORADO	}	
CITY AND	}	8
COUNTY OF DENVER	}	

Before me, a Notary Public in and for said County and State, on this 8th day of December, 2008, personally appeared Victor P. Stabio, Chief Executive Officer and President of Hallador Petroleum Corporation, a Colorado corporation, on behalf of said corporation.

My commission expires: June 7, 2011 Jane Sanders, Notary Public 1660 Lincoln Street, Suite 2700 Denver, Colorado 80264

My Commission Expires 06/07/2011