District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

Distant II

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008

For temporary pits, closed-loop systems, and below-grade

Form C-144

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP Address: PO Box 4289, Farmington, NM 87499
Facility or well name: SAN JUAN 30-6 UNIT 48M
API Number: 30-039-30724 OCD Permit Number U/L or Qtr/Qtr: L(NW/SW) Section: 27 Township: 30N Range: 6W County: Rio Arriba Center of Proposed Design: Latitude: 36.781464 °N Longitude: 107.459059 °W NAD: 1927 X 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15 17 1-1 NMAC Temporary.
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation. P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15.17 11 NMAC Volume bbl Type of fluid: Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instance of barbed wire evenly spaced between one and four feet X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.	titution or church)	
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No	
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map 	Yes No	
Within a 100-year floodplain - FEMA map	Yes No	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
l 吕····		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
14		
Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Weste Personal Classure Fox Classed Ion Systems That Hilling About County Six	and Tartha are Hard off Birra Online (10.15.17.12.D.NDAAC)	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St Instructions Please identify the facility or facilities for the disposal of liquids, drillin	eel Lanks or Haul-off Bins Only: (19.15 17 13.D NMAC) og fluids and drill cuttings Use attachment if more than two	
facilities are required.	Disposal Facility Demost #	
Disposal Facility Name	Disposal Facility Permit #	
Disposal Facility Name:	Disposal Facility Permit #	<u> </u>
Will any of the proposed closed-loop system operations and associated activit Yes (If yes, please provide the information No		service and
Required for impacted areas which will not be used for future service and operation: Soil Backfill and Cover Design Specification - based upon the approp		VC
Re-vegetation Plan - based upon the appropriate requirements of Subs	•	ac
Site Reclamation Plan - based upon the appropriate requirements of Si		
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA	AC	•
Instructions: Each siting criteria requires a demonstration of compliance in the closure pla certain siting criteria may require administrative approval from the appropriate district off		
office for consideration of approval Justifications and/or demonstrations of equivalency at		ine Sania re Environmeniai Dureau
Ground water is less than 50 feet below the bottom of the buried waste	_	Yes No
- NM Office of the State Engineer - iWATERS database search, USGS Data of	otained from nearby wells	∏ _{N/A}
Ground water is between 50 and 100 feet below the bottom of the buried was	ta	☐Yes ☐No
- NM Office of the State Engineer - tWATERS database search; USGS, Data ob		
Ground water is more than 100 feet below the bottom of the buried waste	armad Community alle	Yes No
- NM Office of the State Engineer - iWATERS database search, USGS, Data ob	tained from nearby wells	∐N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark)	icant watercourse or lakebed, sınkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		∐Yes ∐No
		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist. - NM Office of the State Engineer - iWATERS database, Visual inspection (certification).	stence at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fresh water v pursuant to NMSA 1978, Section 3-27-3, as amended	· · · · · ·	Yes No
- Written confirmation or verification from the municipality, Written approval ob	tained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins	naction (cortification) of the proposed site	Yes No
Within the area overlying a subsurface mine	pection (certification) of the proposed site	∏Yes ∏No
- Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division	
Within an unstable area		Yes No
- Engineering measures incorporated into the design, NM Bureau of Geology & N Topographic map	Anneral Resources; USGS; NM Geological Society,	
Within a 100-year floodplain.		∏Yes ∏No
- FEMA map		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,		
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropria	ate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirem		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a dr		19 15.17 11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropria		
Waste Material Sampling Plan - based upon the appropriate requirement		
Disposal Facility Name and Permit Number (for liquids, drilling fluid	s and drill cuttings or in case on-site closure standards o	annot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subs		
Site Reclamation Plan - based upon the appropriate requirements of S	ubsection G of 19 15 17 13 NMAC	

Operator Application Certification:
I hereby certify that the information suffinited with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print). Marie El Jaramillo /// Title Staff Regulatofry Technician
Signature Signature Date
e-mail address. marie.e.jaramillo@condcophillips/com Telephone 505-326-9865
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 3//5//O
Title: Enviro / 5 per OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number Disposal Facility Permit Number Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compilane to the items below)
Required for impacted areas which will not be used for future service and operations.
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title.
Signature Date.
e-mail address Telephone

Form C-144

Burlington Resources San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), BR
 can not conduct construction or similar activities during Seasonal Closures and therefore can
 not meet the closure requirements specified in the referenced rule. Completion of the well and
 Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- __(Revised Closure 04/02/10) __ needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.