District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S. St	Francis	Dr.,	Santa	Fe.	NM
<u>~~~~</u>	1	_			

1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMO	CD District Office
5145 Propo	Pit, Closed-Loop System osed Alternative Method I		pplication
Type of action:	Permit of a pit, closed-loop syst X Closure of a pit, closed-loop sy Modification to an existing per	tem, below-grade tank, or proposed stem, below-grade tank, or propose	alternative method d alternative method
,	below-grade tank, or proposed		р., с
Please be advised that approval of environment Nor does approval relic	oplication (Form C-144) per individent this request does not relieve the operator of the task that the operator of the responsibility to comply we have the responsibility to comply the responsibility to the	ulity should operations result in pollution of surf	face water, ground water or the
Operator: Burlington Resources Oi	l & Gas Company, LP	OGRID#: 14	538
Address: PO Box 4289, Farmingto	n, NM 87499		
Facility or well name: Huefanito Un	nit 79M		
API Number: 30)-045-28948	OCD Permit Number:	
U/L or Qtr/Qtr: N(SE/SW) Section	on: 26 Township: 27N	Range: 9W County	: San Juan
Center of Proposed Design: Latitude		Longitude:	<u>°W</u> NAD: X 1927 ☐ 1983
Surface Owner: X Federal	State Private T	ribal Trust or Indian Allotment	
Permanent Emergency C Lined Unlined Li String-Reinforced	Avitation P&A ner type: Thickness mil	LLDPE HDPE PVC Volume:bbl Dimensio	Other x W x D
Type of Operation: P&A X X Drying Pad X Above Grou X Lined Unlined Line	notice of int nd Steel Tanks Haul-off Bins r type: Thickness 20 mil	Other	
Liner Seams: X Welded X Fa	octory Other		
	of 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, line Visible sidewalls only Ot mil HDPE PVC		RECEIVED RECEIVED RECEIVED OIL CONS. DIV. DIST. 3 OF STREET LIGHT
5 Alternative Method: Submittal of an exception request is req	uired. Exceptions must be submitted to	the Santa Fe Environmental Bureau off	

Fancing: Subsection D of 19.15.17.11 NMAC (Applies to permanent nit, temporary nits, and below grade tanks)				
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15 3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi	deration of app	roval.		
(Fencing/BGT Liner)	بر م			
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	_			
10	T			
Siting Criteria (regarding permitting) 19.15.17.10 NMAC	ľ			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		_		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake				
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No		
application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	;		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		□No		
	Yes	∐No		
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
		Пмо		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	∐No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.	Yes	No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.	Yes	∐No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	v	□No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological				
Society; Topographic map				
Within a 100-year floodplain	Yes	□No		
- FEMA map	1			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Penert (Palow, grade Topke), based upon the requirements of Paragraph (4) of Subsection P. of 10.15.17.0 NMAC.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
14		
Proposed Closure: 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
		
☐ Alternative Proposed Closure Method: ☐ Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling	ig fluids and drill cuttings Use attachment if more than two			
facilities are required Disposal Facility Name:	Dianocal Engility Pormit #			
Disposal Facility Name: Disposal Facility Name:	Disposal Facility Permit #-			
Will any of the proposed closed-loop system operations and associated activ				
Yes (If yes, please provide the information No Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
′ 17				
Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - 1WATERS database search, USGS: Data of	otained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried wa	uste	∏Yes ∏No		
- NM Office of the State Engineer - (WATERS database search, USGS, Data ob	tained from nearby wells	□ N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi (measured from the ordinary high-water mark)	ficant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	••	∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated inunicipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.				
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		Yes No		
Within the area overlying a subsurface mine.		∏Yes ∏No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society;		∐Yes ∐No		
Topographic map Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	ch of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief			
Name (Print): Titl	•		
Signature: Dat			
	ohone:		
20 OCD Approval: Permit Application (including closure plan) Closure	Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature:	Approval Date:		
Title:	OCD Permit Number:		
21			
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 1/14/2009			
Closure Method: Waste Excavation and Removal On-site Closure Method Altern	ative Closure Method X Waste Removal (Closed-loop systems only)		
If different from approved plan, please explain.	٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠ ٠		
23			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilian Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and			
were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Dis	posał Facility Permit Number. NM-01-0011 / NM-01-0010B		
	posal Facility Permit Number NM-01-005		
Were the closed-loop system operations and associated activities performed on or in areas			
Yes (If yes, please demonstrate compliane to the items below) X No	·		
Required for impacted areas which will not be used for future service and operations.			
Site Reclamation (Photo Documentation)			
Soil Backfilling and Cover Installation	·		
Re-vegetation Application Rates and Seeding Technique			
24 Closure Report Attachment Checklist: Instructions: Each of the following items the box, that the documents are attached.	must be attached to the closure report. Please indicate, by a check mark in		
Proof of Closure Notice (surface owner and division)			
Proof of Deed Notice (required for on-site closure)			
Plot Plan (for on-site closures and temporary pits)			
Confirmation Sampling Analytical Results (if applicable)			
Waste Material Sampling Analytical Results (if applicable)			
Disposal Facility Name and Permit Number			
Soil Backfilling and Cover Installation			
Re-vegetation Application Rates and Seeding Technique			
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Long	itude: NAD 1927 1983		
On the Closure Evention. Santade.			
25			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is tu- the closure complies with all applicable closure requirements and conditions specified in the			
•	Title: Regulatory Technician		
Occasion Capalina	Date: 1/29/2010		
e-mail address: Jamie,L,Goodwin@conocophillips.com Te	lephone: 505-326-9784		
100 1 20 1 20 1 1000	2/16/10		

Approved Brand Sell NMOCO 3/15/10
Oil Conservation Division