District I 1625 N. Franch Dr., Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III ros Rd. Artes NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

CC 2 2	
1220 S St Francis Dr , Santa Fe, NM 8750	)5
District IV	

District IV 1220 S. St. Francis Dr., Santa Fe, NM. 87505	Santa Fe, NM 8/303	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
	-Loop System, Below-Gra ative Method Permit or Clo	
Closure of  X Modification  Closure pla  below-grad	a pit, closed-loop system, below-graden to an existing permit an only submitted for an existing permeterance tank, or proposed alternative methous an C-144) per individual pit, closed-lovelieve the operator of hability should operations	pop system, below-grade tank or alternative request result in pollution of surface water, ground water or the
Operator: Burlington Resources Oil & Gas Compa	nny, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499		
Facility or well name: SAN JUAN 27-4 UNIT 35C		
API Number: 30-039-30413	OCD Permit Num'	ber:
U/L or Qtr/Qtr: D(NW/NW) Section: 26 To Center of Proposed Design: Latitude: Surface Owner: X Federal State	wwnship: 27N Range:  36.548581 °N Longitude:  Private Tribal Trust or Indi	107.22617
Temporary X Drilling Workover  Permanent Emergency Cavitation P&  X Lined Unlined Liner type: Thick  X String-Reinforced  Liner Seams: X Welded X Factory Other	kness 20 mil X LLDPE	HDPE         □ PVC         Other           0         bbl         Dimensions L         120' x W         55' x D         12'
Closed-loop System: Subsection H of 19.15.17.  Type of Operation P&A Drilling a new v  Drying Pad Above Ground Steel Tanks  Lined Unlined Liner type Thicks  Liner Seams Welded Factory Other	vell Workover or Drilling (Applies notice of intent)  Haul-off Bins Other	HDPE PVD Other RECEIVED
Below-grade tank: Subsection I of 19.15.17.11 N  Volume bbl Type of the Tank Construction material:  Secondary containment with leak detection visible sidewalls and liner visible sidewalls and liner mil	Visible sidewalls, liner, 6-inch lift and au	OR OIL CONS. DIV. DIST. 3
5 Alternative Method: Submittal of an exception request is required. Exceptions	must be submitted to the Santa Fe Enviro	

Fencing: Subsection D of 19.15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instit	ution or church	)	
X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3 103 NMAC			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
	τ		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	—		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No	
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality. Written approval obtained from the municipality	Yes	□No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19 15.17.9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17 9 NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9  NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15 17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

اد 16		
Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions Please identify the facility or facilities for the disposal of liquid facilities are required.		
Disposal Facility Name	Disposal Facility Permit #:	•
Disposal Facility Name:	Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and assoc  Yes (If yes, please provide the information No		
Required for impacted areas which will not be used for future service and Soil Backfill and Cover Design Specification - based upon Re-vegetation Plan - based upon the appropriate requirement Site Reclamation Plan - based upon the appropriate requirement	the appropriate requirements of Subsection H of 19.15.17.13 Ns of Subsection I of 19.15.17.13 NMAC	NMAC
17	· · · · · · · · · · · · · · · · · · ·	
Siting Criteria (Regarding on-site closure methods only: 19.15 Instructions Each siting criteria requires a demonstration of compliance in the clocertain siting criteria may require administrative approval from the appropriate disoffice for consideration of approval Justifications and/or demonstrations of equivo	sure plan Recommendanons of acceptable source material are provided beloi trict office or may be considered an exception which must be submitted to the S	
Ground water is less than 50 feet below the bottom of the buried v - NM Office of the State Engineer - iWATERS database search; USC		Yes No
Ground water is between 50 and 100 feet below the bottom of the	huried waste	Yes No
- NM Office of the State Engineer - tWATERS database search, USG		
Ground water is more than 100 feet below the bottom of the burie	1 wests	Yes No
- NM Office of the State Engineer - tWATERS database search; USG		
-	·	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed s		Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or		☐Yes ☐No
- Visual inspection (certification) of the proposed site. Aerial photo. sa	•••	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring purposes, or within 1000 horizontal fee of any other fresh water well or sp - NM Office of the State Engineer - iWATERS database, Visual inspe	ring, in existence at the time of the initial application ction (certification) of the proposed site	TYes No
pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality, Written		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map	: Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine.		Yes No
- Written confirantion or verification or map from the NM EMNRD-N	lining and Mineral Division	
Within an unstable area     Engineering measures incorporated into the design: NM Bureau of G Topographic map	eology & Mineral Resources, USGS, NM Geological Society:	YesNo
Within a 100-year floodplain FEMA map		Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction by a check mark in the box, that the documents are attached.	ons: Each of the following items must bee attached to the clo	osure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon th	e appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriat		
Construction/Design Plan of Burial Trench (if applicable) b	ased upon the appropriate requirements of 19 15 17.11 NMAG	
Construction/Design Plan of Temporary Pit (for in place but	rial of a drying pad) - based upon the appropriate requirement	s of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requ	irements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon th	e appropriate requirements of Subsection F of 19.15 17.13 NN	1AC
Waste Material Sampling Plan - based upon the appropriate	requirements of Subsection F of 19.15.17.13 NMAC	
	lling fluids and drill cuttings or in case on-site closure standard	ds cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements  Site Reclamation Plan - based upon the appropriate requirements  Re-vegetation Plan - based upon the appropriate requirements		

Form C-144 Oil Conservation Division

Page 4 of 5

19 .
- Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Marge E <sub>I</sub> Jarathillo Title. Staff Regulatory Technician
Signature Date: 5/7/10
e-mail address harmed e.jaramillo@conogophillips.com Telephone: 1505-326-9865
c-than address will be a common commo
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Frd Kell Approval Date: 4/16/10
OCD Representative Signature: fra fell Approval Date: 4/16/10  Title: Euliro/Spec OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
C-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude Longitude. NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address. Telephone:

Form C-144

## Burlington Resources San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), BR can not conduct construction or similar activities during Seasonal Closures and therefore can not meet the closure requirements specified in the referenced rule. Completion of the well and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- (Revised Closure Date 05/15/10) \_\_\_ needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.