District I 1625 N French Dr , Hobbs, NM 88240

## State of New Mexico **Energy Minerals and Natural Resources**

Department

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

District III	1220 South St.		·, · · · · · · · ·	p-intermedia bloader office
1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, N		For permanent pits and	exceptions submit to the Santa Fe
District IV		0,000	Environmental Bureau off appropriate NMOCD Dist	ice and provide a copy to the
1220 S St Francis Dr., Santa Fe, NM 87505	Dit Class I I am Create	Dalassi Can		The Office
5548 m	Pit, Closed-Loop System			atio
<u>Flope</u>	osed Alternative Method —	remin of Cio	sure Fian Applica	ation
Type of action:	Permit of a pit, closed-loop s	ystem, below-grade	tank, or proposed altern	ative method
	Closure of a pit, closed-loop	system, below-grade	e tank, or proposed alter	native method
	Modification to an existing p	ermit		
	Closure plan only submitted			it, closed-loop system,
I	below-grade tank, or propose			
Instructions: Please submit one ap	this request does not relieve the operator of h	_		<del>-</del>
	we the operator of its responsibility to comply			
1				
Operator: ConocoPhillips Company			OGRID#: 217817	
Address: PO Box 4289, Farmingto				
Facility or well name: SAN JUAN 2				
API Number: 30	0-039-30677	OCD Permit Numb	er:	
U/L or Qtr/Qtr; L(NW/SW) Section		<u> </u>	7W County: Ric	
Center of Proposed Design: Latitude		Longitude:	107.586919 °V	V NAD: 1927 X 1983
Surface Owner: X Federal	State Private	Tribal Trust or India	an Allotment	
X Lined Unlined Li X String-Reinforced	kover avitation P&A	nil <b>X</b> LLDPE	HDPE PVC O	ther
	ion H of 19.15.17.11 NMAC  Drilling a new well Workove notice of		o activities which require p	
Lined Unlined Line	nd Steel Tanks	Other    LLDPE		PECENED S
Below-grade tank: Subsection I Volume: b	of 19.15.17.11 NMAC			MAR 2010  OIL CONS. DIV. DIST. 3  OCT. CONS. DIV. DIST. 3
Tank Construction material:	. Type of fluid.			AL COMS. DIV. DIST. 3
Secondary containment with leak de	tection Visible sidewalls 1	iner. 6-inch lift and au	tomatic overflow shut-off	\ <b>Eg_</b>
Visible sidewalls and liner	, -	Other	VII	252232428
Liner Type. Thickness	mil HDPE PV			
5 Alternative Method:				

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of app	roval.			
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	∐No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19 15.17.9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API  or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC  Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

West Description For Cloud by Septem The 1971 All Co. 150	IT-l				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steinstructions Please identify the facility or facilities for the disposal of liquids, drilling					
facilities are required					
	Disposal Facility Permit #:				
	Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activi Yes (If yes, please provide the information No	ties occur on or in areas that will nbe used for future	service and			
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate to the service and operations.	wists magnifestants of Subscation II of 10 16 17 12 N	MAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection	•	MAC.			
Site Reclamation Plan - based upon the appropriate requirements of Sub					
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15 17.10 NMAC  Instructions Each sting criteria requires a demonstration of compliance in the closure plan Re  cei tain siting criteria may require administrative approval from the appropriate district office or  office for consideration of approval Justifications and/or demonstrations of equivalency are requ	commendations of acceptable source material are provided below may be considered an exception which must be submitted to the Sa				
		∏Yes ∏No			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS Data obta	ained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried was	te	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obta	ined from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		∏Yes ∏No			
- NM Office of the State Engineer - (WATERS database search; USGS, Data obta	ined from nearby wells	∏ <sub>N/A</sub>			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant	cant watercourse or lakebed, sinkhole, or playa lake	Yes No			
(measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in	existence at the time of initial application	∏Yes ∏No			
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image					
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	tence at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
- Written confirmation or verification from the municipality, Written approval obt	ained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	pection (certification) of the proposed site	∐Yes ∐No			
Within the area overlying a subsurface mine.	ection (certification) of the proposed site	∏Yes ∏No			
- Written confirmation or verification or map from the NM EMNRD-Mining and M	Ameral Division				
Within an unstable area		Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & M	ineral Resources, USGS, NM Geological Society,				
Topographic map Within a 100-year floodplain FEMA map		Yes No			
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the clos	sure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropria	ate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirem	•				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.13.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subs					
Site Reclamation Plan - based upon the appropriate requirements of S	ubsection G of 19.15.17.13 NMAC	i			

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
l
Name (Print): Staff Regulatory Technician
Signature:   March   Date:   Date:
e-mail address <u>marie e.jaramillo@corfocophillips com</u> Telephone: 505-326-9865
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: 3 6 6 6 Approval Date: 4/16/10
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)  No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude: Longitude: NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print). Title:
Time,
Signature: Date:
e-mail address: Telephone.

## ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal),
   COP can not conduct construction or similar activities during Seasonal Closures and therefore can not meet the closure requirements specified in the referenced rule. Completion of the well and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure Date of 05/17/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.