District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Ave , Artesia, NM 88210 1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
5540 Prop	Pit, Closed-Loop System, Below-Grade Tank, or osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one a	oplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: ConocoPhillips Company	OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: SAN JUAN 28-7 UNIT 244N	
API Number: 30-039-30762	OCD Permit Number:
U/L or Qtr/Qtr: K(NE/SW) Section: 7 Township: 27N	Range: 7W County: Río Arriba
Center of Proposed Design: Latitude: 36.58681 °N	Longitude: 107.61911 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private T	ribal Trust or Indian Allotment
2 X Pit: Subsection F or G of 19.15 17.11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type: Thickness 20 mil X String-Reinforced Liner Seams: X Welded X Factory Other	X LLDPE
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or notice of interpretation. Drying Pad Above Ground Steel Tanks Haul-off Bins Lined Unlined Liner type: Thickness mil Liner Seams: Welded Factory Other	r Drilling (Applies to activities which require prior approval of a permit or ent) Other LLDPE HDPE PVD Other
	RECEIVED Ser, 6-inch lift and automatic overflow shut-off ther The property of the property
Submittal of an exception request is required. Exceptions must be submitted to	the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC	,		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	☐Yes ☐No		
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality. Written approval obtained from the municipality 	∐Yes ∏No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No		
Within a 100-year floodplain - FEMA map	Yes No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC		
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19.15.17.9 NMAC and 19.15.17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19.15 17.9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached		
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17.13 NMAC		
Proposed Closure: 19.15.17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method: Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
· · · · · · · · · · · · · · · · · · ·		

Form C-144 Oil Conservation Division Page 3 of 5

16 , *		
Waste Removal Closure For Closed-loop Systems That Utilize Above	Ground Steel Tanks or Haul-off Bins Only: (19.15 17 13 D NMAC)	
Instructions Please identify the facility or facilities for the disposal of liquidacilities are required	uids, drilling fluids and drill cuttings—Use attachment if more than tw	o
I i	Diana IE II B	
Disposal Facility Name		
Disposal Facility Name		
Will any of the proposed closed-loop system operations and assoc Yes (If yes, please provide the information No	nated activities occur on or in areas that will nbe used for futur	e service and
Required for impacted areas which will not be used for future service and		
	the appropriate requirements of Subsection H of 19.15.17.13 l	NMAC
Re-vegetation Plan - based upon the appropriate requirement		
Site Reclamation Plan - based upon the appropriate requirem	ents of Subsection G of 19 15 17 13 NMAC	
Siting Criteria (Regarding on-site closure methods only: 19.15.1 Instructions Each stung criteria requires a demonstration of compliance in the clocertain siting criteria may require administrative approval from the appropriate dis office for consideration of approval Justifications and/or demonstrations of equivalent	sure plan Recommendations of acceptable source material are provided belo strict office or may be considered an exception which must be submitted to the	
Ground water is less than 50 feet below the bottom of the buried w	vaste.	Yes No
- NM Office of the State Engineer - iWATERS database search, USC	GS. Data obtained from nearby wells	□N/A
Ground water is between 50 and 100 feet below the bottom of the	huried waste	☐Yes ☐No
- NM Office of the State Engineer - iWATERS database search, USG		
TWO Office of the State Engineer TWATERS dualouse scarcit, 050	s, bata totalica from icarby werts	
Ground water is more than 100 feet below the bottom of the burie	d waste.	Yes No
- NM Office of the State Engineer - 1WATERS database search, USG	S, Data obtained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any (measured from the ordinary high-water mark)	other significant watercourse or lakebed, sınkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed s	site	
Within 300 feet from a permanent residence, school, hospital, institution, or	or church in existence at the time of initial application	☐Yes ☐No
- Visual inspection (certification) of the proposed site; Aerial photo, sa	••	
		☐Yes ☐No
Within 500 horizontal feet of a private, domestic fresh water well or spring purposes, or within 1000 horizontal fee of any other fresh water well or sp - NM Office of the State Engineer - iWATERS database; Visual inspe	ring, in existence at the time of the initial application.	
Within incorporated municipal boundaries or within a defined municipal fre pursuant to NMSA 1978, Section 3-27-3, as amended.	·	Yes No
- Written confirmation or verification from the municipality; Written	approval obtained from the municipality	
Within 500 feet of a wetland		Yes No
- US Fish and Wildlife Wetland Identification map, Topographic map	b, visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	A constitution ID cons	Yes No
- Written confiramtion or verification or map from the NM EMNRD-N	Mining and Mineral Division	
Within an unstable area.	LISOS NING 1 16 '	Yes No
 Engineering measures incorporated into the design, NM Bureau of G Topographic map 	eology & Milieral Resources, USGS; NM Geological Society.	
Within a 100-year floodplain FEMA map		Yes No
18		
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructiby a check mark in the box, that the documents are attached.	ions: Each of the following items must bee attached to the cl	osure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon th	e appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate	••• •	
	pased upon the appropriate requirements of 19.15.17.11 NMA	_
	irial of a drying pad) - based upon the appropriate requirement	IS 01 19.13.17.11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
	ne appropriate requirements of Subsection F of 19.15 17.13 N	MAC
Waste Material Sampling Plan - based upon the appropriate	e requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, dr	illing fluids and drill cuttings or in case on-site closure standar	ds cannot be achieved)
Soil Cover Design - based upon the appropriate requiremen	nts of Subsection H of 19.15 17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requireme	nts of Subsection I of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate require	ments of Subsection G of 19.15.17.13 NMAC	

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print). Marie E Jaramillo Title: Staff Regulatory Technician
Signature Date: 27
e-mail address: marie e. jaramillo@conocophillips com Telephone: 505-326-9865
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Bol Scott Approval Date: 4-16-10
Title: Cropolage OCD Permit Number:
21 Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions' Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 Classes Percent Percenting Wests Percent Classes For Classed Ion Surface That Hilling About County Start Taylor or Hard off Ping Only
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name. Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Ste Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude. NAD 1927 1983
25 Character Cleaning Contifferation
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:

ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), COP can not conduct construction or similar activities during Seasonal Closures and therefore can not meet the closure requirements specified in the referenced rule. Completion of the well and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure Date of 05/28/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.