District I 1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
t Operator: ConocoPhillips Company OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: San Juan 28-7 Unit NP 43
API Number: 30-039-07014 OCD Permit Number:
U/L or Qtr/Qtr: D(NW/NW) Section: 20 Township: 27N Range: 7W County: Rio Arriba
Center of Proposed Design: Latitude: 36.562894 °N Longitude: 107.60349 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary: Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness mil LLDPE PVC Other  String-Reinforced  Liner Seams: Welded Factory Other Volume. bbl Dimensions L x W x D
X   Closed-loop System: Subsection H of 19.15 17 11 NMAC     Type of Operation   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15.17 11 NMAC  Volume bbl
Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other
Alternative Method:
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St Francis Dr., Santa Fe, NM 87505		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office		
1220 b of Hallels by , builta 10, 1111 07505	Pit, Closed-Loop System, Below-Gra	ade Tank, or		
Propo	osed Alternative Method Permit or Clo			
Type of action:	Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method			
	Closure of a pit, closed-loop system, below-grad	e tank, or proposed alternative method		
	Modification to an existing permit			
	Closure plan only submitted for an existing perm below-grade tank, or proposed alternative metho			
Instructions: Please submit one a		oop system, below-grade tank or alternative request		
_	f this request does not relieve the operator of hability should operation			
environment Nor does approval reli	eve the operator of its responsibility to comply with any other application	ole governmental authority's rules, regulations or ordinances		
Operator: ConocoPhillips Company	,	OGRID#: <u>217817</u>		
Address: PO Box 4289, Farmingto	n, NM 87499			
Facility or well name: San Juan 28-	7 Unit NP 43			
API Number: 30	0-039-07014 OCD Permit Num			
U/L or Qtr/Qtr: D(NW/NW) Section	' ~ _	7W County: Rio Arriba		
Center of Proposed Design: Latitude Surface Owner: X Federal	: 36.562894 °N Longitude:  State Private Tribal Trust or Ind	107.60349 °W NAD: X 1927 1983		
Pit: Subsection F or G of 19 15 17	' 11 NMAC			
Temporary. Drilling Wor	kover			
Permanent Emergency C	Cavitation P&A			
	ner type Thickness mil LLDPE	HDPE PVC Other		
String-Reinforced	П			
Liner Seams Welded Fa	octory Other Volume	bbl Dimensions Lx Wx D		
3 X Closed-loop System: Subsect	H - £10.15.17.11.NMAG			
Type of Operation: X P&A	ion H of 19 15 17 11 NMAC  Drilling a new well Workover or Drilling (Applies	to activities which require prior approval of a permit or		
	notice of intent)			
	nd Steel Tanks Haul-off Bins Other	Junes Days Dod		
	r type: Thicknessmil LLDPE actory Other	HDPE PVD Other		
		,		
Below-grade tank: Subsection is	of 19 15 17 11 NMAC			
Volumeb	bl Type of fluid			
Tank Construction material				
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
Visible sidewalls and liner   Visible sidewalls only   Other     Liner Type   Thickness   mil   HDPE   PVC   Other				
	milHDPEPVCOther			
Alternative Method:				
Submittal of an exception request is req	uired Exceptions must be submitted to the Santa Fe Enviro	onmental Bureau office for consideration of approval.		

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet	nunon or cha	ciij			
Alternate Please specify					
7					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19 15 17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15 3 103 NMAC					
9		<del></del>			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15.17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval					
(Fencing/BGT Liner)  [ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting): 19.15.17 10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes	∐No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∏na				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	∐NA				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	∏No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.	Yes	□No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	, <u></u>				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.	Yes	□No			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>					
Within a 100-year floodplain - FEMA map	Yes	□No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 1915.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15.17.13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Site Reciantation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings: Use attachment if more than two					
facilities are required					
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #: NM-01-0011 / NM-	01-0010B				
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit # NM-01-005	<u>.</u>				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations	200				
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17   <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15 17 10 NMAC					
Instructions Each string criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are pro					
certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submit office for consideration of approval. Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells					
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - 1WATERS database search, USGS; Data obtained from nearby wells	∐N/A				
Ground water is more than 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No				
(measured from the ordinary high-water mark).					
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application	Yes No				
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image	☐Yes ☐No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering					
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application					
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland	Yes No				
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No				
Within an unstable area.	Yes No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,					
Topographic map					
Within a 100-year floodplain - FEMA map	∐Yes ∐No				
18   On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must bee attached to the	closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMA					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requiremen	ts of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Cartifications		
Operator Application Certification:  1 hereby certify that the information submitted with this application is true, accurately.	wata and assemblate to the h	act of my knowledge and helief
	-	•
Name (Print) Rhonda Rogers	Title	Staff Regulatory Technician
Signature. Character 1890.	Date <sup>-</sup>	4/8/2010
e-mail address. rogerrs@cono@ohillips.com	Telephone	505-599-4018
20		
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
OCD Representative Signature:	•	Approval Date: 5/11/16
OCD Representative Signature:  Title: EWicolspec		Approval Date: 5/11/10
Title: Eurico/soc	OCD Pern	nit Number:
21		
Closure Report (required within 60 days of closure completion): Sub	eacton K of 19 15 17 13 NMA	
Instructions. Operators are required to obtain an approved closure plan prior		
report is required to be submitted to the division within 60 days of the complete	on of the closure activities	Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been c	completed.	
	Closure	e Completion Date:
22		
Closure Method:	_	
Waste Excavation and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.		
Clause Para et Para et Para et a Norte Para est Clause For Clause I have Southern	That Hillian Above Co	ward Steel Tanks on Houl off Bine Only
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please identify the facility or facilities for where the liquids, dril		
were utilized.	ung jiutus una artit cumi	igs were disposed. Ose didenment if more than two faculties
Disposal Facility Name	Disposal Facility	Permit Number
Disposal Facility Name	Disposal Facility	
Were the closed-loop system operations and associated activities performed		
Yes (If yes, please demonstrate compliane to the items below)	No	be used for future service and operations.
•	<del></del>	
Required for impacted areas which will not be used for future service and of	perations	
Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24		
Closure Report Attachment Checklist: Instructions: Each of the fol	llowing items must be atte	sched to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		Ì
Waste Material Sampling Analytical Results (if applicable)		,
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude	Longitude:	NAD 1927 1983
25 Operator Closure Certification:		1
Thereby certify that the information and attachments submitted with this closur	re renort is ture accurate	and complete to the best of my knowledge and belief. Laks certify that
the closure complies with all applicable closure requirements and conditions s		
and the state of t	•	
Name (Print)	Tıtle	
	Б.	
Signature.	Date	
e-mail address	Telephone:	

# ConocoPhillips Company Closed-loop Plans

# Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

## **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.