District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 July 21, 2008

losed-loop systems that only use above

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

	101	PQ
S	W	ا لك

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a

closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. OGRID #: 163458 RCVD MAR 15 '10 Operator: ____Synergy Operating, LLC___ Address: ______P.O. Box 5513, Farmington, NM 87499-5513______ OIL CONS. DIV. Facility or well name: _____ White 29-11-19 #106_____ DIST. 3 API Number: _____30-045-33378 ______ OCD Permit Number: ____ U/L or Qtr/Qtr ____K ___Section __19. __Township __29N __Range __11W ___County: ___San Juan ____ Center of Proposed Design: Latitude ____36.708806° N_____ Longitude ____-108.035389° W_____ NAD: ____1927 🔀 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment X Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) XP&A X Above Ground Steel Tanks or Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC API Number: Previously Approved Design (attach copy of design) X Previously Approved Operating and Maintenance Plan API Number: 30-045-34829 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: _____Basin Disposal ______ Disposal Facility Permit Number: _____NM01 - 005______ ______NM 01-10-B Disposal Facility Name: ____IES____ Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? \square Yes (If yes, please provide the information below) \boxed{X} No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC **Operator Application Certification:** I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Title: ____ Operations Manager_____ Glen O. Papp Name (Print):

Date: 03-09-2010

Signature:

e-mail address:GPAPP@SYNERGYOPERATING.COM	Telephone:505-599-4908/		
OCD Approval: Permit Application (including closure plan) Closure Plan (only)			
OCD Representative Signature:	Approval Date: 5/3/10		
Title: Eusiro/spec	OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
	Closure Completion Date:		
Olosure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \sum No			
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature: Date:			
e-mail address:	Telephone:		

Synergy Operating, LLC

Closed Loop System (No drying pads & off-site disposal)

General Plan-Well Abandonment

Design Plan - 19.15.17.11(H) NMAC:

In accordance with Rule 19.15.17.11 New Mexico Administrative Code (NMAC), Synergy Operating, LLC proposed closed-loop system will not incorporate drying pads, temporary pits, below-grade tanks or a sump area. The main component of this system will consist of above-ground welded steel tanks or 'pits' suitable for holding well fluids, used for circulating and cementing operations, and the debris that is removed from the hole. The volume of the tank(s) will be sufficient as to allow gravity segregation of the debris from the fluids, yet still comply with free board requirements.

- 1. Eencing is not required for the above-ground closed-loop system
- 2. It will be signed in accordance with Rule 19.15.3.103 NMAC

Operations and Maintenance Plan - 19.15.17.12(A) NMAC:

The closed-loop drilling systems will be operated and maintained to contain liquids and solids to prevent contamination of fresh water and protect public health and the environment. The following procedure will be followed:

- 1. The liquids and solids will be vacuumed from the steel 'pits' on an intermittent basis, so as to provide adequate free board and enough time for gravity segregation to occur. The well debris will be hauled to a permitted solid waste disposal site, either EnviroTech (Permit #NM01-0011) or Industrial Ecosystems Inc (Permit #NM01-0010B).
- 2. No hazardous wastes will be discharged into or stored in the steel 'pits' of the closed-loop system. Only fluids and debris used or generated during the well operations will be place or stroed in the tank.
- 3. In the event the closed-loop system develops a leak, Synergy Operating personnel or their agent, will remove all liquids above the leak line immediately and notify the NM OCD Aztec District office with 48-Hours of the discovery. Repairs to the system will begin immediately.

Closure Plan - 19.15.17.13(D) NMAC:

This general plan as submitted by Synergy Operating, LLC does not consider the use of drying pads and on-site burial of the well debris.

The steel 'pits' will be emptied of fluids and debris and disposed of at permitted division facilities. The fluids in the steel 'pits' will be disposed of at the Basin Disposal's SWD facility (Permit #NM-01-005).

Solids or other well debris will be vacuumed from the steel 'pits' and hauled to a solid waste disposal site, either EnviroTech (Permit #NM01-0011) or Industrial Ecosystems Inc (Permit #NM01-0010B).

Upon their emptying, the steel 'pits' will be hauled off of the well location back to the yard of the rental company from which these items were rented. At the time of well abandonment, the well site will be reclaimed, re-contoured and re-vegetated to as near original conditions as possible.