District I.
1625 N. French Dr., Hobbs, NM 88240
District II.
1301 W. Grand Avenue, Artesia, NM 88210
District III.
1000 Rio Brazos Road, Aztec, NM 87410
District IV.
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or				
Proposed Alternative Method Permit or Closure Plan Application				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: Energen Resources Corporation OGRID#: 162928				
Address: 2010 Afton Place, Farmington, NM 87401				
Facility or well name: Carracas 21B #1				
API Number: 30-039-30473 OCD Permit Number:				
U/L or Qtr/Qtr E Section 21 Township 32N Range 04W County: Rio Arriba				
Center of Proposed Design: Latitude				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
2				
☑ Pit: Subsection F or G of 19.15.17.11 NMAC				
Temporary: Drilling 🕱 Workover				
Permanent Emergency Cavitation P&A				
X Lined ☐ Unlined Liner type: Thickness 20_mil X LLDPE ☐ PVC ☐ Other				
X String-Reinforced				
Liner Seams: Welded X Factory Other Volume: 2000 bbl Dimensions: L 125 x W 40 x D 15				
3				
Closed-loop System: Subsection H of 19.15.17.11 NMAC				
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)				
Drying Pad Above Ground Steel Tanks Haul-off Bins Other				
Lined Unlined Liner type: Thickness mil LLDPE PVC Other				
Liner Seams: Welded Factory Other Other				
Zinci Scanis. Welded Tactory Guiter				
Below-grade tank: Subsection I of 19.15.17.11 NMAC				
Volume: bbl Type of fluid:				
Tank Construction material:				
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other				
Liner type: Thicknessmil _ LLDPE _ HDPE _ PVC _ Other				
5				

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school	ol, hospital,
institution or church) X Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bur	reau office for
consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of ac material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the applice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drabove-grade tanks associated with a closed-loop system.	propriate district of approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes 🗷 No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes X No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes X No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes X No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 👿 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	. Yes 🗷 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes X No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes 👿 No
Within a 100-year floodplain FEMA map	☐ Yes 🗷 No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) Con-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Gro Instructions: Please indentify the facility or facilities for the disposal of liquid	und Steel Tanks or Haul-off Bins Only: (19.15.17.13.I ls, drilling fluids and drill cuttings. Use attachment if mo	O NMAC) re than two	
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name:	Disposal Facility Name: Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activiti	es occur on or in areas that will not be used for future ser	vice and	
operations? Yes (If yes, please provide the information below) No			
Required for impacted areas which will not be used for future service and open Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate Reclamation Plan - based upon t	opriate requirements of Subsection H of 19.15.17.13 NM. ection I of 19.15.17.13 NMAC	AC	
Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in provided below. Requests regarding changes to certain siting criteria may rebe considered an exception which must be submitted to the Santa Fe Environ and/or demonstrations of equivalency are required. Please refer to 19.15.17.	the closure plan. Recommendations of acceptable sou equire administrative approval from the appropriate dist amental Bureau office for consideration of approval. J	rict office or may	
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS	; Data obtained from nearby wells	☐ Yes 🔀 No ☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS		☐ Yes 🗷 No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site; Aerial photo; Sa		Yes 🗷 No	
Within 500 horizontal feet of a private, domestic fresh water well or spring tha watering purposes, or within 1000 horizontal feet of any other fresh water well NM Office of the State Engineer - iWATERS database; Visual inspec	or spring, in existence at the time of initial application.	Yes X No	
Within incorporated municipal boundaries or within a defined municipal fresh adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approximately	·	Yes X No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map;	Visual inspection (certification) of the proposed site	Yes No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-M	lining and Mineral Division	☐ Yes 🗷 No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Ge Society; Topographic map	cology & Mineral Resources; USGS; NM Geological	Yes X No	
Within a 100-year floodplain FEMA map		Yes X No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must be attached to the closure pla	n. Please indicate,	
 ∑ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ∑ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 			

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurat	e and complete to the best of my knowledge and belief.		
Name (Print): Doug Thomas	Title: Drilling Superintendent		
Signature: Acceptance	Date: 03/02/10		
e-mail address: dthomas@energen.com	Telephone:505_324-4127		
	sure Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature:	Approval Date: 6/2/10		
Title: Eusinolopee 00	CD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
	Closure Completion Date:		
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	Closure Method Waste Removal (Closed-loop systems only)		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Dis			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below)			
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	is:		
Closure Report Attachment Checklist: Instructions. Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude			
25			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		

ENERGEN RESOURCES CORP.

SAN JUAN BASIN, NEW MEXICO

Drilling/Completion and Workover

Type of action & rational

V	Ь.
	~

Transfer Drilling Pit to Completion/Workover

- Energen proposes to utilize the same pit built to drill the well for the subsequent workover/completion activities noted in the well APD and necessary to bring the subject well into optimum production. Utilization of the same pit will minimize environmental impacts and waste of resources (i.e. waste of fuel and associated greenhouse emissions, surface disturbance...).
- Workover rig to be mobilized within six months of Drilling rig demobilized

0	Transfer Drilling Pit from		
		(well name)	(well name)

- As required by the Surface Owner and/or Surface Managing agency (e.g. BLM, USFS, Tribal). Energen is being required to utilize the same well pad for multiple new wells. In these cases, Energen proposed to utilize the same pit for all the new wells to be drilled. Utilization of the same pit will minimize environmental impacts and waste of resources (i.e. waste of fuel and associated greenhouse emissions, surface disturbance...). Energen has permitted the common pit for each well and request permission to transfer the pit since the first well has been drilled and completed.
- Pit to be considered for first well named.
- Drill rig to be rigged up within six months of former rig demobilization.



Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), Energen cannot conduct construction or similar activities during Seasonal Closures and therefore cannot meet the closure requirements specified in the referenced rule. Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.

In accordance with Rule 19.15.17 NMAC, this Modification/Transfer (M/T) Plan describes the modifications to the Design and Construction (D&C). Operations and Maintenance (O&M) and Closure Plans for the transfer of a previously permitted Temporary Pit on an Energen Resources Corp. location in the san Juan Basin of New Mexico.

This M/1 plan will be followed in that case:

D&C Plan

 No proposed changes. Energen will comply with the original Design Plan. This will include ensuring that the original design of the pit is large enough to accommodate all of the fluids and solids.

O&M Plan:

- o The pit is to be considered out-of-service for the purpose of drilling the referenced well.
- The pit status will be considered in-service during this transition to and during the scheduled workover/completion activities.
- Pit inspections during the period between drill-rig down and workover/completion-rig up will be weekly.
- o The fluid will be removed within 30 days after the completion of each process.
- Energen will conduct an inspection and take photo documentation no more than seven days prior to the pit being placed back into use.
- Energen will notify NMOCD district office 7-14 days prior to start of each process.
- o If any mud and solids require removal to ensure that two-foot freeboard is maintained, it will be removed by use of a Supersucker© (or similar equipment that will not damage the liner) and disposed of offsite at an approved land farm.
- Energen will sample the contents of the pit after each process is completed for Benzene, BTEX, and TPH (only required for a pit used for multiple wells).

Closure Plan:

- Due to the use of the pit for multiple processes the confirmation sampling will occur before and after the contents have been stabilized to ensure a representative sample (only required for a pit used for multiple wells).
- Energen will submit the photo documentation and testing stated above with the C-144 closure.
- o All APD #s and well names will be placed on the C-144 form when the closure form is filed
- o No additional proposed changes except as noted above. Energen will comply with the rest of the original Closure Plan.

Energen realizes this does not relieve them of any of the requirements of 19.15.17 NMAC.

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No.

SUMBINI NOTICES	AND REPORTS	ON WELLS		NMNM 30014	
Do not use this form for abandoned well. Use For				6. If Indian, A	llottee or Tribe Name
SUBMIT IN TRIPLICAT	TE - Other instruction	ons on page 2		7. If Unit or C	A/Agreement, Name and/or No
1. Type of Well Oil Well X Gas Well Other 2. Name of Operator		,		8. Well Name Carracas 2	
Energen Resources Corporation					
Ba. Address		3b. Phone No. (include a	rea code)	9. API Well N	
2010 Afton Place, Farmington, NM 8	7401	(505) 325-68	•	30-039-304	Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R, M., or Survey I	Description)				- · · · · · · · · · · · · · · · · · · ·
Sec.21, T32N, R04W 1655'FNL, (E) SW/NW	1165' FWL			11. County or	
12 CHECK APPROPRIATE	E DOV/EQ. TO DE		NOTICE PERC	Rio Arriba	
12. CHECK APPROPRIATI	E BOX(ES) TO INI	DICATE NATURE OF	NOTICE, REPC	ORT, OR OTHE	ER DATA
TYPE OF SUBMISSION		T	YPE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production Reclamati	n (Start/Resume)	Water Shut-Off
X Subsequent Report	Casing Repair	New Construction	Recomple		Well Integrity X Other pit
Final Abandonment Notice	Change Plans	Plug and Abandon	Temporari	ly Abandon	extension
That Notationment Notice	Convert to Injection	on Plug Back	Water Dis	nosal	evocipion
Due to the winter closure deadling requesting an extension. Attache CCD.					
				RC	ID MAR 9'10
				OIL	CONS. DIV.
		,			DIST. 3
I hereby certify that the foregoing is true and correct Name (Printed Typed) Vicki Donaghey		Title Regr	ılatory Anal	yst	
Signature Vicki Marchin		Date 03/03	/10	,	
	SPACE FOR FED	ERAL OR STATE OF			
Approved by Mark Kelly		Title ENV.	Comp. L	ead Da	3/3/10
Conditions of approval, it any, are attached. Approval of this noti- the applicant holds legal or equitable title to those rights in the sub- entitle the applicant to conduct operations thereon.	ject lease which would	office	,		, , ,

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Bill Vocke

From: John Reidinger [jreidinger@fs.fed.us]

Sent: Wednesday, February 10, 2010 2:06 PM

To: Bill Vocke

Cc: Jon J Miller; Miguel I Valdez; Mark Catron

Subject: Re: carracas reserve pit extensions

Bill, we request that, due to the need for the winter closure, all open reserve pits that you have be left open until the closure is over, which is April 1. On April 1, if road conditions and site conditions allow, please get them closed and seeded. If conditions do not allow you to seed them, then lets close them and seed them as early as possible in the hopes of getting a head start on the revegetation. The sucess of the seeding would need to be monitored and the seeding done again in fall if unsucessful. Should you wish to wait to seed them till next fall, lets put a cover crop on them such as an annual rye. Thanks John.

John Reidinger, Carson National Forest Bloomfield, New Mexico Phone: 505-632-2956 Fax: 505-632-3173 e-mail:jreidinger@fs.fed.us

"Bill Vocke" <Bill.Vocke@energen.com>

To "'jreidinger@fs.fed.us'" <jreidinger@fs.fed.us>

CC

02/10/2010 11:38 AM

Subject carracas reserve pit extensions

John

As we discussed in mid November 2009 regarding the open, dewatered reserve pits. They are the carracas 16B#1-carracas 32B#7-carracas 17B#1-carracas 21B#1. Please verify that energen has a verbal extension to leave these open trough the winter closure. thank you. bill vocke ENERGEN