District I

District III

District IV

1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

Department
Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

environment. Nor does approval relieve the operator of its responsibility to comply with any other appli	icable governmental authority's rules, regulations or ordinances	
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538	
Address: PO Box 4289, Farmington, NM 87499		
Facility or well name: San Juan 30-5 Unit 104		
API Number: 30-039-23311 OCD Permit N	umber	
U/L or Qtr/Qtr: G(SW/NE) Section: 13 Township: 30N Range:	5W County: Rio Arriba	
Center of Proposed Design: Latitude: 36.48549684 °N Longitude:	107.1819429 °W NAD: X 1927 1983	
Surface Owner: X Federal State Private Tribal Trust or I	ndian Allotment	
2		
Pit: Subsection F or G of 19 15 17 11 NMAC		
Temporary Drilling Workover		
Permanent Emergency Cavitation P&A	C uppe C pue C ou	
	HDPE PVC Other	
String-Reinforced		
Liner Seams Welded Factory Other Volume	bbl Dimensions L x W x D	
X Closed-Ioop System: Subsection H of 19 15.17 11 NMAC Type of Operation P&A Drilling a new well X Workover or Drilling (Appliance of Intent)	es to activities which require prior approval of a permit or	
X Drying Pad X Above Ground Steel Tanks Haul-off Bins Other X Lined Unlined Liner type Thickness 20 mil X LLDPE Liner Seams X Welded X Factory Other Other	HDPE PVD Other 78293037	
Below-grade tank: Subsection I of 19 15.17 11 NMAC	automatic overflow shut-off automatic overflow shut-off A RECEIVED OIL CONS. DIV. DIST. 3	
Volume bbl Type of fluid		
Tank Construction material	automatic overflow shut-off	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and Visible sidewalls and liner Visible sidewalls only Other	automatic overflow shut-off	
Liner Type: Thickness mil HDPE PVC Other	719130	
IIII CIDID CIVE CONTRACTOR		
Alternative Method:		
	Control Duran Control Control Control	
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Env	vironmental Bureau office for consideration of approval	

6;		[
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	Chain link ary feet in height two strands of harhed wire at ton (Required if located within 1000 feet of a permanent regulance, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
7					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19 15.17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15 3 103 NMAC		ļ			
9					
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi	ideration of ap	proval			
(Fencing/BGT Liner)					
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
	<u></u>	г— ₁			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	∐No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	∐Yes	∐No			
- Topographic map; Visual inspection (certification) of the proposed site					
		_			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	∐ Yes	∐No			
application.	[
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA				
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	_				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No			
(Applied to permanent pits)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∐No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.	Yes	No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine.	Yes	□No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division					
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological					
Society; Topographic map	□ v	□ _{Mfa}			
Within a 100-year floodplain - FEMA map	Yes	∐No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17 9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC
X Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15.17 13 NMAC
14
Proposed Closure: 19.15 17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System
Alternative Proposed Closure Method Waste Excavation and Removal
Waste Excavation and Removal
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15					
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment facilities are required	ni ij more inan two				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #. NM-01-	-0011 / NM-01-0010B				
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit # NM-01-	4.00				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of	10 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	19 13 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC					
Instructions Each siting criteria requires a demonstration of compliance in the closure plan—Recommendations of acceptable source maceriain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which office for consideration of approval—Justifications and/or demonstrations of equivalency are required—Please refer to 19-15-17-10 NMA	must be submitted to the Santa Fe Environmental Bureau				
Ground water is less than 50 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - IWATERS database search, USGS Data obtained from nearby wells	N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐Yes ☐No				
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	∏N/A				
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or	playa lake Yes No				
(measured from the ordinary high-water mark)					
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site; Aerial photo, satellite image	Yes No				
	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or sto	ock watering				
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordina	ance adopted Yes No				
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland	Yes No				
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No				
Within an unstable area	Yes No				
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	l Society,				
Topographic map Within a 100-year floodplain	Yes No				
- FEMA map					
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attaby a check mark in the box, that the documents are attached.	ached to the closure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAG	С				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NI					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NN					
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					

Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief Name (Print). Jamie Rodowin Title Regulatory Technician		
Signature: 1000(1) (71000(1)) Date (1/25/1/)		
e-mail address: Jamie L.Goodwin@conocophillips.com Telephone 505-326-9784		
20 OCD Approval: Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature: Agrand Bell Approval Date: 7/28(10		
Approvar Date:		
Title: Ewino/spec OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:		
22		
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain		
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name Disposal Facility Permit Number		
Disposal Facility Name Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?		
Yes (If yes, please demonstrate compliane to the items below)		
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location Latitude Longitude: NAD 1927 1983		
25		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief—I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan		
Name (Print) Title		
Signature. Date		
c-mail addressTelephone		

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.