

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

RECEIVED**JUL 27 2010**

Sundry Notices and Reports on Wells

Farmington Field Office
Bureau of Land Management1. Type of Well
GAS

5. Lease Number

6. If Indian, All. or
Tribe Name
Jicarilla Tribal 36
7. Unit Agreement Name2. Name of Operator
CONOCOPHILLIPS COMPANY8. Well Name & Number
Jicarilla BR A 2

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

9. API Well No.

30-039-05446

4. Location of Well, Footage, Sec., T, R, M

10. Field and Pool

Surf: Unit M (SWSW), 990' FSL & 890' FWL, Section 16, T24N, R05W, NMPM

Ballard PC
11. County and State
Rio Arriba Co., NM**12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA**

Type of Submission

Type of Action

☐ Notice of Intent☒ Abandonment☐ Change of Plans☒ Other - ☐ P&A☒ Subsequent Report☐ Recompletion☐ New Construction☐ Final Abandonment☐ Plugging☐ Non-Routine Fracturing☐ Casing Repair☐ Water Shut off☐ Altering Casing☐ Conversion to Injection**13. Describe Proposed or Completed Operations**

ConocoPhillips P&A'd this well 07/09/2010 per attached A+ report.

**RCVD AUG 2 '10
OIL CONS. DIV.****DIST. 3****14. I hereby certify that the foregoing is true and correct.**Signed Jamie Goodwin Jamie Goodwin Title Regulatory Technician Date 7/27/10

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

ACCEPTED FOR RECORD**JUL 28 2010****FARMINGTON FIELD OFFICE****NMOCD**

A-PLUS WELL SERVICE, INC.
P.O. BOX 1979
Farmington, New Mexico 87499
Phone: (505) 325-2627 * Fax: (505) 325-1211

To: Conoco Phillips
From: A-Plus Well Service
Date: July 9, 2010
Subject: Jicarilla BR A 2

API # 30-039-05446

Attached please find the items listed below that document the plugging of your well. We suggest you file this packet of information in the permanent well file. We sincerely appreciate the opportunity to work for you and look forward to doing so again. Thank you for your business.

 ✓ Plug and Abandonment Report; 1 page(s)

 ✓ Tower Reports for rig work; 4 page(s)

A-PLUS WELL SERVICE, INC.

P.O. BOX 1979

Farmington, New Mexico 87499

505-325-2627 * fax: 505-325-1211

ConocoPhillips
Jicarilla BR A 2

July 9, 2010
Page 1 of 1

990' FSL & 890' FWL, Section 16, T-24-N, R-5-W
Rio Arriba Country, NM
Lease Number: Jicarilla Tribal 36
API#30-039-05446

Plug and Abandonment Report

Notified NMOCD and JAT - BLM on 7/7/10

Plugging Summary:

07/07/10 MOL and RU. Check well pressures: casing, 180 PSI; bradenhead and tubing, 0 PSI. Partial ND wellhead. Lay relief lines. Blow well down. Kill well with 30 bbls down tubing. ND wellhead. Strip off tubing hanger. NU BOP and companion flange, test. TOH and LD 73 joints 1.25" IJ tubing. Total tally: 2337'. SI well. SDFD.

07/08/10 Check well pressures: casing, 100 PSI; bradenhead, 0 PSI. Blow well down. Bled down accumulator, pressured up to 1800 PSI. Open / close 3 cycles on pipe rams. Accumulator test OK. Round trip 5.5" A-Plus casing scraper to 2235'. TIH with 5.5" DHS cement retainer and set at 2230'. Sting out of cement retainer. Load the casing with 55 bbls of water. Pressure test casing to 800 PSI, held OK for 5 minutes.

Plug #1 with CR at 2230', spot 69 sxs Class B cement (81.42 cf) inside casing above CR up to 1621' to isolate the Pictured Cliffs interval and cover the Fruitland, Kirtland and Ojo Alamo tops.

TOH and LD all tubing. Perforate 3 holes at 412'. Establish circulation out bradenhead with 20 bbls of water. Procedure change approved by Oscar Torres, BLM representative, to combine Plug #2 and #3.

Plug #2 and #3 combined with 160 sxs Class B cement (188.8 cf) down the 5.5" casing from 412' to surface to cover the Nacimiento top and 9.625" surface casing shoe, circulate good cement out the bradenhead valve.

ND BOP and companion flange. Dig out wellhead. Issue Hot Work Permit. Monitor well. Cut off wellhead. Install P&A marker with 20 sxs Class B cement. SDFD.

07/09/10 Issue Hot Work Permit. Cut off anchors. Found cement down 12' in 5.5" casing and at surface in the annulus.
RD and MOL.

Jimmy Yates, ConocoPhillips representative, was on location.
Oscar Torres, BLM representative, was on location.

Daily Report

A - PLUS WELL SERVICE

P.O. BOX 1979 • FARMINGTON, NM 87499
505-325-2627 • FAX (505) 325-1211

Rig No. 7Date 7-7-10 Day WEDWell Name JIC BR A #2Company COPC

FROM	TO	DESCRIPTION OF OPERATION
5:30	7:30	TRAVEL TO JIC 103" 18' huc
7:30	8:00	HSM on JSA, SERV EQUIP + Hook-up equip
8:00	9:00	RUDL Rig + equip to huc spot equip
9:00	11:00	HSM on JSA, STUB'S, RU Rig
11:00	12:30	SPOT 2-Flows, 2-w pits, G-pad
12:30		CK PRESSURES, BH + tbg to, csg 180" Partial ND W.H. RU Blow-down lines, Blow-down well, RU PT + Lines Pump 30 BBLs down tbg to kill well, X-over to 1 1/4 tools ND W.H, strip-off tbg hanger, strip-on 8 5/8 connection flange, + BOP, function test O.K. RU Floor + Handrails
2:30		Re-set CROWN-A-MATIC + Floor Eliminator
2:30	3:45	LD 72" IS 2357' 72"ts good, 1-1/2" w/piston stop welded on
3:45		S.W. + X-over to 2 3/4 tools
	4:30	DE-BRIZE, success huc
4:30	6:00	TRAVEL BACK TO YARD
Well Name/ Rig: JICARILLA BR A #2 - APLUS 7 Engineer: CHRIS PEARCE Network #: 10284346 Activity Code: <u>E120</u> Plant: HZF1 User ID: NUTTADS Signature: <u>[Signature]</u> ☐ Check for Special Attention ConocoPhillips watch vol #2 2400 Hecol's NOTIFIED JAT AT 7:30 A.M. BLM AT 10:03 A.M. NMPK AT 10:00 A.M.		

Fuel & Motor Oil _____ Water Hauled _____

Rental Equipment _____ Cement Retainers _____

Cementing _____

Wireline _____

CREW	NAME	UNIT #	MILEAGE	HOURS
Supervisor	B. RANDALL	59		
Operator	D. COMANCHE	47		12 1/2
Derrick	R. PARDO			12 1/2
Floors	A. LOZANO			12 1/2
Floors	A. Reyes			12 1/2
Floors				

35091

Date 7-8-10 Day THUR

Company CORC

[illegible]

Fuel & Motor Oil _____ Water Hauled _____
Rental Equipment _____ Cement Retainers 1- 5 1/2 DTS
Cementing Plug #1 695XS Plug #2 1605XS WHM 205XS
Wireline Perf. at 412' w/3-3/4 HSC W.L.BY N.F. J.G.

CREW	NAME	UNIT #	MILEAGE	HOURS
Supervisor	B. RANDALL	59	160	
Operator	D. LOMANCHZ	47	160	12½
Derrick	R. PARDO			12½
Floors	A. LOZANO			12½
Floors	A. Reyes			12½
Floors				

P.O. BOX 1979 • FARMINGTON, NM 87499
505-325-2627 • FAX (505) 325-1211

Date 7-9-10 Day FRI

Company CORC

#0284396
Jm/ates 7/9/10

Wireline

CREW	NAME	UNIT #	MILEAGE	HOURS
Supervisor	B. RANDALL	59	80	
Operator	D. COMANCHE	47	80	4 1/2
Derrick	R PARUD			4 1/2
Floors	A. HOSANO			4 1/2
Floors	A. Reyes			4 1/2
Floors				