
CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


## UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**



SEP 01 2010 Sundry Notices and Reports on Wells Farmington Field Office Bureau of Sand Mease Number SF-075794 1. Type of Well 6. If Indian, All. or GAS Tribe Name 7. **Unit Agreement Name** Name of Operator Burlington Resources Oil & Gas Company 8. Well Name & Number Address & Phone No. of Operator Hughes 1 9. P.O. Box 4289, Farmington, NM 87499 (505) 326-9700 API Well No. 30-045-07358 Location of Well, Footage, Sec., T, R, M 10. Field and Pool Surf: Unit B (NWNE), 990' FNL & 1650' FEL, Section 23, T28N, R11W, NMPM Fulcher Kutz PC **County and State** 11. San Juan Co., NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Submission Type of Action Notice of Intent Abandonment Change of Plans X Other -P&A Recompletion New Construction Plugging Non-Routine Fracturing Subsequent Report Water Shut off Casing Repair Ve Conversion to Injection Altering Casing Final Abandonment 13. Describe Proposed or Completed Operations RCVD SEP 8 '10 Burlington Resources P&A'd the subject well according to attached A Plus procedure. OIL CONS. DIV. 14. I hereby certify that the foregoing is true and correct. DIST. 3 Jamie Goodwin\_Title Regulatory Technician Date 08/30/2010 Signed (This space for Federal or State Office use) APPROVED BY



Title



Date

## A-PLUS WELL SERVICE, INC.

P.O. BOX 1979

Farmington, New Mexico 87499 505-325-2627 \* fax: 505-325-1211

Burlington Resources **Hughes #1** 

August 20, 2010 Page 1 of 1

990' FNL & 1650' FEL, Section 23, T-28-N, R-11-W San Juan County, New Mexico Lease Number: SF-075794 API #30-045-07358

## **Plug and Abandonment Report**

Notified BLM and NMOCD on 8/17/10

- 08/17/10 MOL and RU rig. Remove guard from around wellhead. LO/TO equipment on location. Check well pressures: 3.5" casing, 20 PSI; 5.5" casing, 76 PSI; 8.625" casing, open. No tubing in well. Lay relief lines. Blow well down. ND 3.5" wellhead and master valve. NU 5.5" x 8.625" head and companion flange. NU BOP, test. SI well. SDFD.
- 08/18/10 Check well pressures: 3.5" casing, 24 PSI; 5.5" casing and 8.625" casing, 0 PSI. Blow well down. Round trip 2.75" gauge ring to 1735'. TIH with 3.5 PlugWell CIBP and set at 1721'. Tally and TIH with 1.25" IJ 2.3# tubing and tag CIBP at 1721'. Load the hole with 15 bbls of water. Pressure test casing to 800 PSI, held OK for 10 minutes.

  Plug #1 with CIBP at 1721', spot 15 sxs Class B cement (17.7 cf) inside casing above the CIBP up to 1357' to isolate the Pictured Cliffs perforations and cover the Fruitland top.

TOH with tubing. SD for ½ hour due to weather. Perforate 3 bi-wire holes at 851'. Load the hole with 1-1/2 bbls of water. Establish rate into squeeze holes 1-1/4 bpm at 900 PSI. Jim Lovato, BLM representative and Kelly Roberts, NMOCD representative, approved bull head on Plug #2.

**Plug #2** mix and pump 98 sxs Class B cement (115.6 cf) from 851' down the 3.5" and 5.5" casing and 15 sxs in the 3.5" casing; TOC at 487'. SI well. SDFD.

08/19/10 Open well, no pressure. TIH and tag cement at 372'. Perforate 3 bi-wire holes at 145'. Load the hole with 7 bbls of water and establish circulation. Circulate well clean with an additional 9 bbls of water.

**Plug #3** with 61 sxs Class B cement (71.9 cf) down the 3.5" casing from 145' to surface, circulate good cement returns out the bradenhead.

ND BOP, flange and head. Dig out wellhead. Issue Hot Work Permit. Monitor well. Cut off wellhead.

**Plug #4** with 19 sxs Class B cement (22.4 cf) to top off casings and install the P&A marker. Found cement at surface in the casings and annulus. RD rig and equipment. Remove LO/TO equipment. MOL.

Jimmy Morris, MVCI representative, was on location. Larry Pixley, BLM representative, was on location.