**TEMPORARILY ABANDON CHANGE PLANS** MULTIPLE COMPL PULL OR ALTER CASING. DOWNHOLE COMMINGLE OTHER: BELOW GRADE MARKER 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Per the request of the surface owner, XTO Energy Inc. intends to set a below grade marker at a depth of 6' for the above mentioned well. Please see the attached documents with correspondence from the surface owner to XTO Energy. AN UPDATED FORM C-102 PLAT WITH CURRENT SURVEY AND GIPS COORDINATES MUST BE SUBMITTED TO NMOCD UPON INSTALLATION OF BELOW GROUND MARKER Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Conditions of Approval (if any):

Submit 3 Copies To Appropriate District

1625 N. French Dr., Hobbs, NM 87240

1301 W. Grand Ave., Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM

Gas Well X

Office

District I

District\_II

District III

District IV

PROPOSALS.) 1. Type of Well:

Oil Well

2. Name of Operator

382 CR 3100

4. Well Location

XTO Energy Inc. 3. Address of Operator

PERFORM REMEDIAL WORK

Type or print name TEENA M. WHITING

For State\_Use Only

87505

Deputy Oil & Gas Inspector,

teena whiting@xtoenergy.com


TITLE REGULATORY COMPLIANCE TECH DATE 12/10/2010

District #3

E-mail address: \_\_

OI-OE'SIATE

PHONE <u>505-333-3176</u>



To <dusty\_mecham@xtoenergy.com>

cc "Gregory Yazzie" <gyazzie@navajopride.com>, "Al Nakai" <anakai@navajopride.com>, "Lionel Haskie" <lhaskie@navajopride.com>

bcc

Subject NAPI oil & gas line required standards

Hi Dusty,

I just spoke to Al Nakai, our GIS Coordinator, and he said that you needed NAPI to send you an e-mail regarding our requirements on all oil and gas line burial depths.

Please let this e-mail serve as official notice that NAPI requires all oil and gas lines to be buried 6ft deep within NAPI boundaries.

Also, will you please send me the GPS coordinates on the location(s) that you were talking to Al about?

Thank you for your cooperation in this matter. Should you have any questions, please call Greg Yazzie at 566-2623 or 793-4923.

Thank You,

## April R. Duncan

Program Analyst - Operations & Maintenance Navajo Agricultural Products Industry - NAPI

Phone: (505)566-2688 Fax: (505)599-0514

Email: aduncan@navajopride.com



"Gregory Yazzie" <gyazzie@navajopride.com> 10/22/2010 08:20 AM To <Dusty\_Mecham@xtoenergy.com>

CC "Al Nakai" <anakai@navajopride.com>, "Lionel Haskie" <la>

bcc

Subject NAPI Oil & Gas Required Standards

Good morning, Mr. Mecham.

In accordance with NAPI's standards for oil & gas standards, it is required for the abandoned well be marked with piping showing the legals or a dry hole marker buried at minimum depth of 6 feet. The marker plate will have to be marked with the legals also. Any other questions or concerns, please contact me through the listed mediums below.

Thank you.

Navajo Agricultural Products Industry Operations & Maintenance Greg Yazzie, Irrigation Systems Operations Supervisor P.O. Drawer 1318 Farmington, NM 87499 Office: 505.566.2623

Cell: 505.793.4923 Fax: 505.599.0569

gyazzie@navajopride.com