District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

District IV 220 S. St. Francis Dr., Santa Fe, NM 87505		onmental Bureau office and provide a copy to the prince NMOCD District Office.
Pit,	Closed-Loop System, Below-Grade Ta	nk, or
	Alternative Method Permit or Closure 1	
Type of action: XP	ermit of a pit, closed-loop system, below-grade tank, o	r proposed alternative method
	losure of a pit, closed-loop system, below-grade tank,	or proposed alternative method
N	lodification to an existing permit	
	losure plan only submitted for an existing permitted or elow-grade tank, or proposed alternative method	non-permitted pit, closed-loop system,
Instructions: Please submit one applica	tion (Form C-144) per individual pit, closed-loop syst	tem, below-grade tank or alternative request
	quest does not relieve the operator of hability should operations result in operator of its responsibility to comply with any other applicable government.	
Departor: Burlington Resources Oil & G	as Company, LP OGR	ID#: 14538
Address: PO Box 4289, Farmington, NN	I 87499	
Facility or well name: San Juan 27-4 Uni	t 147	
API Number: 30-039-	OCD Permit Number:	
J/L or Qtr/Qtr: A(NENE) Section:	3 Township: 27N Range: 4W	County: Rio Arriba
Center of Proposed Design: Latitude:	36.606900' N Longitude: 107	.233290' W NAD: X 1927 1983
Surface Owner: X Federal :	State Private Tribal Trust or Indian Allo	tment
Temporary: Drilling X Workover Permanent Emergency Cavitation X Lined Unlined Liner typ X String-Reinforced Liner Seams: X Welded X Factory		Dimensions L 120' x W 555' Oll & GON \$2010. [IS
	of 19.15.17.11 NMAC	ies which require prior approval of a permit or
Drying Pad Above Ground Stee Lined Unlined Liner type: Liner Seams: Welded Factory	notice of intent)	PVD Other 0 PECELVED
Below-grade tank: Subsection 1 of 19. Volume:bbl Tank Construction material:	15.17.11 NMAC Type of fluid:	2 SEP 2000
Secondary containment with leak detection	Visible sidewalls only Other	overflow shut-off
Alternative Method: Submittal of an exception request is required.	Exceptions must be submitted to the Santa Fe Environmenta	al Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
X Alternate Please specify 48" steel mesh field-fence (hogwire)					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	X No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	X No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	XNo			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes X NA	□No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	XNo			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	XNo			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	X No			
Within the area overlying a subsurface mine, - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	XNo			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	XNo			
Within a 100-year floodplain - FEMA map	Yes	XNo			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC				
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Tyurogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC X				
X Situng Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15 17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19,15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method: Waste Excavation and Removal				
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)				
X On-site Closure Method (only for temporary pits and closed-loop systems)				
X In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

1.1

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tan Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids	ks or Haul-off Bins Only: (19.15.17 13.D NMAC)			
facilities are required.	·			
	sal Facility Name: Disposal Facility Permit #:			
	sal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information No	ccur on or in areas that will nbe used for future serv	vice and		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I Re-vegetation Plan - based upon the appropriate requirements of Subsection I	of 19 15 17 13 NMAC	c		
Site Reclamation Plan - based upon the appropriate requirements of Subsection	n G of 19 15 17 13 NMAC			
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC Instructions Each string criteria requires a demonstration of compliance in the closure plan Recommeterian string criteria may require administrative approval from the appropriate district office or may be office for consideration of approval Justifications and/or demonstrations of equivalency are required.	considered an exception which must be submitted to the Santa l			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - (WATERS database search; USGS. Data obtained f	rom nearby wells	Yes X No		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes X No		
- NM Office of the State Engineer - tWATERS database search; USGS; Data obtained fi	om nearby wells	N/A		
	on nearly note			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained fi	rom needby wells	XYes No		
•		∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant w (measured from the ordinary high-water mark)	atercourse or lakebed, sinkhole, or playa lake	Yes X No		
- Topographic map: Visual inspection (certification) of the proposed site		□v Foly.		
Within 300 feet from a permanent residence, school, hospital, institution, or church in exister - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	nce at the time of initial application	Yes XNo		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence a - NM Office of the State Engineer - iWATERS database; Visual inspection (certification	at the time of the initial application.	Yes XNo		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality		Yes X No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection		Yes X No		
Within the area overlying a subsurface mine	, consideration, or an property	Yes X No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and Minera	l Division			
Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral	Resources, USGS; NM Geological Society;	Yes X No		
Topographic map		Yes X No		
Within a 100-year floodplain. - FEMA map	1	LIES AINO		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.	Nuirements of 10 15 17 10 NMAC			
X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
X Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
X Site Reclamation Plan - based upon the appropriate requirements of Subsec	tion G of 19.15.17.13 NMAC			

Oil Conservation Division Page 4 of 5

Form C-144

Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print): Rhonda Rogers Title. Regulatory Technician				
Signature: Date: 9/10/2008 e-mail address: rogerrs@conocophillips.com/ Telephone: 505-599-4018				
e-mail auditess. iogenseedineedinings.osim				
20 OCD Approval: Dermit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: 5506 5-666 Approval Date: 10-10-08				
Title: Ensire Spec OCD Permit Number:				
- STEATE TOPE CONTINUE TO THE				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions, Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:				
22				
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate complilane to the items below)				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in				
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (surface owner and division)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983				
On-site Closure Location: Latitude: Longitude: NAD 1927 1983				
26				
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Title:				
Signature: Date:				
e-mail address: Telephone:				

Burlington Resources Oil & Gas Company, LP San Juan Basin

Cancellation of Pit Permit Drilling/Completion and Workover

Plans for using a temporary pit for the San Juan 27-4 Unit 147 were changed which resulted in a temporary pit never being used or constructed. Burlington Resources wishes to cancel the permit filed 09/10/08 and approved 10/10/08.