District L'
1625 N. French Dr., Hobbs, NM 88240
District IL
1301 W. Grand Avenue, Artesia, NM 88210
District IIL
1000 Rio Brazos Road, Aztec, NM 87410
District IV.
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	V
1,	QΨ
10	
١.	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Energen Resources Corporation OGRID#:162928
Address: 2010 Afton Place, Farmington, NM 87401
Facility or well name: San Juan 32-5 Unit #110S
API Number:30-039-30558 OCD Permit Number:
U/L or Qtr/Qtr K Section 23 Township 32N Range 06W County: Rio Arriba
Center of Proposed Design: Latitude 36.96404 Longitude 107.43118 NAD: ☐1927 ☒ 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
2.
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:
5. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

	 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, schoinstitution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 	ool, hospital,
1	7.	
	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
	Screen Netting Other	
	Monthly inspections (If netting or screening is not physically feasible)	
	8. Signs: Subsection C of 19.15.17.11 NMAC	
	☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
	Signed in compliance with 19.15.3.103 NMAC	
	Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Burconsideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	reau office for
ſ	10.	
	Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of ac material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the application of the same of t	propriate district of approval.
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
	Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	. Yes No
	Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
	Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
	Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporar'y Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
or remit Number.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Besign - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) The place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Gro. Instructions: Please indentify the facility or facilities for the disposal of liquid facilities are required.	ds, drilling fluids and drill cuttings. Use attachment if mor	e than two					
Disposal Facility Name:	Disposal Facility Permit Number:	-					
Disposal Facility Name:	Disposal Facility Permit Number:	· · · · · · · · · · · · · · · · · · ·					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?							
Yes (If yes, please provide the information below)							
Required for impacted areas which will not be used for future service and open Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection Plan - based upon the appropriate	opriate requirements of Subsection H of 19.15.17.13 NMA ection I of 19.15.17.13 NMAC	AC					
Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in provided below. Requests regarding changes to certain siting criteria may rebe considered an exception which must be submitted to the Santa Fe Environand/or demonstrations of equivalency are required. Please refer to 19.15.17.	n the closure plan. Recommendations of acceptable soun equire administrative approval from the appropriate dist nmental Bureau office for consideration of approval. Ju	rict office or may					
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS	S; Data obtained from nearby wells	Yes No					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS		☐ Yes 🚺 No ☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS	S; Data obtained from nearby wells	Yes No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any othe lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed si		Yes No					
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site; Aerial photo; Sa		Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring tha watering purposes, or within 1000 horizontal feet of any other fresh water well - NM Office of the State Engineer - iWATERS database; Visual inspec	or spring, in existence at the time of initial application.	Yes No					
Within incorporated municipal boundaries or within a defined municipal fresh adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written a	-	Yes 🖫 No					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map;	Visual inspection (certification) of the proposed site	☐ Yes ☑ No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-M	Aining and Mineral Division	☐ Yes ☑ No					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Go Society; Topographic map	eology & Mineral Resources; USGS; NM Geological	Yes No					
Within a 100-year floodplain FEMA map		Yes No					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must be attached to the closure pla	an. Please indicate,					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Proof of Surface Owner Notice - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Waste Material Sampling Plan - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsectio Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC appropriate requirements of 19.15.17.11 NMAC appad) - based upon the appropriate requirements of 19.15.15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC at drill cuttings or in case on-site closure standards cannot in H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC						

Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 1/03/16
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date: 09/21/09
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? [Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude
25.
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Vicki Donaghey Title: Regulatory Analyst
Signature: Wiki Magkie Date: 10/28/10
e-mail address: vicki.donaghey@energen.som Telephone: 505-324-4136

Well Name: San Juan 32-5 Unit #110S

Reserve Pit – Final Closure Report

The pit will be closed with in place burial. If the pit is located on private surface, the surface owner will be notified prior to closure by certified mail and the return receipt will be included in the closure packet. The OCD will be verbally or by other means notified at least 72 hours and not more then one week prior to the pit closing. The following process will be used to close the pit:

Notification to the OCD is included in this closure report package. Surface owner notification not required.

1) At time of closure, all free standing fluids will be removed and reused or disposed with Agua Moss LLC in the Pretty Lady #1 (Disposal API Number # 30-048-30922) or an Energen operated permitted disposal well. The contents will be solidified to a bearing capacity sufficient to support the final cover. This will be accomplished by mixing the contents with soil at a mixing ratio no greater then 3:1 soil to contents.

Fluids were removed and properly disposed in the Miss Pretty Lady #1. The pit contents were solidified by mixing the contents with soil at a mixing ratio of approximately 3:1.

2) The liner will be cut off at the mud line of the stabilized contents.

The liner was cut off at the mud line of the stabilized contents.

3) Sampling will be done by collecting a minimum of a five-point composite sample of the contents after stabilization. The sample will be analyzed for the following components (if the groundwater is less than 100 feet below the pit but greater than 50 feet, testing for chlorides will be done to the lower limit);

Components	Tests Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	ND
BTEX	EPA SW-846 8021B or 8260B	50	ND
TPH	EPA SW-846 418.1	2500	159
GRO/DRO	EPA SW-846 8015M	500	11.5
Chlorides	EPA 300.1	500 /1000	900

Sampling results are listed in the above table.

4) After demonstrating that the stabilized contents are under the limits listed above, the contents will be covered with compacted non-waste containing earthen material to a minimum of three feet. If stabilized contents exceed a volume that can be covered with three feet of earth and a foot of topsoil the excess contents will be removed and sent to Envirotech (Permit NM-01-0011) or IEI Landfarm (Permit NM-01-0010B). If the stabilized contents do no meet the above stated limits the stabilized contents will all be hauled to Envirotech pursuant to excavation and removal guidelines (19.15.17.13 B1).

The contents were covered with three feet of compacted non-waste containing material.

5) After the stabilized contents have been covered, the stockpiled topsoil will be replaced to a minimum depth of one foot. Topsoil cover will be graded to prevent ponding of water and erosion of the cover material. This will be accomplished within six months of rig release.

The stockpiled topsoil was replaced to a depth of one foot and graded to prevent ponding and erosion.

6) The exact location of the on-site burial will be reported to the Aztec field office on the C-105 form. A deed notice identifying the exact location of the on-site burial will be filed with the county clerk if the pit is on private surface.

The C-105 form is attached. This pit is located on public surface. Proof of Deed notice not required unless pit is located on private surface (per NMOCD FAQ dated 10/30/09).

7) The final closure report (C-144) will be filed within 60 days of closure completion and include sampling results, plot plan, details on backfilling, covering and inspections during the life of the pit.

This closure report includes sampling results, plot plan, closure details, inspections, and photos.

8) If the pit is located on federal or tribal surface, seeding will be deferred to BLM requirements per the BLM / OCD MOU. Otherwise, the disturbed area will be seeded or planted the first growing season after closing the pit. Seed will be drilled on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species,

including at least one grass but not including noxious weeds. Cover will be maintained through two successive growing seasons. During the two growing seasons that prove viability there shall be no artificial irrigation of the vegetation. Seeding or planting will continue until the required cover is reached. If conditions are not favorable to establishment of vegetation due to periods of drought or similar problems then the Aztec office of the OCD will be notified. The Aztec office of the OCD will also be notified when the disturbed ground successfully achieves re-vegetation.

The pit is located on Federal or Tribal surface, seeding is deferred to BLM requirements per the BLM / OCD MOU.

9) Until the abandonment of the wells on the pad where the pit is located, a steel marker no less then four inches in diameter will be cemented in a hole three feet deep in the center of the onsite burial. The top of this marker will be flush with the ground. Once all wells on the pad are abandoned, a four foot tall riser will be welded on top of the marker with; operator name, lease number, well name and number, unit number, section, township and range, and a designation that it is an onsite burial location.

The marker was installed in the center of the closed pit. The marker is set flush to the ground until final abandonment. At the time of abandonment, a four foot riser will be installed and marked as follows: Energen Resources – State Lease – San Juan 32-5 Unit #110S – Unit K – Sec. 23, T32N, R06W – Pit Burial Site.

Submit to Appropriate District Office Five Copies				State of New Mexico Energy, Minerals and Natural Resources						Form C-105 July 17, 2008								
1625 N. French Dr., Hobbs, NM 88240				mergy, wii	iiciais ai	iu ivau	urar NC	sour	ces	1 W	FII	ΔP	I NO			July	1, 2000	
District II. 1301 W. Grand Avenue, Artesia, NM 88210											1. WELL API NO. 30-039-30558							
District III						ONSERVA			N	l	2. Ty							
1000 Rio Brazos I District IV	Rd., Aztec,	NM 8/	410		-	20 South S						_^		. □ FI	ее Г] FF	ED/INI	DIAN
1220 S. St. Franci	s Dr., Santa	Fe, N	M 87505		S	anta Fe, N	NM 875	505						Gas L				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG													oral Valoria	- 48. 136.91				
4. Reason for f	4. Reason for filing: 5. Lease Name or Unit Agreement Name											da.d. U. Av si						
COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) San Juan 32-5 Unit																		
#33; attach this	C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) 6. Well Number #110S																	
9. Type of Con		□ w	ORKOVER		DEEPENING [☐ PLUGBA	ACK [DIFFER	ENT I	RESERVO	oir [∑ от	HER	e pit	t clo	sure	3	
8. Name of Ope	•											GRID I						
Energen	Resour	ces (Corporati	on								1629	28					
10. Address of	Operator										11. 1	Pool na	me o	or Wildca	ıt			
2010 Aft	on Plac	ce,	Farmingt	on,	NM 87401						8	Basin	Fr	uitlar	nd Co	al		
12. Location	Unit Let		Section		Township	Range	Lo	t	Feet f	from the	N/S L			from the			County	y
Surface:	К		23		32N	06W					1							
вн:	,				<u> </u>	0011			1								<u>† </u>	
13. Date Spudd	led 14	t. Dat	e T.D. Reach	ed	15. Date Rig	Released 06/15/09		16. Da	ite Coi	mpleted (I	Ready to	Produ	ıce)		Elevat GR, et		DF & R	KB,
18. Total Meas	ured Dept	h of W	/ell		19. Plug Bac	 	Depth	20. W	as Dire	ectional S	urvey N	1ade	2	1. Type	Electri	c and	Other L	ogs Run
22. Producing I	nterval(s)	, of thi	is completion	- Top,	Bottom, Name	:												
23.				(CASING R	ECORD	(Repo	rt all str	ings	set in v	vell)							
CASING	SIZE	V	VEIGHT LB.		DEPTH			LE SIZE			EMEN	TING	REC	ORD		AMO	UNT P	JLLED
					1													
		+			1		<u> </u>								\dashv			
		+													+	-		
		+			1													
24.		<u> </u>		V TD 1	ED DECOR	<u> </u>	L			125		CDX V	D.T.	C DEC				
SIZE	T _T	OP			ER RECOR	SACKS CE	MENT	G C D	EEN	25.	<u> </u>	10		G REC			A CIVE	D. OET
SIZE	110	JP		BOT	TOM	SACKS CE	MENI	SCR T	EEN	SIZI	E			DEPTH S	EI		PACKE	X SET
								ļ					+			_		
26. Perforation	record (i	nterva	l, size, and nu	ımber)						IOT, FR		-						
}						-		DEPTH	INTE	RVAL	AM	IOUN'	LAN	ID KIND	MAT	ERIA	L USED	<u>'</u>
											+-							
								-			+							
28.					ne Room	PRO	ODUC	TION										
Date First Produ	ection		Product	ion Me	thod (Flowing				e pumi	p)			Т	Well Sta	tus (Pr	od. or	Shut-in	,
					, ,	7.6 3.71	,	- 21		,					•			,
Date of Test		Hou	rs Tested	(Choke Size	Prod'n For Test Perio		Oil - Bbl.	1	Gas - Mo	CF	Wat	er -	Bbl.	Ga	s - Oi	l Ratio	
				Calculated 24- Hour Rate	Oil - Bbl.		Gas - M	Gas - MCF Wa		iter - Bbl.			Oil Gravity - API -(Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By																		
31. List Attachments																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																		
33. If an on-site	burial wa	s used	at the well, i	report t	he exact location	on of the on-s		: 36.9640	4	Longi	tude	10	7.4	3118	NAI	 D:	1927	(1983
I hereby ceclif	y that the	e info	rmation sho	wn on	both sides of	this form is	true an	d complet	e to ti									,
Signature \\(\)	K Z	DIN	OQXU	\mathcal{X}	Printe	d ,		Donaghe		-	-		-	/ Anal	•	_	10/	28/10
E-mail address	-,	V	donadhe@e	nena	en.com ^{Name}	}		- on laying	,	Titl	e '\C	gurut	JU1)	, , uiui,	, , , ,	Date	10/	-0, 10

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

MAMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


1,	API Numbe	r			ol Code							
					71629							
⁴ Property (Code					⁵ Property	Name	200		⁶ Well Number		
						-Services	Wind -	TN 39-2,	Linu	#110S		
7 OGRID I	No.					8 Operator					⁹ Elevation	
162928						Energen Resource	s Corporation		ľ		6338' GL	
¹⁰ Surface Location												
UL or lot no.	Section	Townsh	ip Rang	e Lo	Idn	Feet from the	North/South line	Feet from the	East/We	st line	County	
K	23	32N	6W			1885	South	1500	We	West Rio Arri		
		l	11	Bottor	n Hol	e Location I	f Different From	n Surface	l		<u> </u>	
UL or lot no.	Section	Townsh	ip Rang	e Lo	Idn	Feet from the	North/South line	Feet from the	East/We	st line	County	
В	22	32N	6W			716	6 North 1844 East Rio A					
12 Dedicated Acres 320 N/2	¹³ Joint of	r Infill	¹⁴ Consolida	tion Code	15 Ord	er No.					L —	

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



ENERGEN RESOURCES CORPORATION

32-5 UNIT #110 S 1885' FSL & 1500' FWL LOCATED IN THE NE/4 SW/4 OF SECTION 23, T32N, R6W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO GROUND ELEVATION: 6338', NAVD 88 FINISHED PAD ELEVATION: 6338.3', NAVD 88




DATE: 10/24/07


(505) 334-8637

LATITUDE: 36.96382°N LONGITUDE: 107.43119°W DATUM: NAD 83

ENERGEN RESOURCES CORPORATION

32-5 UNIT #110 S 1885' FSL & 1500' FWL LOCATED IN THE NE/4 SW/4 OF SECTION 23, T32N, R6W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO GROUND ELEVATION: 6338', NAVD 88 FINISHED PAD ELEVATION: 6338.3', NAVD 88





1 FOOT CONTOUR INTERVAL SHOWN

SCALE: 1" = 60' JOB No.: ERG182 DATE: 10/24/07



Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637

Vicki Donaghey

From:

Stan Kozimor [Stank@consolidatedconst.com]

Sent:

Friday, October 23, 2009 1:02 PM

To:

Mark_Kelly@nm.blm.gov; brandon.powell@state.nm.us; Doug Thomas; Kellie Campbell; Vicki Donaghey; Ed Hasely; Robert Schmidt

Subject: Energen 32-5 #110S & Energen Quintana 100R

Due to inclement weather & the winter closing restrictions, we plan to start pit clean ups on the referenced projects.

The 32-5 #110S will start on October 24 after completion we will move to the Quintana 100R.

Thank you, James Hellekson (505) 320-0049 Consolidated Constructors, Inc.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	Energen	Project #:	03022-0001
Sample ID:	102009-110	Date Reported:	10-25-09
Laboratory Number:	52182	Date Sampled:	10-20-09
Chain of Custody No:	8241	Date Received:	10-20-09
Sample Matrix:	Soil	Date Extracted:	10-20-09
Preservative:	Cool	Date Analyzed:	10-21-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)			
Gasoline Range (C5 - C10)	4.0	0.2		
Diesel Range (C10 - C28)	7.5	0.1		
Total Petroleum Hydrocarbons	11.5	0.2		

ND - Parameter not detected at the stated detection limit.

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

SJ 32-5 #110S

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	102009-110	Date Reported:	10-25-09
Laboratory Number:	52182	Date Sampled:	10-20-09
Chain of Custody:	8241	Date Received:	10-20-09
Sample Matrix:	Soil	Date Analyzed:	10-21-09
Preservative:	Cool	Date Extracted:	10-20-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)		
Benzene	ND	0.9		
Toluene	ND	1.0		
Ethylbenzene	ND	1.0		
p,m-Xylene	ND	1.2		
o-Xylene	ND	0.9		
Total BTEX	ND			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

SJ 32-5 #110S.

Analyst

Mustum Welley
Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0001
Sample ID:	102009-110	Date Reported:	10-26-09
Laboratory Number:	52182	Date Sampled:	10-20-09
Chain of Custody No:	8241	Date Received:	10-20-09
Sample Matrix:	Soil	Date Extracted:	10-20-09
Preservative:	Cool	Date Analyzed:	10-20-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

159

8.3

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

SJ 32-5 #110S

Analyst

Review Waller



Chloride

Client:	Energen	Project #:	03022-0001
Sample ID:	102009-110	Date Reported:	10-25-09
Lab ID#:	52182	Date Sampled:	10-20-09
Sample Matrix:	Soil	Date Received:	10-20-09
Preservative:	Cool	Date Analyzed:	10-21-09
Condition:	Intact	Chain of Custody:	8241

Parameter

Concentration (mg/Kg)

Total Chloride

900

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

SJ 32-5 #110S.

Analyst

Review 1 Icela

Pit Inspection Log Sheet 32-5 Energen Resources Corperation API#: 30039 Well Name: San Juan 30-4#105s 110€ Name (Print): (1450) Signature: grown Eddie Date: May Yary Comments: W-tte WASTE IN PIT. Name (Print) Solle Charge نز:Signature Date: Comments Name (Print): Folia Chacon Signature: Date: Comments: Name (Print): Signature: Date: Comments: Name (Print): JASON ENDIE Signature: Date: MAY 31,2009 Comments: THE WAY (DOWE) A-II AROUND Name (Print): JASON Eddre JONE 01, 2009 Signature: ason Date: 5HAPE Comments: زادن G000D Name (Print): JASON EDOLE Signature: 5 Date: ron June 02.2009 "0K" Comments: started roint Name (Print): Signature: Date: Comments: Name (Print): Signature: Date: Comments: Name (Print): Signature: Date: Comments: Name (Print): TASON CODIE Signature* Date: 06-06-09 Comments: Looks Good Name (Print):-©poi€ Signature: Date: 06-07-09 JASON Comments: volume some. HAO build Name (Print): ゴイsの Signature: 5. CC: Date: 06-08.09 Comments: MOST OF used MUD Name (Print): Eddie Chacon Signature: Date: 09 m 09 Comments: Name (Print): Eddie Signature: Date: van 09 Comments: Name (Print): Signature: Date: Clice Cou un 09 Comments: Name (Print): TASON EDDIE Signature: Date: 06-12-09 Comments: "OK" Full 14 Resa iar Name (Print): TASON EDDIE Signature: Date: 06-13-09 Comments: 9,000 Every Hyly Looks 5-1:11 Full Name (Print): Jason EDDIÉ Signature. ררישני Date: Eddie 06-14 Comments: 3/4 Locks Good Name (Print): Signature: Date: Luno9 Comments: Name (Print): Signature: Date: Comments: Name (Print): Signature: Date: Comments: Name (Print): Signature: Date:



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name: SAN JUAN 32-5 #	110-5	API: 30-	039-30558
Name (Print): (aylos Piñon	Signature: 🕰	ler Prinin	Date: 06-28-0
Note Any Deficiencies: none			
Name (Print): Lans Pinon	Signature: //a	nder Pmon	Date: 06-33-0
Note Any Deficiencies: ハのルク			
Name (Print): Mike Confir	Signature:	MA CL	Date: 6-24-07
Note Any Deficiencies: Now e			
Name (Print): Mihe Confi-	Signature:	m A Col	Date: 6-25-09
Note Any Deficiencies: Nowe		<i>i</i> *	
Name (Print): Mile Confee	Signature:	MA Col	Date: 6-26-0
Note Any Deficiencies: NonE			
Name (Print): Mike Cohfee	∽ Signature:)⁄,	11 A Col-	Date: 6-29-09
Note Any Deficiencies: Now e			
Name (Print): Wike Con fo	Signature:	MA Col	Date: 6 - 30 - 6
Note Any Deficiencies: None			
Vame (Print): Mile Confe	Signature:	MA Cot	Date: クー/- 8
Note Any Deficiencies: Nowc		-	
Name (Print): Mike Con	Signature:	MA El-	Date: 7-2-6
Note Any Deficiencies: None		ν	
Name (Print): Micke Conf	Signature:	ma El	Date: 7-6-0
Note Any Deficiencies:		,	
Name (Print): Mile Confer	Signature:	MA CL	Date: 2- 1.
Note Any Deficiencies: ルンルド			
Name (Print): Mile Conter	Signature:	MA Col	Date: 7 - 8 - 0
Note Any Deficiencies: NONE			
Name (Print): Mile Confir	Signature:	mA Col	Date: 7-9-0
Note Any Deficiencies: W o we-			
Name (Print): Mih Confer	Signature:	MA Cof	Date: 17-10.
Note Any Deficiencies: No NF		,	
Name (Print): Mile Coal	Signature:	MA CL	Date: <u> </u>
Note Any Deficiencies: None			
Name (Print):	Signature:		Date:
ote Any Deficiencies:			
)ote Any Deficiencies: 6-27-04 6-28-09 7-3-09	oention - wee	Leal - MA EL	-
7-7-09 7 NO ASTERSAY ON LO	extin - Holi	day - MA life	



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name:	SAN	JUAN	32-5	# 110.	s AF	PI: 30039	3	DSS8
Name (Print):		Bob Schn	nidt	Signature:	Boll	him	Date:	6-22-09
Note Any Deficie	ncies: <	none						
Name (Print):		Bob Schn	nidt	Signature:	Ball	Show-	Date:	7-3-09
Note Any Deficie	ncies: C	none						
Name (Print):	<i></i>	Bob Schn	nidt	Signature	Ball	cho	Date:	7-9-09
Note Any Deficie	ncies: <	none				 	····	
Name (Print):		Bob Schn	nidt	Signature:	Belle	hos	Date:	7-16-09
Note Any Deficie	ncies:	none		-			·	
Name (Print):		Bob Schn	nidt	Signature:	tolly	for the same of th	Date:	7-24-09
Note Any Deficie	ncies:	none R	oll up Fer	ice_		•		
Name (Print):	<i>,</i>	Bob Schm	nidt	Signature:	Bass	ehres .	Date:	7-31-09
Note Any Deficie	ncies:	none		=				
Name (Print):		Bob Schm	nidt	Signature:	Full	D.S	Date:	8-5-09
Note Any Deficie	ncies:	none		=	*.* *			
Name (Print):		Bob Schm	nidt	Signature:	Bols	hut !	Date:	8-14-09
Note Any Deficie	ncies:	none						
Name (Print):		Bob Schm	nidt	Signature:	Bulles	2	Date:	8-20-09
Note Any Deficie	ncies:	none				<u> </u>		····
Name (Print):		Bob Schm	nidt	Signature:	Buller		Date:	8-28-09
Note Any Deficie	ncies:	none	·	J				
Name (Print):		Bob Schm	nidt	Signature:	Bello		Date:	9-4-09
Note Any Deficier	ncies:	none						
Name (Print):		Bob Schm	nidt	Signature:	1 Sel		Date:	4-9-03
Note Any Deficier	ncies:	none		.				
Name (Print):		Bob Schm		Signature:	Bulles		Date:	9-21-09
Note Any Deficier	ncies:	none	P:+	Mixe	ا ا			
Name (Print):		Bob Schm	nidt	Signature:			Date:	
Note Any Deficier	ncies:	none						
Name (Print):		Bob Schm	iidt	Signature:			Date:	
Note Any Deficier	ncies:	none					,	
Name (Print):	···	Bob Schm	idt	Signature:			Date:	
Note Any Deficier	ncies:	none						

