

District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office  
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

3285  
6019  
Pit, Closed-Loop System, Below-Grade Tank, or  
Proposed Alternative Method Permit or Closure Plan Application


Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  
☐ Modification to an existing permit  
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

**Instructions:** Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request


Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

1  
Operator: Dugan Production Corp. OGRID #: 006515  
Address: 709 East Murray Drive, Farmington, New Mexico  
Facility or well name: Tom Wood Denn #1  
API Number: 30-045-349210 OCD Permit Number: \_\_\_\_\_  
U/L or Qtr/Qtr A Section 8 Township 22N Range 8W County: San Juan  
Center of Proposed Design: Latitude 36.15963 N Longitude 107.69974 W NAD: ☐ 1927 ☒ 1983  
Surface Owner: ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Indian Allotment

2  
☒ **Pit:** Subsection F or G of 19.15.17.11 NMAC  
Temporary: ☒ Drilling ☐ Workover  
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A  
☐ Lined ☐ Unlined Liner type: Thickness 20 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
☒ String-Reinforced  
Liner Seams: ☐ Welded ☒ Factory ☐ Other \_\_\_\_\_ Volume: 600 bbl Dimensions: L 13 x W 13 x D 8



3  
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC  
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other \_\_\_\_\_  
☐ Lined ☐ Unlined Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
Liner Seams: ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_



4  
☐ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC  
Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_  
Tank Construction material: \_\_\_\_\_  
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other \_\_\_\_\_  
Liner type: Thickness \_\_\_\_\_ mil ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_

5  
☐ **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6.  
**Fencing:** Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)  
☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)  
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet  
☒ Alternate Please specify 4-foot hogwire

7.  
**Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)  
☐ Screen ☐ Netting ☐ Other \_\_\_\_\_  
☐ Monthly inspections (If netting or screening is not physically feasible)

8.  
**Signs:** Subsection C of 19.15.17.11 NMAC  
☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  
☐ Signed in compliance with 19.15.3.103 NMAC

9.  
**Administrative Approvals and Exceptions:**  
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  
**Please check a box if one or more of the following is requested, if not leave blank:**  
☒ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  
☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.  
**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC  
*Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.*

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. ( <i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i> ) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. ( <i>Applies to permanent pits</i> ) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

11  
**Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  
☒ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  
☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design)    API Number: 30-045-    or Permit Number: \_\_\_\_\_

12.  
**Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design)    API Number: \_\_\_\_\_  
☐ Previously Approved Operating and Maintenance Plan    API Number: \_\_\_\_\_ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.  
**Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
☐ Climatological Factors Assessment  
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Quality Control/Quality Assurance Construction and Installation Plan  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Nuisance or Hazardous Odors, including H<sub>2</sub>S. Prevention Plan  
☐ Emergency Response Plan  
☐ Oil Field Waste Stream Characterization  
☐ Monitoring and Inspection Plan  
☐ Erosion Control Plan  
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.  
**Proposed Closure:** 19.15.17.13 NMAC  
*Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.*

Type: ☒ Drilling   ☐ Workover   ☐ Emergency   ☐ Cavitation   ☐ P&A   ☐ Permanent Pit   ☐ Below-grade Tank   ☐ Closed-loop System  
☐ Alternative

Proposed Closure Method: ☐ Waste Excavation and Removal  
☐ Waste Removal (Closed-loop systems only)  
☒ On-site Closure Method (Only for temporary pits and closed-loop systems)  
☒ In-place Burial   ☐ On-site Trench Burial  
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.  
**Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

**Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)

*Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.*

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

*Required for impacted areas which will not be used for future service and operations*

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

**Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

*Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.*

Ground water is less than 50 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No  
☒ NA

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No  
☒ NA

Ground water is more than 100 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☒ Yes ☐ No  
☐ NA

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☒ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☒ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☒ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☒ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☒ No

18.

**On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☒ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

☒ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☒ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

☒ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19

**Operator Application Certification:**

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Kurt Fagrelus Title: Vice President, Exploration

Signature: Kurt Fagrelus Date: 2-23-2009

e-mail address: kfagrelus@duganproduction.com Telephone: 505-325-1821

20.

**OCD Approval:** ☒ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: Brandon Powell Approval Date: 1/03/11 4-17-09

Title: Enviro/Spec OCD Permit Number: \_\_\_\_\_

21.

**Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC

*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

☒ Closure Completion Date: 11-19-2009

22.

**Closure Method:**

☐ Waste Excavation and Removal ☒ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)  
☐ If different from approved plan, please explain.

23.

**Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**

*Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.*

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

*Required for impacted areas which will not be used for future service and operations*

- ☐ Site Reclamation (Photo Documentation)  
☐ Soil Backfilling and Cover Installation  
☐ Re-vegetation Application Rates and Seeding Technique

24.

**Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Proof of Closure Notice (surface owner and division)  
☐ Proof of Deed Notice (required for on-site closure)  
☒ Plot Plan (for on-site closures and temporary pits)  
☒ Confirmation Sampling Analytical Results (if applicable)  
☒ Waste Material Sampling Analytical Results (required for on-site closure)  
☒ Disposal Facility Name and Permit Number  
☒ Soil Backfilling and Cover Installation  
☒ Re-vegetation Application Rates and Seeding Technique  
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.15959° N Longitude 107.68291° W NAD: ☐ 1927 ☒ 1983

25.

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Kurt Fagrelus Title: Geol.

Signature: Kurt Fagrelus Date: 2-8-2010

e-mail address: Kfagrelus@duganproduction.com Telephone: 505-325-1821

**Dugan Production Corp.  
Closure Report**

Lease Name: Tom Wood Denn #1  
API No.: 30-045-34926

In accordance with Rule 10.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation concerning closure activities is included with the C-144. The temporary pit for this location was an approved design under Rule 19.15.17. **The closure plan for the temporary pit was submitted on 2-23-2009 and approved on 4-17-2009.**

1. Comply with siting criteria for temporary pits established by the State of New Mexico, Energy Minerals and Natural Resources Department 19.15.17.10 NMAC.

**See approved permit dated 4-17-2009.**

2. Provide the NMOCD district office at least 72-hours notice but no greater than 1-week prior to any closure operations. Notice will include operator name, well name and number, API number, and location (unit letter, section, township and range).

**See email notification dated 11-17-2009.**

3. Provide the surface owner notice of the operator's proposal of an on-site closure method. Proof of notice will be attached to the permit application. Also, proof of closure notice will be provided by certified mail to surface owner after closure. Proof of notice will be attached to final closure report.

**Navajo Allotted surface, certified notification not applicable as per BLM/OCD MOU.**

4. Remove all liquid from pit and reclaim, re-use or dispose of at an NMOCD approved facility. Upon completion of drilling operations, drilling mud will be vacuumed from pit and transported to the next reserve pit for re-use at another drilling location. After the remaining mud settles, the free water that shakes out and any free water left over from completion operations will be hauled to the Dugan Production operated Sanchez O'Brien #1 SWD located 1650 feet from the South line and 990 feet from the West line (Unit L) of Section 6, Township 24 North, Range 9 West NMPM, San Juan County, New Mexico. The disposal facility was permitted by the NMOCD with Administrative Order SWD-694.

**Drilling rig was released (9-17-2009) and drilling mud was transferred to the Wood Denn #1 for re-use (9-18-2009). Free water was transferred to the Sanchez O'Brien SWD #1 salt water disposal well and the remaining water and wet mud was transferred to IEI Industrial Ecosystems Inc. (11-18-2009, 11-16-2009 and 11-19-2009). See attached invoices.**

5. Remove all fluids from temporary pit within 30-days and close within 6-months following release of drilling rig.

**Free water was removed within 30-days and temporary pit was closed (11-19-2009).**

6. Air dry pit contents and stabilize or solidify to a load bearing capacity sufficient to support the temporary pit's final cover.

**Pit contents were allowed to dry prior to temporary pit closure.**

7. Collect a five point, composite sample of the pit contents to demonstrate that Benzene, BTEX, the GRO and DRO combined fraction, TPH, and chlorides (depth to groundwater from bottom of pit is greater than 100-feet), do not exceed the standards as specified in 19.15.17.9.B or the background concentration, whichever is greater.

**A five point composite sample was taken of remaining cuttings in temporary pit and was tested in accordance with Subsection B of 19.15.17.13 (B)(1)(b)(ii). Depth from bottom of pit to top of ground-water is greater than 100-feet. Sample results are attached.**

Components	Test Method	Limit (mg/kg)	*Results (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	<0.050
BTEX	EPA SW-846 8021B or 8260B	50	<0.45
TPH	EPA SW-846 418.1	2500	<100
GRO/DRO	EPA SW-846 8015M	500	<36.2
Chlorides	EPA 300.1	1000 / 500	720

8. Other methods if the standards in 19.15.17.9.B can not be met will include: The pit contents may be mixed to a ratio not to exceed 3:1, un-contaminated soil or other material to pit contents. A second five point, composite sample of the contents after treatment or stabilization will be taken to demonstrate that the contents do not exceed the standards. If the second soil analyses do not satisfy the closure standards, the operator will close the temporary pit using the waste excavation and removal method.

**Not applicable, testing standards of 19.15-17.9 were met.**

9. Cut pit liner off at the mud line (solids level); remove liner and apron and transport to a NMOCD approved facility for disposal.

**Pit liner was removed 11-19-2009 and disposed of at the Crouch Mesa Waste Management facility on 11-19-2009 (see attached invoice).**

10. Stockpiled sub-surface soil will be used to backfill pit and re-contour well pad (to a final or intermediate cover that blends with the surrounding topography). A minimum of four-feet of compacted, non-waste containing, earthen material will be used as backfill.

**Stockpiled sub-surface soil was used to backfill temporary pit and re-contour well pad. A minimum of four-feet of compacted, non-waste containing, earthen material was used to backfill pit.**

11. Stockpiled surface soil will be used as a cover over the backfilled pit and disturbed areas of the well pad no longer needed for production operations. The soil cover will include either the background thickness of top soil or one foot of suitable material to establish vegetation at the site whichever is greater.

**Stockpiled surface soil was used to cover backfilled temporary pit and disturbed areas of the well pad no longer needed for production operations. The soil cover included the greater of either the background thickness or one foot of suitable material necessary to establish vegetation. The location was re-contoured to approximate the original topography of the site and diversions were constructed to protect soil cover and minimize erosion.**

12. The area will be re-seeded as per BLM guidelines. Re-seeding will be repeated until 70% of the native natural cover is achieved and maintained for two successive growing seasons. The first growing season after the pit is closed the disturbed area will be re-seeded. The seeding method will be to drill on contour whenever possible.

**Re-seeding will be done according to BLM guidelines as specified by BLM/OCD memorandum of understanding.**

13. The NMOCD will be notified once successful re-vegetation has been achieved.

**Re-seeding will be done according to BLM guidelines as specified by BLM/OCD memorandum of understanding.**

14. A steel marker will be set at the center of the on-site burial following onsite-pit closure (see application for administrative approval). The marker will be (24" X 24") and will have the operator name, lease name, well number, location (UL, Sec., Twp. and Rge.) and that it designates an "on-site burial location" lettering welded on the top side with a 4" threaded collar welded to the bottom side. The marker will be set at ground level and attached to a 4" diameter pipe that is cemented in a hole three feet

deep. When the well is abandoned, a steel riser that is 4" in diameter, extending 4' above the ground will be welded to the pipe anchored in cement below the surface. The riser will have lettering welded on side showing operator name, well number, location (UL, Sec., Twp., and Rge.) and that it designates an on-site burial location.

**A flat steel marker (24" X 24") with the lettering "on-site burial location" was set at ground-level in the center of the burial site. The marker is welded to a 4" pipe that is cemented in a 3-foot deep hole and is shown in the attached photographs (administrative approval was received). When the well is P&A'd, the steel plate will be removed and a riser that is 4" in diameter, extending 4' above the ground will be welded to the pipe anchored in cement below the surface. The riser will have lettering welded on the side showing operator name, well number, location (UL, Sec., Twp., and Rge.) and that it designates an on-site burial location.**

15. Closure Report will be submitted within 60-days of completion of temporary pit closure. Closure report will include the following:
- 1) Proof of Closure Notice.
  - 2) Proof of Deed Notice (if applicable).
  - 3) Plot Plan.
  - 4) Confirmation Sampling Analytical Results.
  - 5) Waste Material Sampling Analytical Results.
  - 6) Disposal Facility Name and Permit Number.
  - 7) Soil Backfilling and Cover Installation.
  - 8) Re-vegetation Application Rates and Seeding Technique.

**All items listed above if applicable are attached and submitted on this date.**

16. A deed notice identifying the exact location of the on-site burial will be filed with the County clerk in the county where the on-site burial occurs.

**Navajo Allotted surface, deed notice identifying exact location of on-site burial is not applicable according to BLM/OCD MOU.**



**Kurt Fagrelus**

---

**From:** Tyra Feil  
**Sent:** Tuesday, November 17, 2009 1:21 PM  
**To:** Mark\_Kelly@nm.blm.gov; Powell, Brandon, EMNRD  
**Cc:** Kurt Fagrelus  
**Subject:** Temporary Drilling Pit Closures

11/17/09

Mark & Brandon,

On Thursday, November 19, 2009, Dugan Production will be closing the temporary drilling pits on the following wells:

Tom Wood Denn #1  
Tom Wood Denn #2  
Wood Denn #1

On Saturday, November 21, 2009, Dugan Production will be closing the temporary drilling pits on the following wells:

Wood Denn #2  
Gillespie Com #1

If you have any questions, or require additional information, please contact Kurt by e-mail at [kfagrelus@duganproduction.com](mailto:kfagrelus@duganproduction.com) or at 505-325-1821.

Thank you,

Tyra Feil  
Dugan Production Corp.  
505-325-1821  
[tyrafeil@duganproduction.com](mailto:tyrafeil@duganproduction.com)

1/21/2010

**Kurt Fagrelius**

---

**From:** Kurt Fagrelius  
**Sent:** Friday, January 08, 2010 9:57 AM  
**To:** 'Powell, Brandon, EMNRD'; 'Mark\_Kelly@nm.blm.gov'  
**Subject:** Temporary Drilling Pit Status

Dear Sirs, Dugan Production has closed the following temporary drilling pits: Flo Jo #92 (Nav. Allot. Surface)

Flo Jo #95 (Fed. Surface)  
Road Runner #91, #92, and #93 (Fed. Surface)  
Tom Wood Denn #1 and #2 (Nav. Allot. Surface)  
Wood Denn #1 and #2 (Nav. Allot. Surface)  
Martinez Begay Com #2 (Nav. Allot. Surface)  
Gillespie Com #1 (Fed. Surface)

However, the onsite burial markers have not been installed yet due to the frozen soil conditions. Once the surface soils thaw, the burial markers will be installed.

The temporary drilling pit for the Oh Henry #2 (State Surface) has not been closed yet. All of the liquids had been hauled off, however, we are waiting for the remaining pit contents to thaw enough so that they can be sampled and analyzed properly. The pit will then be closed providing the analysis values of the pit are below the accepted threshold.

If you have any questions or require additional information, please contact me.

Sincerely, Kurt Fagrelius

1/21/2010

Dugan Production Corp.  
709 East Murray Drive  
Farmington, NM 87401

Well Name: *Tom wood Denny #1*  
Location:  
Drilling Operator: *Wayne Smith Drilling*  
Rig #:

Spud Date: *9-9-09*

Date:  
Rig Moved Off

Date to Remove Liquids by:  
(30-days from rig release)

Date to Close Pit by:  
(30-days from rig release)

Log Book of Daily Inspections during Drilling / workover operations, weekly after rig is moved off.

Date:	Signature	Freeboard (> 2-ft.) Yes / No	Tears or Holes Yes / No	Oil Yes / No	Trash Yes / No	Remarks
<i>Transfer 4 Loads Fr: #2 1 Fresh</i>						
<i>9-9-09</i>	<i>D B</i>	<i>5 FT</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	
<i>9-10-09</i>	<i>D B</i>	<i>5 FT</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	
<i>9-11-09</i>	<i>D B</i>	<i>5 FT</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	
<i>9-14-09</i>	<i>D B</i>	<i>5 FT</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>2 Loads</i>
<i>9-15-09</i>	<i>D B</i>	<i>5 FT</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>160 lbs 15</i>
<del><i>9-16-09</i></del>	<del><i>D B</i></del>	<del><i>5 FT</i></del>	<del><i>NO</i></del>	<del><i>NO</i></del>	<del><i>NO</i></del>	
<i>9-16-09</i>	<i>D B</i>	<i>4 FT</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>1 Load Fresh 8015</i>
<i>9-17</i>						<i>4013</i>
<i>11-16</i>	<i>KF</i>					<i>Transf mud to WD #1</i>
<i>11-18</i>						<i>Rig Released</i>
<i>11-19</i>						<i>} Transf. Free wtr { mud to IEE wtr</i>



# CARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

November 13, 2009

Kurt Fagrelus  
Dugan Production Corporation  
709 East Murray Drive  
Farmington, NM 87401

Re: Soil Samples

Enclosed are the results of analyses for sample number H18712, received by the laboratory on 11/12/09 at 11:15 am.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.2	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

Total Number of Pages of Report: 4 (includes Chain of Custody)

Sincerely,

  
Caley D. Keene  
Laboratory Director

---

This report conforms with NELAP requirements.



# ARDINAL LABORATORIES

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR  
DUGAN PRODUCTION CORP.  
ATTN: KURT FAGRELIUS  
709 E. MURRAY DRIVE  
FARMINGTON, NM 87401  
FAX TO: (505) 327-4613


Receiving Date: 11/12/09  
Reporting Date: 11/13/09  
Project Number: NOT GIVEN  
Project Name: NOT GIVEN  
Project Location: NOT GIVEN


Sampling Date: 11/11/09  
Sample Type: SOLID  
Sample Condition: INTACT @ 8.5°C  
Sample Received By: AB  
Analyzed By: AB/HM

LAB NUMBER	SAMPLE ID	GRO	DRO	418.1 TOTAL	CI*
		(C <sub>6</sub> -C <sub>10</sub> ) (mg/kg)	(>C <sub>10</sub> -C <sub>28</sub> ) (mg/kg)	TPH (mg/kg)	

ANALYSIS DATE		11/13/09	11/13/09	11/12/09	11/12/09
H18712-1	TOM WOOD DENN #1	<10.0	36.2	<100	720
H18712-2	TOM WOOD DENN #2	<10.0	<10.0	<100	920
H18712-3	WOOD DENN #1	<10.0	<10.0	<100	272
H18712-4	WOOD DENN #2	<10.0	13.8	151	176
H18712-5	GILLESPIE #1	<10.0	<10.0	<100	640
Quality Control		516	565	304	500
True Value QC		500	500	300	500
% Recovery		103	113	101	100
Relative Percent Difference		2.1	2.9	3.3	<0.1

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; EPA 418.1; CI-: Std. Methods 4500-CI-B  
\*Analyses performed on 1:4 w:v aqueous extracts. Reported on wet weight.  
Not accredited for GRO/DRO, Chloride, and TPH 418.1.

  
Chemist

  
Date

H18712 TPH2CL DUGAN

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR  
DUGAN PRODUCTION CORP.  
ATTN: KURT FAGRELIUS  
4100 PIEDRAS ST.  
FARMINGTON, NM 87401  
FAX TO: (505) 325-4873


Receiving Date: 11/12/09  
Reporting Date: 11/13/09  
Project Name: NOT GIVEN  
Project Number: NOT GIVEN  
Project Location: NOT GIVEN


Sampling Date: 11/11/09  
Sample Type: SOIL  
Sample Condition: COOL & INTACT @ 8.5°C  
Sample Received By: AB  
Analyzed By: ZL

LAB NO.	SAMPLE ID	ETHYL TOTAL			
		BENZENE	TOLUENE	BENZENE	XYLENES
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
ANALYSIS DATE:		11/12/09	11/12/09	11/12/09	11/12/09
H18712-1	TOM WOOD DENN #1	<0.050	<0.050	<0.050	<0.300
H18712-2	TOM WOOD DENN #2	<0.050	<0.050	<0.050	<0.300
H18712-3	WOOD DENN #1	<0.050	0.094	0.145	0.582
H18712-4	WOOD DENN #2	<0.050	<0.050	0.156	0.702
H18712-5	GILLESPIE #1	<0.050	<0.050	<0.050	<0.300
Quality Control		0.047	0.046	0.049	0.152
True Value QC		0.050	0.050	0.050	0.150
% Recovery		94.0	92.0	98.0	101
Relative Percent Difference		<1.0	<1.0	<1.0	<1.0

METHODS: BTEX - SW-846 8021B.


TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE,  
AND TOTAL XYLENES. Reported on wet weight.

  
Chemist

  
Date

H18712 BTEX DUGAN

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



# CHAIN OF CUSTODY RECORD

Page \_\_\_\_ of \_\_\_\_

Client: Dagan Production  
Contact: Kurt Fagelman  
Address: 209 E. Murray Dr  
Farmington, NM  
Phone Number: 505-320-8248  
FAX Number: \_\_\_\_\_

## NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

PO# \_\_\_\_\_

## Table 1. - Matrix Type

- 1 = Surface Water, 2 = Ground Water
- 3 = Soil/Sediment, 4 = Rinsate, 5 = Oil
- 6 = Waste, 7 = Other (Specify) Sludge

FOR GAL USE ONLY

GAL JOB # \_\_\_\_\_

Samplers Signature: \_\_\_\_\_

Project Name: \_\_\_\_\_

Ktagre has a dagan production. com

Lab Name: Green Analytical Laboratories		(970) 247-4220		FAX (970) 247-4227																	
Address: 75 Suttle Street, Durango, CO 81303																					
Sample ID	Collection		Miscellaneous			Preservative(s)					Comments										
	Date	Time	Collected by: (Init.)	Matrix Type From Table 1	No. of Containers	Sample Filtered ? Y/N	Unpreserved (Ice Only)	HNO3	HCL	H2SO4		NAOH	Other (Specify)								
418112-1	11-11-09	10:10 AM		7	1		X						WMOCP	X	418.1	X	8015M	X	BTX	X	CI
-2		10:30 AM		7	1		X														
-3		11:00 AM		7	1		X														
-4		11:30 AM		7	1		X														
-5		12:00 AM		7	1		X														
6.																					
7.																					
8.																					
9.																					
10.																					
Relinquished by: <u>Kurt Fagelman</u>		Date: <u>11-11-09</u>	Time: <u>3:00 PM</u>	Received by: <u>Officer G. G. G.</u>		Date: <u>11/11/09</u>	Time: <u>1:500</u>														
Relinquished by: _____		Date: _____	Time: _____	Received by: <u>GB-7</u>		Date: <u>11/12/09</u>	Time: <u>11:15 AM</u>														

\* Sample Reject: [ ] Return [ ] Dispose [ ] Store (30 Days)

Intact @ 85%

\* Received w/ice.



Invoice Number: 12760  
Invoice Date: Nov 20, 2009  
Page: 1

**Industrial Ecosystems Inc.**

P.O. Box 1202

Flora Vista, NM 87415

PH: (505) 632-1782 Fax: (505) 632-1876

TAX I.D. #94-3200034

PLEASE REMIT PAYMENT TO:

Industrial Ecosystems, Inc.

PO Box 1202

Flora Vista, NM 87415

Sold To: DUGAN PRODUCTION CORP  
709 E MURRAY DRIVE  
FARMINGTON, NM 87499-0420

Location: KURT FAGRELIUS  
TOM WOOD DENN#1

*Tomphi*

Contact	Payment Terms	Due Date	Customer PO
KURT FAGRELIUS	Net 30 Days	12/20/09	

Quantity	Description	Unit Price	Extension
	DATE OF SERVICE; 11/18/09		
	IEI WO#11571		
	MATERIAL TRANSPORTED BY 550, #2		
	DISPOSED OF DRILL MUD		
20.00	DISPOSAL PER BARREL	17.50	350.00
<i>650-5300</i> <i>FOR PAYMENT B</i> <i>KF</i>			
<i>#516757</i>			

**FOR BILLING INQUIRIES PLEASE CALL**  
**(505) 632-1782**

ACCOUNTS ARE DUE NET 30 DAYS. PURCHASER AGREES TO PAY  
FINANCE CHARGES OF 1.5% PER MONTH (ANNUAL PERCENTAGE RATE  
OF 18%) OR A MINIMUM CHARGE OF .50 PER MONTH. ACCOUNTS THAT  
HAVE BEEN PLACED FOR COLLECTION WILL BE CHARGED A \$100.00  
COLLECTION FEE IN ADDITION TO REASONABLE ATTORNEY FEES AND  
COLLECTION CHARGES.

Subtotal 350.00  
Sales Tax 21.66  
Total Invoice Amount 371.66

**TOTAL 371.66**

NOV 24 2009





Invoice Number: 12754  
Invoice Date: Nov 19, 2009  
Page: 1

**Industrial Ecosystems Inc.**

P.O. Box 1202

Flora Vista, NM 87415

PH: (505) 632-1782 Fax: (505) 632-1876

TAX I.D. #94-3200034

PLEASE REMIT PAYMENT TO:

Industrial Ecosystems, Inc.

PO Box 1202

Flora Vista, NM 87415

Sold To: DUGAN PRODUCTION CORP  
709 E MURRAY DRIVE  
FARMINGTON, NM 87499-0420

Location: KURT FAGRELIUS  
TOM WOOD DENN #1

*Tomphi*

Contact	Payment Terms	Due Date	Customer PO
KURT FAGRELIUS	Net 30 Days	12/19/09	

Quantity	Description	Unit Price	Extension
	DATE OF SERVICE; 11/16/09		
	IEI WO #11564		
	MATERIAL TRANSPORTED BY 550, #2		
	DISPOSED OF DRILL MUD		
1.00	CHLORIDE TEST	15.00	15.00
15.00	DISPOSAL PER BARREL	17.50	262.50
<i>650-5300</i>			
<i>KF</i>			
<i># 516757</i>			

**FOR BILLING INQUIRIES PLEASE CALL**  
**(505) 632-1782**

ACCOUNTS ARE DUE NET 30 DAYS. PURCHASER AGREES TO PAY  
FINANCE CHARGES OF 1.5% PER MONTH (ANNUAL PERCENTAGE RATE  
OF 18%) OR A MINIMUM CHARGE OF .50 PER MONTH. ACCOUNTS THAT  
HAVE BEEN PLACED FOR COLLECTION WILL BE CHARGED A \$100.00  
COLLECTION FEE IN ADDITION TO REASONABLE ATTORNEY FEES AND  
COLLECTION CHARGES.

Subtotal 277.50  
Sales Tax 17.17  
Total Invoice Amount 294.67

**TOTAL 294.67**

**RECEIVED**

**NOV 23 2009**



Invoice Number: 12796  
Invoice Date: Nov 24, 2009  
Page: 1

**Industrial Ecosystems Inc.**

P.O. Box 1202

Flora Vista, NM 87415

PH: (505) 632-1782 Fax: (505) 632-1876

TAX I.D. #94-3200034

PLEASE REMIT PAYMENT TO:  
Industrial Ecosystems, Inc.  
PO Box 1202  
Flora Vista, NM 87415

Sold To: ☐ UGAN PRODUCTION CORP  
709 E MURRAY DRIVE  
FARMINGTON, NM 87499-0420

Location: KURT FAGRELIUS  
TOM WOOD DENN #1 AND #2

Tom #1 424.75  
Tom #2 424.75

Contact	Payment Terms	Due Date	Customer PO
KURT FAGRELIUS	Net 30 Days	12/24/09	

Quantity	Description	Unit Price	Extension
40.00	DATE OF SERVICE; 11/19/09 IEI WO #11580 MATERIAL TRANSPORTED BY 550, #2 DISPOSED OF DRILL MUD, 20 BBLs FROM EACH LOCATION DISPOSAL PER BARREL	20.00	800.00

650-5300

KF

11/24/09  
\$849.50

**FOR BILLING INQUIRIES PLEASE CALL  
(505) 632-1782**

ACCOUNTS ARE DUE NET 30 DAYS. PURCHASER AGREES TO PAY  
FINANCE CHARGES OF 1.5% PER MONTH (ANNUAL PERCENTAGE RATE  
OF 18%) OR A MINIMUM CHARGE OF .50 PER MONTH. ACCOUNTS THAT  
HAVE BEEN PLACED FOR COLLECTION WILL BE CHARGED A \$100.00  
COLLECTION FEE IN ADDITION TO REASONABLE ATTORNEY FEES AND  
COLLECTION CHARGES.

Subtotal	800.00
Sales Tax	49.50
Total Invoice Amount	849.50
<b>TOTAL</b>	<b>849.50</b>

NOV 25 2009

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

Doc. 16  
D-11-02-1  
Page 10 of 1

030826-1

2000

[illegible][illegible][illegible]

Tim Wood Dean # 1 & 2  
Wood Dean # 1 —

1. *Phragmites australis* (Cav.) Trin. ex Steud.

Kurt Fugère

403WM

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> July 17, 2008  1. WELL API NO. 30-045-34926  2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN  3. State Oil & Gas Lease No.
--	---	---

WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing:  <input type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input checked="" type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13 K NMAC)										5. Lease Name or Unit Agreement Name Tom Wood Denn	
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										6. Well Number:  #1	
8. Name of Operator Dugan Production Corp.						9. OGRID       006515					
10. Address of Operator P.O. Box 420, Farmington, NM 87499-0420						11. Pool name or Wildcat Basin Fruitland Coal					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	A	8	22N	8W							
BH:											
13. Date Spudded		14. Date T.D. Reached		15. Date Rig Released 9-17-2009		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)			
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run			
22. Producing Interval(s), of this completion - Top, Bottom, Name											

23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
				DEPTH INTERVAL    AMOUNT AND KIND MATERIAL USED			

28. PRODUCTION							
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						30. Test Witnessed By	
31. List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							
33. If an on-site burial was used at the well, report the exact location of the on-site burial:							
Latitude <b>36.15959° N</b>				Longitude <b>107.68291° W</b> NAD 1927 (98)			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature <i>Kurt Fegrelus</i>			Printed Name		Title		Date
E-mail Address kfgregrelius@duganproduction.com				VP-Exploration		12-14-2009	

District I  
1623 N. Fre Ln Dr., Hobbs, NM 88240

District II  
1301 W. Grand Avenue, Artesia, NM 88210

District III  
1000 Rio Brazos Rd., Aztec, NM 87410

District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED

Form C-102  
Revised October 12, 2005  
Instructions on back  
Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

Bureau of Land Management  
Farmington Field Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number		*Pool Code 71629	*Pool Name BASIN FRUITLAND COAL
*Property Code	*Property Name TOM WOOD DENN		*Well Number 1
*UGRID No. 006515	*Operator Name DUGAN PRODUCTION CORPORATION		*Elevation 6747'

<sup>10</sup> Surface Location

UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	8	22N	8W		660	NORTH	1145	EAST	SAN JUAN

<sup>11</sup>Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

12 Dedicated Acres 320.0 Acres - (N/2)	13 Joint or Infill	14 Consolidation Code	15 Order No.
---	--------------------	-----------------------	--------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

2644.62'

2630.10 °

16

2641.98

LAT: 36.15963°N  
LONG: 107.69974°W  
DATUM: NAD1983

1145'

660'

Center of Pit  
16' S 25° E

Dugan  
NO-G-2

Dugan  
NO-G-C902-1757

8

2638.02

5257.55

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division.

Kurt Fegun      02-23-2009  
Signature      Date

Kurt Fagrelius


Printed Name

<sup>18</sup> SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.

Date of Survey: JUNE 2, 2005

Signature and Seal of Professional Surveyor




JASON C. EDWARDS  
Certificate Number 10414

**DUGAN PRODUCTION CORPORATION TOM WOOD DENN #1**  
**660' FNL & 1145' FEL, SECTION 8, T22N, R8W, NMPM**  
**SAN JUAN COUNTY, NEW MEXICO ELEVATION: 6747'**




**LATITUDE: 36.15963° N**  
**LONGITUDE: 107.69974° W**  
 DATUM: NAD1983

PLAT NOTE:

\*SURFACE OWNER\*  
 Navajo Allotted Land



Steel T-Posts have been set to define the Edge of Disturbance Limits which are 50' offset from the edge of the staked wellpad.



Note: Contractor should call One-Call for location of any marked or unmarked buried pipeline or cables on well pad and/or access road at least two (2) working days prior to construction.

**DUGAN PRODUCTION CORP.**  
**TOM WOOD DENN # 1**  
**NO-G-0902-1757**  
**API # 30-045-34926**  
**NE/4, NE/4, UNIT A**  
**SEC. 8, T22N, R8W**  
**LAT. 36° 9' 35" LONG. 107° 41' 59"**  
**SAN JUAN COUNTY, NM**  
**FOR EMERGENCY CALL (505) 325-1823**

