UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

RECEIVED

Sundry Notices and Reports on Wells	Durage of Land Management Durango, Colorado 5. Lease Number
1. Type of Well GAS	I-22-IND-2772 6. If Indian, All. or Tribe Name
2. Name of Operator BURLINGTON	Ute Mounton Ute 7. Unit Agreement Name
RESCURCES OIL & GAS COMPANY LP	8. Well Name & Number
3. Address & Phone No. of Operator	Ute Mountain Ute 40
PO Box 4289, Farmington, NM 87499 (505) 326-9700	9. API Well No.
4. Location of Well, Footage, Sec., T, R, M	30-045-29354
Surf: Unit J (NWSE), 1665' FSL & 1790' FEL, Section 20, T32N, RMW, MPM	10. Field and PoolBaker Dome Dst Creek/WC Barker Dome Honaker Trail11. County and StateSan Juan Co., NM
12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, Control Type of Submission X Notice of Intent Abandonment Change of Plans	X Other – Recompletion – WC Barker Dome Honaker Trail
Recompletion New Construction Subsequent Report Plugging Non-Routine Fracturing Casing Repair Water Shut off Final Abandonment Altering Casing Conversion to Injection	
Burlington Resources intends on recompleting the subject well in the WC Barker Dome Honak procedures and be commingled with the Dst creek. A DHC application has been filed with the commence once the DHC has been approved. 14. I hereby certify that the foregoing is true and correct. Signed Jamie Goodwin Title Regulator	al not received
(This space for Federal or State Office use) APPROVED BY Title CONDITION OF APPROVAL, if any:	Date
Fitle 18 U.S.C. Section 1001, makes if a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.	RCUD NOV 19'10 ONE CONS. BIV. DIST. 3

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

03..4..2..4.111

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

12 Dedicated Acres

SE/4 160

1220 S. St. Francis Dr., Santa Fe, NM 87505

Joint or Infill

State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 15,2009 Submit one copy to appropriate District Office


LUMBINDED	INDIAN.	ŧ
] AMENDED	LINE	OIL

			WE	ELL LOCA	TION AND ACR	EAGE DEDICATION	ON PLAT			
API Number			² Pool Code			³ Pool Name				
30-045-29354			97582			WC Barker Dome Honaker Trail				
Property Code		⁵ Property Name					⁶ Well Number			
7618				Ute Mtn Ute					40	
OGRID No.			1-45	3 Operator Name					9 Elevation	
14538			Burlington Resources Oil & Gas Company LP					ļ	6135	
					10 Surface I	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	ine County	
J ·	20	32N	14W		1665	South	1790	East	San Juan County	
				11 Bottom	Hole Location If	Different From Sur	face			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	ine County	
	1	}								

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

Order No.

⁴ Consolidation Code



Ute Mountain Ute #40

Section 20, Township 32N, Range 14W

Ismay Honaker Trail/Honaker Trail and Cutler Sand Recomplete 6/24/2009

Procedure:

- MIRU service rig TOOH with tubing/packer assembly.
- 2. Set a CBP above the existing Barker Creek and Desert Creek formations @ 8000'.
- 3. Acidize Ismay and Honaker Trail limestone formations with foamed 15% HCL.
- 4. Cleanup Ismay and Honaker Trail.
- 5. RIH with wireline set RBP @ +/- 7865', +/- 7800' and +/-7400'.
- 6. Perforate and Foam frac the Honaker Trail sand stone @ 7018'-7024'
- 7. Set a CFP above top perforation @ +/- 7000'.
- 8. Perforate and foam frac the Cutler Sandstone @ 6416'-6426.
- 9. Flow back and shut in.
- 10. MIRU Service Rig.
- 11. Clean out to RBP @ +/-7400"
- 12. Set RBP's @ +/- 7000' and +/- 6300'.
- 13. Leave shut in for 7 days to acquire pressure data RDMO.
- 14. Retrieve RBP's.
- 15. MIRU service rig. TIH with mill and mill plug @ +/-8000'.
- 16. Clean out to PBTD, and recover any remaining load fluid, run a spinner test across all zones.
- 17. TIH with 2 7/8" production tubing, comingle production. Rig Down.
- 18. Turn over to production.

Ute Mountain Ute #40 Current Wellbore

