1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

District III	1220 South St. Francis D	r.
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	•	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87303	Pit, Closed-Loop System, Belov	Grade Tonk or
O IN Prop	osed Alternative Method Permit	
Type of action:	Permit of a pit, closed-loop system, below	v-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, belo	w-grade tank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing below-grade tank, or proposed alternative	ng permitted or non-permitted pit, closed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per individual pit, c	osed-loop system, below-grade tank or alternative request
Please be advised that approval o	f this request does not relieve the operator of liability should o	perations result in pollution of surface water, ground water or the applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources O	I & Gas Company, LP	OGRID#: <u>14538</u>
Address: P.O. Box 4289, Farming	ton, NM 87499	hadd the standard and t
Facility or well name: SAN JUAN 2	28-5 UNIT 91N	
API Number: 3	0-039-30446 OCD Perm	nit Number:
U/L or Qtr/Qtr: E(SW/NW) Section	on: 14 Township: 28N Rang	ge: 5W County: Rio Arriba
Center of Proposed Design: Latitude	e: 36.66453 °N Longitu	de: 107.33444 °W NAD: 1927 X 1983
Surface Owner: X Federal	State Private Tribal Trust	or Indian Allotment
Permanent Emergency C X Lined Unlined L X String-Reinforced	kover Cavitation P&A iner type: Thickness 20 mil X LL actory Other Volume	DPE HDPE PVC Other
Closed-loop System: Subsect Type of Operation: P&A	ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (notice of intent)	Applies to activities which require prior approval of a permit or
Lined Unlined Line	and Steel Tanks Haul-off Bins Other of type: Thickness mil LLI actory Other	DPE HDPE PVD Other 21222324
Below-grade tank: Subsection Volume: Tank Construction material:	I of 19.15.17.11 NMAC bl Type of fluid:	ft and automatic overflow shut-off
Secondary containment with leak do Visible sidewalls and liner Liner Type: Thickness	Visible sidewalls only Other	ft and automatic overflow shut-off
5 Alternative Method:		
Submittal of an exception request is rec	juired. Exceptions must be submitted to the Santa F	Fe Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institute Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	tion or church,)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of appr	oval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	∏No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	-	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above		
Instructions: Please identify the facility or facilities for the disposal of lie facilities are required.	quias, ariting fituas and artit cultings. Ose attachment if more than two	,
Disposal Facility Name:	Disposal Facility Permit #:	
Disposal Facility Name:	Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and asso Yes (If yes, please provide the information No	ciated activities occur on or in areas that will nbe used for future	e service and
Required for impacted areas which will not be used for future service an Soil Backfill and Cover Design Specification - based upon Re-vegetation Plan - based upon the appropriate requirement Site Reclamation Plan - based upon the appropriate requirement	n the appropriate requirements of Subsection H of 19.15.17.13 Notes of Subsection I of 19.15.17.13 NMAC	NMAC
17 Siting Criteria (Regarding on-site closure methods only: 19.15 Instructions: Each siting criteria requires a demonstration of compliance in the cl certain siting criteria may require administrative approval from the appropriate a office for consideration of approval. Justifications and/or demonstrations of equit	osure plan. Recommendations of acceptable source material are provided belov listrict office or may be considered an exception which must be submitted to the S	
Ground water is less than 50 feet below the bottom of the buried	waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; US	SGS: Data obtained from nearby wells	□N/A
Ground water is between 50 and 100 feet below the bottom of the	e buried waste	Yes No
- NM Office of the State Engineer - iWATERS database search; US	GS; Data obtained from nearby wells	∏N/A
Ground water is more than 100 feet below the bottom of the buri	ed waste	Yes No
- NM Office of the State Engineer - iWATERS database search; US		N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of an (measured from the ordinary high-water mark).	y other significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed	site	
Within 300 feet from a permanent residence, school, hospital, institution - Visual inspection (certification) of the proposed site; Aerial photo;	••	Yes No
		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or sprin purposes, or within 1000 horizontal fee of any other fresh water well or s - NM Office of the State Engineer - iWATERS database; Visual insp. Within incorporated municipal boundaries or within a defined municipal f pursuant to NMSA 1978, Section 3-27-3, as amended.	pring, in existence at the time of the initial application. section (certification) of the proposed site resh water well field covered under a municipal ordinance adopted	Yes No
- Written confirmation or verification from the municipality; Written Within 500 feet of a wetland		Yes No
- US Fish and Wildlife Wetland Identification map; Topographic ma	p; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD.	-Mining and Mineral Division	Yes No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of		Yes No
Topographic map	,	
Within a 100-year floodplain FEMA map		Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction by a check mark in the box, that the documents are attached.	tions: Each of the following items must bee attached to the cle	osure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon	the appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropris	** *	
Construction/Design Plan of Burial Trench (if applicable)	based upon the appropriate requirements of 19.15.17.11 NMAG	C
Construction/Design Plan of Temporary Pit (for in place b	ourial of a drying pad) - based upon the appropriate requirement	s of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate rec	quirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon	the appropriate requirements of Subsection F of 19.15.17.13 NA	MAC
Waste Material Sampling Plan - based upon the appropria	te requirements of Subsection F of 19.15.17.13 NMAC	
Soil Cover Design - based upon the appropriate requirement		ds cannot be achieved)
Re-vegetation Plan - based upon the appropriate requirem Site Reclamation Plan - based upon the appropriate requirem		

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 2/7///
Title: Ompliance Officer OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: June 24, 2010
22 Closure Method: Waste Excavation and Removal The different from approved plan, please explain. Alternative Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate complilane to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.664444 °N Longitude: 107.334644 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conductors specified in the approved closure plan.
Name (Print): Marie E. Jaramillo Title: Staff Regulatory Tech
Signature: Date:
e-mail address:

Form C-144

Oil Conservation Division

Page 5 of 5

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-5 UNIT 91N

API No.: 30-039-30446

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	8.5 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	274 ug/kG
TPH	EPA SW-846 418.1	2500	277mg/kg
GRO/DRO	EPA SW-846 8015M	500	129 mg/Kg
Chlorides	EPA 300.1	(\\ 1000)500	630 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 28-5 UNIT 91N, UL-E, Sec. 14, T 28N, R 5W, API # 30-039-30446

Sessions, Tamra D

From:

Sessions, Tamra D

Sent:

Monday, July 06, 2009 10:57 AM

To:

'mark_kelly@nm.blm.gov'

Subject:

Surface Owner Notification - San Juan 28-5 Unit 91N

The subject well will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

Thank you,

Tamra Sessions
Staff Regulatory Technician
CONOCOPHILLIPS COMPANY / SJBU
505-326-9834
Tamra.D.Sessions@conocophillips.com

District I 1625 N. French Dr., Hobbs, NM 88240

District II

State of New Mexico

Energy, Minerals & Natural Resources Department

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe. NM 87505

Revised October 12, 2005 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies


AMENDED REPORT

Form C-102

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹A	PI Number		}	Pool Cod	e		³Pool Namo	9	
			723	319 / 7	1599	BLANCO M	1ESAVERDE /	BASIN DAK	ATC
*Property	Code	50		(Property SAN JUAN 2			g Me	:11 Number 91N
'0GRID N 14538		E	BURLIN	NGTON R	*Operator ESOURCES (Name OIL & GAS CO	MPANY, LP	°E	levation 6982
· · · · · · · · · · · · · · · · · · ·				-	¹⁰ Surface	Location			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	14	28N	5W		1420	NORTH	925	WEST	RIO ARRIBA
		¹¹ Bo	ttom	Hole L	ocation I	f Different	From Surf	ace	
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
С	14	28N	5W		1200	NORTH	2180	WEST	RIO ARRIBA
¹² Dedicated Acres		Acres - Acres -		(MV) (DK)	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



CONTRACTOR SHOULD CONTACT ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED UNDERGROUND UTILITIES OR PIPELINES ON WELLPAD AND/OR ACCESS ROAD AT LEAST TWO WORKING DAYS PRIOR TO CONSTRUCTION. EDGE OF EXISTING WELLPAD

AREA OF TOTAL DISTURDANCE

ACC X 255 = 238 ACRES

EDGE OF TOTAL DISTURDANCE

ACC X 255 = 238 ACRES

CENTRAL PROPERTY OF TOTAL DISTURDANCE

ACC X 255 = 238 ACRES

CENTRAL PISTURDANCE

C NCE SURVEYS IS NOT LIABLE FOR LOCATION OF UNDERGROUND UTLITIES OR PIPELINES. UNIT #91N PWI SI F2 F6 Θ 0 ı⊆b JUAN 28-5 S 햢 PEEP Blow 'n EDGE OF TOTAL DISTURBANCE (MARKED WITH STEEL T-POSTS) NZI°W 160' Wellhead to front INSTALL DRAIN ON FRUITLAND FORMATION SAN AYDOWN L & GAS COMPANY EXISTING MELLPAD 50, 32, \otimes ,09 EDGE OF 50 DEEP DEEP Q Q 2:1 Slopes Ф いり ,08 BURLINGTON RESOURCES Dike 찱 BURLINGTON SAN JUAN 28-5 UNIT #91M WELLHEAD Reserve <u>₽</u> 420° FN SE (II) (1) <u>7</u> 4 **II** þ EDGE OF TOTAL DISTURBANCE (MARKED WITH STEEL T-POSTS) **FSPICIAN** : MUTACI Bureau of Land Management LONGITUDE: 107°20.02747 LATITUDE: 36°39.8721'N ~ PURFACE OWNER ~



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	04-14-10
Laboratory Number:	53628	Date Sampled:	04-08-10
Chain of Custody No:	8948	Date Received:	04-08-10
Sample Matrix:	Soil	Date Extracted:	04-12-10
Preservative:	Cool	Date Analyzed:	04-13-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	42.7	0.2
Diesel Range (C10 - C28)	86.2	0.1
Total Petroleum Hydrocarbons	129	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-5 Unit 91N

Analyst

/ Mustine m Wasters
Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	04-14-10
Laboratory Number:	53629	Date Sampled:	04-08-10
Chain of Custody No:	8948	Date Received:	04-08-10
Sample Matrix:	Soil	Date Extracted:	04-12-10
Preservative:	Cool	Date Analyzed:	04-13-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-5 Unit 91N



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-13-10 QA/QC	Date Reported:	04-14-10
Laboratory Number:	53620	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-13-10
Condition:	N/A	Analysis Requested:	TPH

	Placal Pate	ad@allixi	e (caera ta	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	8.7495E+002	8.7530E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.8632E+002	9.8672E+002	0.04%	0 - 15%

Blank Conc. (mg/L : mg/Kg)	Langing Gorcentialionese See	4 Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	ea Samplean	Displicate	% Officience	- Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Cone (mg/kg)	Sample III	្តីឡើ(c)/A(តែផ្នែកទី)	Sijilke ikestili	≟!% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	247	98.8%	75 - 125%
Diesel Range C10 - C28	ND	250	269	108%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 53602, 53620 - 53622, 53626 - 53629, 53652.

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	04-14-10
Laboratory Number:	53628	Date Sampled:	04-08-10
Chain of Custody:	8948	Date Received:	04-08-10
Sample Matrix:	Soil	Date Analyzed:	04-13-10
Preservative:	Cool	Date Extracted:	04-12-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	8.5	0.9	
Toluene	32.4	1.0	
Ethylbenzene	11.4	1.0	
p,m-Xylene	157	1.2	
o-Xylene	64.4	0.9	
Total BTEX	274		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	84.7 %
	1,4-difluorobenzene	83.3 %
	Bromochlorobenzene	97.9 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-5 Unit 91N

Analyst

histine muce les Réview



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	04-14-10
Laboratory Number:	53629	Date Sampled:	04-08-10
Chain of Custody:	8948	Date Received:	04-08-10
Sample Matrix:	Soil	Date Analyzed:	04-13-10
Preservative:	Cool	Date Extracted:	04-12-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
_		•	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	110.7 %
	1,4-difluorobenzene	109.0 %
	Bromochlorobenzene	95.4 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-5 Unit 91N

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	04-13-BT QA/QC	Date Reported:	04-14-10
Laboratory Number:	53620	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-13-10
Condition:	N/A	Analysis:	BTEX

Calibration and [Detection Limits (ug/L)	- APRIL CaliRE 19	C-GaliRF).	: 7%Diff : 15% (e.0)	Blank Cone	Detect.
					-0.00
Benzene	1.3942E+006	1.3970E+006	0.2%	ND	0.1
Toluene	1.2821E+006	1.2847E+006	0.2%	ND	0.1
Ethylbenzene	1.1454E+006	1.1477E+006	0.2%	ND	0.1
p,m-Xylene	2.8436E+006	2.8493E+006	0.2%	ND	0.1
o-Xylene	1.0827E+006	1.0849E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Bangoe Residio	plicate :	î Yadrîja (Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike/Conc.(ug/Kg)	Semple ** **Amo	iemėSpikės Spili	(ed Sample	W Recovery	Accept Range
Benzene	ND	50.0	55.4	111%	39 - 150
Toluene	ND	50.0	55.1	110%	46 - 148
Ethylbenzene	ND	50.0	53.9	108%	32 - 160
p,m-Xylene	ND	100	107	107%	46 - 148
o-Xylene	ND	50.0	54.4	109%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 53602, 53620 - 53622, 53626 - 53629, 53652 and 53669.

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	04-13-10
Laboratory Number:	53628	Date Sampled:	04-08-10
Chain of Custody No:	8948	Date Received:	04-08-10
Sample Matrix:	Soil	Date Extracted:	04-12-10
Preservative:	Cool	Date Analyzed:	04-12-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

277

11.1

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-5 Unit 91N

Christine n Weeters

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	04-13-10
Laboratory Number:	53629	Date Sampled:	04-08-10
Chain of Custody No:	8948	Date Received:	04-08-10
Sample Matrix:	Soil	Date Extracted:	04-12-10
Preservative:	Cool	Date Analyzed:	04-12-10
Condition:	Intact	Analysis Needed:	TPH-418.1

·		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

38.2

11.1

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-5 Unit 91N

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

04-13-10

TPH

Laboratory Number:

04-12-TPH.QA/QC 53626

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

04-12-10

Preservative: Condition:

N/A N/A Date Extracted: Analysis Needed: 04-12-10

Calibration I-Cal Date C-Cal Date

I-Cal RF:

C-Cal RF: % Difference Accept. Range

04-05-10

04-12-10

1,540

1,600

3.9%

+/- 10%

Blank Conc. (mg/Kg)

TPH

Concentration ND

Detection Limit

11.1

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference

Accept: Range

TPH

1,600

1,390

13.1%

+/- 30%

Spike Conc. (mg/Kg) **TPH**

Sample-1,600

Spike Added Spike Result % Recovery Accept Range 2,000

3,210

89.2%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 53626 - 53631, 53636 and 53652.

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Chloride

Client: 96052-0026 ConocoPhillips Project #: Sample ID: Reserve Pit Date Reported: 04-13-10 Lab ID#: 53628 04-08-10 Date Sampled: Sample Matrix: Soil Date Received: 04-08-10 Preservative: Cool Date Analyzed: 04-12-10 Condition: Intact Chain of Custody: 8948

Parameter

Concentration (mg/Kg)

Total Chloride

630

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-5 Unit 91N

Analyst

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Chloride

ConocoPhillips Project #: 96052-0026 Client: Date Reported: 04-13-10 Sample ID: Background 04-08-10 Lab ID#: 53629 Date Sampled: Date Received: 04-08-10 Sample Matrix: Soil Date Analyzed: 04-12-10 Preservative: Cool Condition: Intact Chain of Custody: 8948

Parameter

Concentration (mg/Kg)

Total Chloride

10

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-5 Unit 91N

Analyst

Mistine m Walters
Review

Submit To Appropr Two Copies District I	iate District O	ffice	En		State of Ne Minerals and			00112000							rm C-105 July 17, 2008
1625 N. French Dr., District II			En							1. WELL .		NO.			uly 17, 2000
1301 W. Grand Ave <u>District III</u> 1000 Rio Brazos Ro					l Conservat 20 South S					2. Type of L	ease			ED/NID	ANI
District IV 1220 S. St. Francis					Santa Fe, N			1.		3. State Oil &	& Gas	☐ FEE Lease No		ED/IND	AN
WELL (COMPLE	ETION O	L R RECO	OMPL	ETION RE	POF	RT AND	LOG		SF-079250					
4. Reason for fili	ng:			·						5. Lease Nam SAN JUAN		_		me	
☐ COMPLETI		,		Ū			• /			6. Well Numl 91N					
#33; attach this ar	nd the plat to								or/	911					
	WELL 🗆	WORKOVER	DEEP	ENING	□PLUGBACI	к 🗆 :	DIFFEREN	T RESERV	OIR				·		
8. Name of Opera Burlington R		Oil Gas C	ompany	, LP						9. OGRID 1 4538					
10. Address of Op PO Box 4298, Far		M 87499								11. Pool name	or W	ildcat			
12.Location	Unit Ltr	Section	Town	ship	Range	Lot		Feet from the	he	N/S Line	Feet	t from the	E/W L	ine	County
Surface:						ļ							<u> </u>		
BH: 13. Date Spudded	14. Date	T.D. Reache	i 15.	Date Ris	Released		16.	Date Compl	eted	(Ready to Pro	luce)		7. Elevat	ions (DF	and RKB,
18. Total Measure			08/1	1/09	ck Measured Dep	nth				l Survey Made		R	T, GR, e	tc.)	her Logs Run
								was Direct	10114		·	21. 19	e Electri	c and Ot	mei Logs Kun
22. Producing Inte	erval(s), of t	his completic	n - Top, Bo	ttom, N	ame										
23. CASING SIZ	7E	WEIGHT I	D /ET	CAS	ING REC	ORI		ort all str	ring	gs set in w I cementin		CORD	4.8	4OI INIT	DULLED
CASING SIZ	ZE	WEIGHTI	.B./F1.		DEPTH SET		но	LE SIZE		CEMENTIN	G KE	CORD	AN	MOUNT	PULLED
				 											
					ED DECORD						27.75.1	NG REG	000		
SIZE	TOP		воттом	LIN	ER RECORD SACKS CEM	ENT	SCREEN	[25. SI2			NG REC EPTH SE		PACKI	ER SET
26. Perforation	record (inte	rval, size, and	number)		<u> </u>		27. ACI	D, SHOT,	FR.	ACTURE, CE	<u> </u>	NT, SQU	EEZE, I	ETC.	
								NTERVAL		AMOUNT A					
28.	46	I fi	1 N f .	d 1 /EI			ODUC'		١.	377.11 Ca.a	· /D	1 67	• \		
Date First Produc	uon	Pio	auction Me	moa (Fu	owing, gas lift, p	umpin	g - Size and	і туре ритр)	,	Well Status	s (Pro	a. or Snut	-in)		
Date of Test	Hours To	ested	Choke Size	2	Prod'n For Test Period		Oil - Bbl		Gas	s - MCF	W	ater - Bbl	-	Gas - C	Oil Ratio
Flow Tubing Press.	Casing F	Pressure	Calculated Hour Rate	24-	Oil - Bbl.		Gas -	MCF	1	Water - Bbl.		Oil Gra	vity - Al	PI - (Cor	r.)
29. Disposition of	f Gas (Sold,	used for fuel,	vented, etc.)			L				30.	Test Witne	essed By		
31. List Attachme											L				
32. If a temporary		- 1													
33. If an on-site b	urial was us	1	, report the 6.664444°!		cation of the on-s]]]]]]]	983						
I hereby certif	y that the	informatio	n shbwn	on bot	h sides of this	form	i is true o	and compl	ete	to the best o	of my	knowle	dge and	d belief	
Signature	MW	MM		Nar	ne Marie E.	Jarar	nillo T	itle: Stat	ff R	Regulatory T	ech	Date	e: 7/21/	2010	
E-mail Addres	ss marie.e	e.jaramillo	<i>w</i> conoco	phillip	s.com										

ConocoPhillips

Pit Closure Form:	
Date: <u>6/24/10</u>	
Well Name: 55 2855 9/N	
Footages: <u>/425 FNL, 9/0 FWL</u>	Unit Letter:E
Section: <u>/4</u> , T- <u>28</u> -N, R- <u>5</u> -W, County: <u>6</u>	₹ <u>ro Arezea</u> State: <u>VM</u>
Contractor Closing Pit:	
Construction Inspector: Jared Chavez	Date: <u>6/24/10</u>
Inspector Signature:	Va -

Jaramillo, Marie E

From: Payne, Wendy F

Sent: Thursday, June 17, 2010 12:29 PM

To: (Brandon.Powell@state.nm.us); 'brook@crossfire-llc.com'; GRP:SJBU Regulatory; 'Isaiah

Lee'; 'tevans48@msn.com'; (bko@digii.net); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Chavez, Virgil E; Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams,

Peggy L; Seabolt, Elmo F; Stallsmith, Mark R

Cc: 'Aztec Excavation'

Subject: Reclamation Notice: San Juan 28-5 Unit 91N

Importance: High

Attachments: San Juan 28-5 Unit 91N.pdf

Aztec Excavation will move a tractor to the **San Juan 28-5 Unit 91N** to start the reclamation process on Tuesday, June 22, 2010. Please contact Jared Chavez (793-7912) if you have questions or need further assistance. Driving directions are attached.



Burlington Resources Well- Network #10214265 - Activity Code D250 (reclamation) & D260 (pit closure)

Aztec Excavation will build the following location in Rio Arriba County, NM:

San Juan 28-5 Unit 91N - BLM surface / BLM minerals

Twinned on San Juan 28-5 Unit 91M

1425' FNL, 910' FWL Sec. 14. T28N. R5W

Unit Letter 'E'

Lease #: USA SF-079250

Latitude: 36° 39' 52.30800" N (NAD 83)

Longitude: 107° 20' 03.98400" W

Elevation: 6982'

Total Acres Disturbed: 2.38 acres Access Road: no new access

API#: 30-039-30446


Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com


ConocoPhillips

Reclamation Form:			
Date: 7/16/2010			
Well Name:	91N		
Footages: /425 FNL,	910'FWL	Unit Letter:	<u> </u>
Section: <u>/</u> /, T- <u>28</u> l	N, R- <u>Ø5</u> -W, County: <u>R</u>	ARRES State:	NM
Reclamation Contractor:	AZTEC EXCAVATION)	
Reclamation Date:	6/20/000 7/	Cd 2010	
Road Completion Date:	7/8/10		
Seeding Date:	7/15/2010		
	,		
**PIT MAKER STATUS (W	hen Required):		
MARKER PLACED :	7/8/2010		_(DATE)
	6.664444		
	07.334644		
construction Inspector:	JARED CHAVEZ	Date: 🌉	7/16/2010
nspector Signature:		2/	
-		0	

BLM









WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 28-5 UNIT 91N

API#: 30-039-30446

DATE	INSPECTOR	SAFETY	LOCATION	PICTURES	COMMENTS
		CHECK	CHECK	TAKEN	
07/28/08	RODNEY WOODY	×	×	×	PIT & LOC LOOK GOOD
08/04/08	RODNEY WOODY	×	×	×	PIT & LOC LOOK GOOD
08/11/08	RODNEY WOODY	×			MOTE SETTING SURFACE
08/19/08	RODNEY WOODY	×	×	×	PIT AND LOC LOOK GOOD SURFACE SET
08/25/08	RODNEY WOODY	×	×	×	PIT & LOC LOOK GOOD SURFACE SET
09/02/08	RODNEY WOODY	×	×	×	PIT & LOC LOOK GOOD
09/15/08	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION
09/23/08	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION
01/13/09	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION; CAN'T FIND TEMPORARY WELL SIGN, PROBABLY BURIED IN SNOW
10/14/08	SCOTT	×	×	×	LINER NOT KEYED IN PROPERLY @ BLOWPIT; NEEDS A DIVERSION DITCH OR BERM THIS LOCATION DRAINS A LOT OF RUNOFF INTO PIT
10/22/08	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITIO;; WORK-

CREW INSTALLING FACILITIES ON LOCATION	FENCE NEEDS TIGHTENED	FENCE & LINER IN GOOD CONDITION	FENCE & LINER IN GOOD CONDITION	ROAD CONDITIONS BAD, UNABLE TO INSPECT	ACCESS ROAD & LOCATION SNOW COVERED; COULD NOT LOCATE LOCATION SIGN-PROBABLY BLOWN OVER & COVERED W / SNOW	FENCE & LINER IN GOOD CONDITION; CAN'T FIND TEMPORARY WELL SIGN, PROBABLY BURIED IN SNOW	FENCE IN GOOD CONDITION, CREW WILL WELD LINER @ ANCHOR POINT WHERE THE LINER WAS CUT INSTALLING ANCHOR	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT	FENCE & LINER IN GOOD CONDITION; LOCATION MUDDY; NO DIVERSION DITCH @ PIT; ACCESS ROAD MUDDY & RUTTED	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT	CENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT; CELLAR NOT
CRE	X	X	X	X ROAD CC INSPECT	X ACCI COVI SIGN W/S	X FENC FIND BURI	X FENC WELI LINE	X FENC	X FENC LOC/ PIT; /	X FENC DIVE	X FENC DIVE	X CENC
	×	×	×		×	×	×	×	×	×	×	×
	×	×	×		×	×	×	×	×	×	×	×
SMITH	SCOTT	SCOTT	SCOTT SMITH	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT
	11/18/08	11/24/08	12/01/08	12/12/08	01/05/09	01/13/09	01/23/09	02/05/09	05/06/09	02/16/09	02/23/09	03/10/09

.

•

					FLAGGED
03/27/09	ART	×	×	×	
	SANCHEZ				
04/09/09	ART	×	×	×	
	SANCHEZ				
01/11/10	NORMAN				AZTEC 731 ON LOCATION
	FAVER			;	
01/19/10	ELMER	×	×	×	ROAD AND LOC. COVERED WITH SNOW;
	PERRY				SIGN ON LOCATION
02/15/10	NORMAN	×	×	×	SNOW LEVELS LOWERING PIT LOOKS GOOD
	FAVER				
02/19/10	NORMAN	×	×	×	SNOW LEVELS LOWERING PIT LOOKS
	FAVER				GOOD; CROSSFIRE REPAIRED FENCE
03/01/10	NORMAN	×	×	×	SNOW LEVELS LOWERING PIT LOOKS
	FAVER				GOOD; CROSSFIRE REPAIRED FENCE
03/22/10	ELMER	×	×	×	SIGN ON LOC
	PERRY	,			
03/26/10	JARED	×	×	×	HOLES IN THE LINER=CONTACTED
	CHAVEZ				CROSSFIRE FOR REPAIRS
04/16/10	ELMER	×	×		LOCATION AND ROADS NEED BLADED LINER
	PERRY				TORN ON TOP BOTTLES
04/26/10	ELMER	×	×		SIGN ON LOC, RD. AND LOC. NEED BLADED
	PERRY				LINER TORN ON TOP FRONT BOTTLES IN PIT
05/04/10	ELMER	×	×		SIGN ON LOC. RD. AND LOC. NEED BLADED
	PERRY				TRASH IN PIT LINER TORN ON TOP
05/11/10	ELMER	×	×		SIGN ON LOC. RD. AND LOC. NEED BLADED
	PERRY				LINER TORN ON TOP
05/13/10	ELMER	×	×		SIGN ON LOC. RD. AND LOC. NEED BLADED
	PEKKY				LINER IORN ON IOP

X SIGN ON LOC. LINER TORN ON TOP	X SIGN ON LOC. LINER TORN ON TOP	X SIGN ON LOC. LINER TORN ON TOP DIVERSION PLUGGED	X SIGN ON LOC. LINER TORN ON TOP DIVERSION PLUGGE	X SIGN ON LOC. LINER TORN ON TOP DIVERSION PLUGGE	X PIT CLOSED
ELMER PERRY	ELMER PERRY	ELMER PERRY	ELMER PERRY	ELMER PERRY	ELMER PERRY
05/24/10	05/29/10	06/03/10	06/14/10	06/17/10	06/28/10