1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

### State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NN	AOCD District Office.
	Pit, Closed-Loop System		The state of the s
Propo	sed Alternative Method I		Application
Type of action:	Permit of a pit, closed-loop syst	em, below-grade tank, or propose	ed alternative method CONS. DIV.
V	X Closure of a pit, closed-loop sys	stem, below-grade tank, or propos	sed alternative method
	Modification to an existing peri		
	below-grade tank, or proposed	an existing permitted or non-per alternative method	mitted pit, closed-loop system,
Instructions: Please submit one ap			w-grade tank or alternative request
	this request does not relieve the operator of lial eve the operator of its responsibility to comply v		
1 Operator: ConocoPhillips Company	r 3	OGRID#:	217817
Address: P.O. Box 4289, Farmingt	on, NM 87499		
Facility or well name: SAN JUAN 2	8-7 UNIT 257N		
API Number: 30	-039-30687	OCD Permit Number:	
U/L or Qtr/Qtr: <u>C(NE/NW)</u> Section	n: 19 Township: 28N	Range: 7W Coun	nty: Rio Arriba
Center of Proposed Design: Latitude:		Longitude: 107.617474	<u>°W</u> NAD: ☐ 1927 🗶 1983
Surface Owner: X Federal	State Private T	ribal Trust or Indian Allotment	
2 X Pit: Subsection F or G of 19.15.17 Temporary: X Drilling Worl			
	avitation P&A ner type: Thickness 20 mil	X LLDPE HDPE PV	C Other
	ctory Other	Volume: 7700 bbl Dimen	sions L <u>120'</u> x W <u>55'</u> x D <u>12'</u>
Closed-loop System: Subsect Type of Operation: P&A	on H of 19.15.17.11 NMAC  Drilling a new well  Workover o	0 11	n require prior approval of a permit or
Drying Pad Above Groun Lined Unlined Line Liner Seams: Welded Fa	nd Steel Tanks Haul-off Bins type: Thickness mil	Other LLDPE HDPE PV	D Other 22232425202
Below-grade tank: Subsection I			JAN 20111 OIL CONS. DIV. DIST. 3
Tank Construction material:			10.01.3
Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness		er, 6-inch lift and automatic overflow ther Other	Shut-off  Shut-o
5 Alternative Method:			
Submittal of an exception request is req	uired. Exceptions must be submitted to	the Santa Fe Environmental Bureau o	office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst.  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	itution or chur	ch)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consite (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of ap	proval.
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	☐Yes ☐NA	No
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14 Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids, and drill cuttings)				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than t facilities are required.				
Disposal Facility Name: Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NI  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	MAC .			
17				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provia certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS: Data obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste.	☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	∐Yes ∐No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland	Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	∐Yes ∐No			
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;	Yes No			
Topographic map				
Within a 100-year floodplain FEMA map	Yes No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the co	osure plan. Please indicate,			
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	5. 15.15.17.11 TWING			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NM	AC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standard	Is cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Page 4 of 5

19
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Comptum
77.1
e-mail address: lelephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature:
OCD Representative Signature:  Approval Date: 1/2-1/1/
Title: Ono fance Officer OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: July 7, 2010
22 Closure Method:  Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits)
X   Confirmation Sampling Analytical Results (if applicable)     Waste Material Sampling Analytical Results (if applicable)
x Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.651083 °N Longitude: 107.61775 °W NAD 1927 X 1983
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin , Title: Regulatory Tech
Signature: Amu Goodwin Date: 11911
e-mail address: Jamie.L.Goodwin@conocophillips.com Telephone: 505-326-9784

### ConocoPhillips Company San Juan Basin Closure Report

Lease Name: SAN JUAN 28-7 UNIT 257N

API No.: 30-039-30687

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of COPC's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

Within 6 months of the Rig Off status occurring COPC will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. ConocoPhillips will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

ConocoPhillips mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	23.3 ug/kg
BTEX	EPA SW-846 8021B or 8260B	-50	750 ug/kG
TPH	EPA SW-846 418.1	2500	<b>7</b> 78mg/kg
GRO/DRO	EPA SW-846 8015M	500	123 mg/Kg
Chlorides	EPA 300.1	(1000/500	330 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. COPC shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: COP, BLM, SAN JUAN 28-7 UNIT 257N, UL-C, Sec. 19, T 28N, R 7W, API # 30-039-30687

### Sessions, Tamra D

From:

Sent:

Sessions, Tamra D Tuesday, February 17, 2009 3:17 PM 'mark\_kelly@nm.blm.gov'

To:

Subject:

Surface Owner Notification

The following wells will have the temporary pit closed on-site. Please let me know if you have any questions.

San Juan 28-7 Unit 184P San Juan 28-7 Unit 251N San Juan 28-7 Unit 257N

Thank you,

Tamra Sessions

Staff Regulatory Technician **CONOCOPHILLIPS SJBU** 505-326-9834 Fax 599-4062 Tamra.D.Sessions@conocophillips.com District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410 District IV

District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies

□ AMMENDED REPORT

1 4	DIAY 1		1 3	- 10 1				2	
- A	PI Number		<sup>2</sup> Pool Code			<sup>3</sup> Pool Name BASIN DAKOTA / BLANCO MESAVERDE			/EDDE
<sup>4</sup> Property Cod	le		<u></u> _		5 Property SAN JUAN	Name		TAT BE TOO ME OA	6 Well Number 257N
7 OGRID N	0.		8 Operator Name CONOCOPHILLIPS COMPANY				<sup>9</sup> Elevation 6745		
	,,				10 SURFACE I	OCATION			
UL or lot no. C	Section 19	Township 28-N	Range 7-W	Lot Idn	Feet from the 1075	North/South line NORTH	Feet from the		County RIO ARRIBA
			<sup>11</sup> F	Bottom H	ole Location I	f Different From	m Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from th	e East/West line	County
G	19	28-N	7-W		2050	NORTH	2450	EAST	RIO ARRIBA
Dedicated Acres 320.00	Joint	or Infill 14	Consolidation	1 Code	Order No.		•		
	- 1 - 1			A NON-ST		MPLETION UNTI HAS BEEN APP		RESTS HAVE BEEN THE DIVISION	
) 16 GLO N 89°4 1914 N 89°5 \$\hat{\S}\hat{\E}	14'24" E 59' E	2524.8' ( 2517.9' (			N 89'59'36" E N 89'59' E	2618.7' (M) 2640.0' (R)	GLO 1914	complete to the best of my know	ation contained herein is true and

( organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a 107 E/2 DEDICATED ACREAGE **E** USA SF-078497 voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. SECTION 19, T-28-N, R-7-W 1730' Signature Printed Name **WELL FLAG NAD 83** LAT: 36.651009° N Title and E-mail Address N 0.07" LONG: 107.617474° W 2450 **NAD 27** LAT:36°39.060151' N LONG: 107°37.011918' W 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat BOTTOM HOLE was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. GLO 1914 **NAD 83** LAT: 36.648333° N LONG: 107.614187° W Date of Survey: 8/19/08 Signature and Seal of Professional Surveyor: **NAD 27** LAT:36°38.899586' N LONG: 107°36.814707' W ,26" 0.03 zz PROPESSION GLO 1914 Certificate Number: NM 11393

### EDGE OF DISTURBANCE SET 200' RP P.O. BOX 328 BLOOMFIELD,NM, 87413 CHENAULT CONSULTING INC. PHONE: (505) 325-7707 CC 북성 1 (E) ₽ω T A (5) F9 130 100 SEPARATOR SKID L RESERVE PIT D 83 : 36.651083'N NG: 107.617750'W EV.: 6745 REAR WELLHEAD TO BACK METER SKID METER SKID ą RIG ANCHOR 40 용 ANCHOR 2.1\SLOPES RESERVE PIT **ELEV.: 6745** CONOCOPHILLIPS DIKE C/L WELLHEAD SJ 28-7 #32A NAD 83 LAT: 36.650905'N LONG: 107.617681'W SECTION 19, T-28-N, R-7-W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO 70.0 12' DEEP NAD 83 LAT.: 36.651009°N / LONG:: 107.617474°W **SAN JUAN 28-7 UNIT #257N** 70.0 NAVD88 DATE: AUGUST 19, 2008 1075' FNL, 1730' FWL NO NEW ACCESS APPROXIMATE 15X75 PIT AREA LINED WITH 12 MIL POLY. LINER Ũ æ 65' 130 35' PIT CROSS SECTION 15.0 WELLHEAD TO SIDE S 52' Q ENTERPRISE PIPELINE LAYDOWN N 70° E WELLHEAD TO FRONT 20, 75.0 COMPANY 6.O RIG ANCHOR 3.0 EXISTING EDGE OF 300' RAMP INTO PIT CONSTRUCTED FROM PAD GRADE TO THE BOTTOM OF FLARE AREA <del>.</del>0 <sup>႘ှ</sup>စ 330 130 $\mathbb{S}$ $\Im[\Theta]$ 100 ೆ ರ.⊚ × 400' = SET 200' RP-4" HIGH WALL FROM BOTTON OF BLOW PIT 'HIGH BERM 3.03 ACRES NOTES:

- 1. RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW-3' WIDE AND 1' ABOVE SHALLOW SIDE).
- 2. C.C.I. SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
  CONTRACTOR SHOULD CALL ONE—CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED
  PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.



### **EPA METHOD 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	06-08-10
Laboratory Number:	54488	Date Sampled:	05-27-10
Chain of Custody No:	9180	Date Received:	05-27-10
Sample Matrix:	Soil	Date Extracted:	06 <b>-</b> 01-10
Preservative:	Cool	Date Analyzed:	06-03-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	23.3	0.2
Diesel Range (C10 - C28)	100	0.1
Total Petroleum Hydrocarbons	123	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-7 Unit 257N



### **EPA METHOD 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	06-08-10
Laboratory Number:	54489	Date Sampled:	05-27-10
Chain of Custody No:	9180	Date Received:	05-27-10
Sample Matrix:	Soil	Date Extracted:	06-01-10
Preservative:	Cool	Date Analyzed:	06-03-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4.8	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	4.8	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-7 Unit 257N



### EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

### **Quality Assurance Report**

Client: Sample ID: Laboratory Number:	QA/QC 06-03-10 QA/QC 54478	Project #: Date Reported: Date Sampled:	N/A 06-08-10 N/A
Sample Matrix: Preservative:	Methylene Chloride N/A	Date Received: Date Analyzed:	N/A 06-03-10
Condition:	N/A	Analysis Requested:	TPH

	، I-Cal Date	: I-CaliRF:	# C-Cal RF:	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L = mg/Kg)	Concentration:	, Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/kg)	Sample! 4	Duplicate <sup>1</sup>	% Difference.	Accept*Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel-Range C10 - C28	67.8	68.5	1.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	263	105%	75 - 125%
Diesel Range C10 - C28	67.8	250	257	80.7%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples54478, 54486-54489, 54491-54493 and 54512.



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	06-07-10
Laboratory Number:	54488	Date Sampled:	05-27-10
Chain of Custody:	9180	Date Received:	05-27-10
Sample Matrix:	Soil	Date Analyzed:	06-04-10
Preservative:	Cool	Date Extracted:	06-01-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	23.3	0.9	
Toluene	156	1.0	
Ethylbenzene	41.3	1.0	
p,m-Xylene	401	1.2	
o-Xylene	128	0.9	
Total BTEX	750	·	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	107 %	
	1,4-difluorobenzene	105 %	
	Bromochlorobenzene	114 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-7 Unit 257N



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	06-07-10
Laboratory Number:	54489	Date Sampled:	05-27-10
Chain of Custody:	9180	Date Received:	05-27-10
Sample Matrix:	Soil	Date Analyzed:	06-04-10
Preservative:	Cool	Date Extracted:	06-01-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	٠.
_			
Benzene	21.6	0.9	
Toluene	3.4	1.0	
Ethylbenzene	3.7	1.0	
	15.1	1.2	
p,m-Xylene o-Xylene	7.8	0.9	
Total BTEX	51.6		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	117 %
	1,4-difluorobenzene	113 %
	Bromochlorobenzene	110 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-7 Unit 257N



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	0604BBLK QA/QC	Date Reported:	06-07 <b>-</b> 10
Laboratory Number:	54478	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	06-04-10
Condition:	N/A	Analysis:	BTEX

Galibration and Detection Limits (ug/L)	i i i i i i i i i i i i i i i i i i i		-%Diff. 7 je 0 - 15% 5	Blank Conc	⊒E Detect. Comit
Benzene	1.2613E+006	1.2638E+006	0.2%	ND	0.1
Toluene	1.1630E+006	1.1654E+006	0.2%	ND	0.1
Ethylbenzene	1.0450E+006	1.0471E+006	0.2%	ND	0.1
p,m-Xylene	2,5909E+006	2.5961E+006	0.2%	ND	0.1
o-Xylene	9.6855E+005	9,7050E+005	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	SampleDi	iplicate - +	%Diff	- Accept Range	Detect Limit
Benzene	30.5	29.4	3.6%	0 - 30%	0.9
Toluene	7.3	5.8	20.5%	0 - 30%	1.0
Ethylbenzene	3.9	3.0	23.1%	0 - 30%	1.0
p,m-Xylene	6.6	6.4	3.0%	0 - 30%	1.2
o-Xylene	4.7	5.0	6.4%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample ** Amo	um Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	30.5	50.0	64.9	80.6%	39 - 150
Toluene	7.3	50.0	47.3	82.6%	46 - 148
Ethylbenzene	3.9	50.0	46.6	86.4%	32 - 160
p,m-Xylene	6.6	100	95.6	89.6%	46 - 148
o-Xylene	4.7	50.0	48.5	88.7%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 54478, 54486-54489, 54491-54498, 54

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	06-07-10
Laboratory Number:	54488	Date Sampled:	05-27-10
Chain of Custody No:	9180	Date Received:	05-27-10
Sample Matrix:	Soil	Date Extracted:	06-02-10
Preservative:	Cool	Date Analyzed:	06-02-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

778

12.2

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-7 Unit 257N



### **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	06-07-10
Laboratory Number:	54489	Date Sampled:	05-27-10
Chain of Custody No:	9180	Date Received:	05-27-10
Sample Matrix:	Soil	Date Extracted:	06-02-10
Preservative:	Cool	Date Analyzed:	06-02-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

60.9

12.2

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-7 Unit 257N



### **EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

06-07-10

Laboratory Number:

06-02-TPH.QA/QC 54478

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

06-02-10

Preservative:

N/A

Date Extracted:

06-02-10

Condition:

N/A

Analysis Needed:

**TPH** 

Calibration

I-Cal Date 04/22/2010

C-Cal Date 06-02-10

I-Cal RF;

1.690

1,770

4.7%

C-Cal RF: % Difference Accept. Range +/- 10%

Blank Conc. (mg/Kg)

TPH

Concentration ND

Detection Limit 12.2

Duplicate Conc. (mg/Kg)

**TPH** 

**TPH** 

Sample 14.9

Duplicate 13.5

% Difference Accept. Range 9.4%

+/- 30%

Spike Conc. (mg/Kg)

Sample 14.9

2.000

1,930

95.8%

Spike Added Spike Result % Recovery Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 54478, 54486-54489, 54494-54497, 54507.



### Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	06-08-10
Lab ID#:	54488	Date Sampled:	05-27-10
Sample Matrix:	Soil	Date Received:	05-27-10
Preservative:	Cool	Date Analyzed:	06-02-10
Condition:	Intact	Chain of Custody:	9180

Pa	ra	m	Δ	Δ	•

### Concentration (mg/Kg)

**Total Chloride** 

330

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-7 Unit 257N

### Chloride

Client: ConocoPhillips Project #: 96052-1706 Sample ID: Background Date Reported: 06-08-10 Lab ID#: 54489 Date Sampled: 05-27-10 Soil Sample Matrix: Date Received: 05-27-10 Preservative: Cool Date Analyzed: 06-02-10 Condition: Intact Chain of Custody: 9180

Parameter Concentration (mg/Kg)

**Total Chloride** 

20

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-7 Unit 257N

Analyst

Review \

Submit To Appropr Two Copies	riate District Of	fice		_		State of Ne												rm C	
District I 1625 N. French Dr.	, Hobbs, NM 8	8240		Energy	y, N	Minerals and	d Na	tural Re	eso	urces	1. W	ELL A	API 1	NO.				July 17 <u>,</u>	2008
District II 1301 W. Grand Ave	enue, Artesia, N	NM 88210		(	Oil	Conservat	tion	Divisio	on		30-03	9-306	87						
District III 1000 Rio Brazos Ro	d., Aztec, NM 8	37410				20 South St					2. Typ	e of Le		□F	EE	ΣF	ED/IND	IAN	
District IV 1220 S. St. Francis	Dr., Santa Fe, 1	NM 87505			9	Santa Fe, N	JM:	87505			3. Stat	e Oil &					22/11/2		
WELL	OMPLE	TION C	D DE	ECOM!		ETION RE	POF	ΣΤ ΔΝΓ	٠	OG	SF-07	78497			,	10049		News S	27,21,327
4. Reason for fili		TION	/IX IXI	LOOIVII	L	LIIONINL	r Oi	VI VIAL	<i>)</i> L	.00	5. Leas							<u> </u>	10000
COMPLETI	ION REPOR	T (Fill in b	oxes #1	through#	31 f	or State and Fee	e wells	s only)			SAN 6. Wel			7 UN	<u>IIT</u>				
C-144 CLOS #33; attach this a										1 #32 and/or	257N	i ivuiiio	ici ,						
7. Type of Comp	oletion:					□PLUGBACE				DECEDVAL	р П О1	THED							
8. Name of Opera	ator					LILUODACI	<u>`                                    </u>	DHILKL	111	RESERVOI	9. OGI								
Burlington R 10. Address of O		Oil Gas o	Comp	any, <u>LP</u>	) 						14538	l name	or W	ildeat					
PO Box 4298, Fa		M 87499									11.100	i manne	0. 11	nocat					
12.Location	Unit Ltr	Section	7	Township		Range	Lot		Fe	eet from the	N/S Lin	ne	Feet	from	the	E/W I	_ine	County	y
Surface:																			
BH:		71.0.0	$\perp$	I to B .	D.			116	<u></u>			. D. 1	<u> </u>		117		· (DI	1.00	<u></u>
13. Date Spudded	14. Date	T.D. Reach	ed	15. Date 11/16/20		Released		16.	. Da	ite Complete	d (Ready	to Prod	luce)			. Elevat I, GR, e		and RK	.В,
18. Total Measur						k Measured Dep	pth	20	. W	as Direction	al Survey	Made?	,	21.	Туре	Electr	ic and O	ther Log	s Run
22. Producing Int	terval(s), of th	nis completi	on - To	p, Bottom	, Na	me													
23.	7F T	WEIGHT	ID (PT			ING REC	OR	<u> </u>					<del></del>	CODE			40LDIT	DULLE	'D
CASING SI	ZE	WEIGHT	LB./FI	1.		DEPTH SET		H	JLE	SIZE	CEM	ENTIN	GRE	CORL	+	Ar	MOUNI	PULLE	<u>U</u>
																		-	
	<u> </u>	<del></del>									-				+				
															+				-
SIZE	TOP	1	BOTT		INE	ER RECORD SACKS CEM	ENIT	SCREE	N I	2:	5. IZE	Т		NG R EPTH			DACK	ER SET	
SIZE	101		ВОТТ	OWI		SACKS CLIVI	LIVI	SCREE	IN		IZE		<u> </u>	EF III	<u>JL I</u>	····	IACK	EK SET	
26. Perforation	record (inter	val, size, an	id numt	ber)						SHOT, FI							USED		
																		<del>.</del>	
28.							PR	ODUC	TI	ON	<del>-</del>								
Date First Produc	ction	Pr	oductio	on Method	(Flo	wing, gas lift, p					Wel	1 Status	(Pro	d. or S	hut-i	in)		-	
Date of Test	Hours Te	ested	Chok	te Size		Prod'n For Test Period		Oil - Bb	ı	G	as - MCF		\\	ater -	Bbl.		Gas - 0	Oil Ratio	ı
Flow Tubing Press.	Casing P	ressure	Calcı Hour	ulated 24- Rate		Oil - Bbl.		Gas	- M	1CF	Water -	Bbl.		Oil	Grav	vity - A	PI - <i>(Co.</i>	rr.)	
29. Disposition o	of Gas (Sold, 1	used for fue	l, vente	d, etc.)							-		30.	L Fest W	/itnes	ssed By	,		
31. List Attachm	ents																		
32. If a temporar	y pit was use	d at the well	l, attach	a plat wit	h th	e location of the	temp	orary pit.									-		-
33. If an on-site	burial was use	ed at the we	ll, repo																
I hereby certi	fy that the	Latitude informati		own,on b	oth	ngitude 107.617 In sides of this Inted						best o	of my	knov	vlea	łge an	d belie	f	
Signature	ami	مخلا	odú	UU	∜an	ne Jamie Go	oodw	in Tit	le:	Regulato	ory Tech	1.	Date	e: 1/1	9/20	011			
E-mail Addre	ss Jamie.I	L.Goodwi	in@co	onocophi	llip	s.com												·	

\_\_\_\_

.

# ConocoPhillips

Pit Closure Form:
Date: 7/7/10
Well Name: <u>S3 Z8-7 Z57</u>
Footages: 1075 FNL 1730 FWL Unit Letter: C
Section: 19, T-28-N, R-7-W, County: R.A. State: NM
Contractor Closing Pit: Riffer
Construction Inspector: Norman Faver Date: 7/7/10
nspector Signature: Taman fam

Revised 4/30/10

### Goodwin, Jamie L

From:

Pavne, Wendy F

Sent:

Wednesday, June 30, 2010 10:13 AM

To:

(Brandon.Powell@state.nm.us); 'brook@crossfire-Ilc.com'; GRP:SJBU Regulatory; 'Isaiah Lee'; 'tevans48@msn.com'; (bko@digii.net); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Chavez, Virgil E; Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams,

Peggy L; Seabolt, Elmo F; Stallsmith, Mark R

Cc:

'JDRITT@aol.com'

Subject:

Reclamation Notice: San Juan 28-7 Unit 257N

Importance:

High

Attachments:

San Juan 28-7 Unit 257N (2).pdf

### This work is no longer on hold.

JD Ritter Construction will move a tractor to the **San Juan 28-7 Unit 257N** to start the reclamation process on Tuesday, July 6, 2010. Please contact Jared Chavez (793-7912) if you have questions or need further assistance. Driving directions are attached.



San Juan 28-7 Unit 257N (2).pd...

ConocoPhillips Well- Network #: 10248557 - Activity Code - D250 (reclamation) & D260 (pit closure)

Rio Arriba County, NM

### San Juan 28-7 Unit 257N-BLM surface / BLM minerals

Twin: San Juan 28-7 Unit 32A

1075' FNL, 1730' FWL

SEC. 19, T28N, R07W

Unit Letter 'C'

Lease #: SF - 078497

Latitude: 36° 39 min 03.63240 sec N (NAD 83)

Longitude: 107° 37 min 02.90640 sec W (NAD83)

API#: 30-039-30687

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com


# ConocoPhillips

Reclamation Form:		
Date: 12/1/10	<del></del>	
Well Name: <u>S5 2</u>	8-7 257N	
Footages: 1075 FN	L, 1730 FWL Unit Letter: (	<b>-</b>
Section: 19 , T-28.	-N, R-7W, County: <u>S</u> State: <u>N</u>	<u>M</u>
Reclamation Contractor:	Ritter	
Reclamation Date:	7/14/10	
Road Completion Date:	7/14/10	
Seeding Date:	12/1/10	
**PIT MARKER STATUS (	(When Required): Picture of Marker set needed	
	(When Required): Picture of Marker set needed	ATE)
MARKER PLACED : Ye		ATE)
MARKER PLACED : YC	S(D/	ATE) 
MARKER PLACED : YC	<u>S</u> (D)	ATE) ATE)
MARKER PLACED: Ye  LATATUDE:  LONGITUDE:  Pit Manifold removed	<u>S</u> (D)	  ATE)
MARKER PLACED: Ye  LATATUDE:  LONGITUDE:  Pit Manifold removed	/10 (D	— — ATE)
MARKER PLACED: Ye  LATATUDE:  LONGITUDE:  Pit Manifold removed  Construction Inspector:	/10 (D	— — ATE)









# WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 28-7 UNIT 257N

API#: 30-039-30687

DATE	INSPECTOR	LOCATION	ENVIROMENTAL COMPLIANCE	PICTURES	COMMENTS
4/12/2010	Elmer Perry	×	×	×	Road needs bladed, fence loose, oil on water, no WH barricade
3/26/2010	Elmer Perry	×	×		Road and location rutted, oil on pit water
4/23/10	Elmer Perry	×	×	×	Road needs bladed diversion ditch need work
4/29/2010	Elmer Perry	×	×	×	Road needs bladed, fence down, completion rig on location
4/15/2010	Elmer Perry	×	×		Road and location need bladed
1/18/2010	Jared Chavez	×	×		Pit and location in good condition
2/3/2010	Jared Chavez	×	×		Pit and loacation in good condition
3/15/2010	Jared Chavez	×	×		Pit and location in good condition
3/23/2010	Jared Chavez	×	×		Oil in reserve pit needs skimmed - contacted Dawn Trucking
5/24/2010	Elmer Perry	×	X		Road needs Bladed, oil stains in pit
5/27/2010	Elmer Perry	×	×		Road need bladed, oil stains in pit
6/8/2010	Elmer Perry	×	×		Road needs bladed, oil stains in pit
6/15/2010	Elmer Perry	×	×		Road rough, stains in pit
6/25/2010	Elmer Perry	×	×	×	Road needs bladed, oil stains in pit

# WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 28-7 UNIT 257N

API#: 30-039-30687

	DATE	INSPECTOR	LOCATION	ENVIROMENTAL COMPLIANCE	PICTURES TAKEN	COMMENTS
Jon Berenz	7/1/2010	Jon Berenz		×		Road needs bladed, oil stains in pit
	7/6/2010	Jon Berenz				Pit Closed
		,				