District I 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1	14	5
- 1	, .	

7160		Pit, Closed-Loop Syst	tem, Below-G	rade Lank, or	
·	Propo	sed Alternative Method	Permit or Clo	sure Plan Applicati	on_
	Type of action:	Permit of a pit, closed-loop Closure of a pit, closed-loop Modification to an existing Closure plan only submitted below-grade tank, or propos	o system, below-grapermit I for an existing per	de tank, or proposed altern mitted or non-permitted pit	ative method
Instru	uctions: Please subr	nit one application (Form C-144) per	· individual pit, closed	l-loop system, below-grade tar	nk or alternative request
		s request does not relieve the operator of leve the operator of its responsibility to cor			
Operator:	Energen Res	sources Corporation		OGRID#: <u>162928</u>	
Address:	2010 Afton	Place, Farmington, NM 8	7401		
		rracas 17B #3			
		7			
U/L or Qtr/Q	tr N	Section <u>17</u> Township	32N Range	c <u>04W</u> County:	Rio Arriba
Center of Pro	posed Design: Latit	tude <u>36.98160</u>	Longitude	107.28073	NAD:□1927 🗓 1983
Surface Own	er: 🗌 Federal 🔲 S	State 🗌 Private 🔲 Tribal Trust or In	dian Allotment		
Permanen Lined String-Re	Unlined Liner ty	orkover Cavitation P&A pe: Thickness20 mil 🔀			
Type of Open	ration: P&A	ection H of 19.15.17.11 NMAC Drilling a new well			
Lined	Unlined Liner type	e: Thickness mil	LLDPE HDP	E PVC Other	NO. 18 14 15 18 17
Liner Seams:	☐ Welded☐ Fa	actory Other		/	A PROPERTY OF THE PROPERTY OF
_		tion I of 19.15.17.11 NMAC bbl Type of fluid:		, c	3 ML 2010
Tank Constru	ction material:				ST OIL ST
☐ Seconda	ry containment with	leak detection Visible sidewalls	s, liner, 6-inch lift and	automatic overflow shut-off	450E82821231291
☐ Visible s	sidewalls and liner [☐ Visible sidewalls only ☐ Other	r		
Liner type: 7	Thickness	mil	HDPE PVC C	Other	
5,					
Alternat	tive Method:				

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)							
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)							
Four foot height, four strands of barbed wire evenly spaced between one and four feet							
Alternate. Please specify							
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other							
Monthly inspections (If netting or screening is not physically feasible)							
Signs: Subsection C of 19.15.17.11 NMAC							
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
Signed in compliance with 19.15.3.103 NMAC							
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bur	reau office for						
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
10.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of ac material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the application of the solution for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	propriate district of approval.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No						
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	. Yes No						
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No						
Within a 100-year floodplain. - FEMA map	☐ Yes ☐ No						

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if m	i.D NMAC) ore than two
facilities are required. Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future s operations? Yes (If yes, please provide the information below) No	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NI Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	мас
Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable so provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate a be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	istrict office or may
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playlake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes 🖈 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial applicatio - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	n. Yes 🕦 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes 🕦 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🖾 No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes 🕦 No
Within a 100-year floodplain FEMA map	☐ Yes 🖫 No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure by a check mark in the box, that the documents are attached.	plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards can Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	not be achieved)
Form C-144 Oil Conservation Division Page	4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and	d complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
20.	
OCD Approval: Permit Application (including closure plan) Closure	· · · · · · · · · · · · · · · · · · ·
OCD Representative Signature:	Approval Date: 1/4/1/
Title: Ompliance Office OCDF	Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of I Instructions: Operators are required to obtain an approved closure plan prior to impreport. The closure report is required to be submitted to the division within 60 days of complete this section of the form until an approved closure plan has been obtained and	lementing any closure activities and submitting the closure fithe completion of the closure activities. Please do not did the closure activities have been completed.
22.	Closure Completion Date: 11/30/09
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure If different from approved plan, please explain.	ure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for where the liquids, drilling fl than two facilities were utilized. Disposal Facility Name:	uids and drill cuttings were disposed. Use attachment if more
Disposal Facility Name: Disposa	Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in are Yes (If yes, please demonstrate compliance to the items below) No	as that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Boil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
24.	***************************************
Closure Report Attachment Checklist: Instructions: Each of the following items must mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 37.98156 Longitude	the attached to the closure report. Please indicate, by a check 107.22098 NAD: 1927 🗵 1983
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements a	
Name (Print): Vicki Donaghey	Title: Regulatory Analyst
Signature: Vicki Danokuy	Date: 10/01/10
e-mail address: vdonaghe@energen.com	Telephone: 505.324.4136

Well Name: Carracas 17B #3

Reserve Pit - Final Closure Report

The pit will be closed with in place burial. If the pit is located on private surface, the surface owner will be notified prior to closure by certified mail and the return receipt will be included in the closure packet. The OCD will be verbally or by other means notified at least 72 hours and not more then one week prior to the pit closing. The following process will be used to close the pit:

Notification to the OCD is included in this closure report package. Surface owner notification not required.

1) At time of closure, all free standing fluids will be removed and reused or disposed with Agua Moss LLC in the Pretty Lady #1 (Disposal API Number # 30-048-30922) or an Energen operated permitted disposal well. The contents will be solidified to a bearing capacity sufficient to support the final cover. This will be accomplished by mixing the contents with soil at a mixing ratio no greater then 3:1 soil to contents.

Fluids were removed and properly disposed in the Pretty Lady #1. The pit contents were solidified by mixing the contents with soil at a mixing ratio of approximately 3:1.

2) The liner will be cut off at the mud line of the stabilized contents.

The liner was cut off at the mud line of the stabilized contents.

3) Sampling will be done by collecting a minimum of a five-point composite sample of the contents after stabilization. The sample will be analyzed for the following components (if the groundwater is less than 100 feet below the pit but greater than 50 feet, testing for chlorides will be done to the lower limit);

Components	Tests Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	ND
BTEX	EPA SW-846 8021B or 8260B	50	ND
ТРН	EPA SW-846 418.1	2500	41.9
GRO/DRO	EPA SW-846 8015M	500	ND
Chlorides	EPA 300.1	500 /1000	125

Sampling results are listed in the above table.

4) After demonstrating that the stabilized contents are under the limits listed above, the contents will be covered with compacted non-waste containing

earthen material to a minimum of three feet. If stabilized contents exceed a volume that can be covered with three feet of earth and a foot of topsoil the excess contents will be removed and sent to Envirotech (Permit NM-01-0011) or IEI Landfarm (Permit NM-01-0010B). If the stabilized contents do no meet the above stated limits the stabilized contents will all be hauled to Envirotech pursuant to excavation and removal guidelines (19.15.17.13 B1).

The contents were covered with three feet of compacted non-waste containing material.

5) After the stabilized contents have been covered, the stockpiled topsoil will be replaced to a minimum depth of one foot. Topsoil cover will be graded to prevent ponding of water and erosion of the cover material. This will be accomplished within six months of rig release.

The stockpiled topsoil was replaced to a depth of one foot and graded to prevent ponding and erosion.

6) The exact location of the on-site burial will be reported to the Aztec field office on the C-105 form. A deed notice identifying the exact location of the on-site burial will be filed with the county clerk if the pit is on private surface.

The C-105 form is attached. This pit is located on public surface. Proof of Deed notice not required unless pit is located on private surface (per NMOCD FAQ dated 10/30/09).

7) The final closure report (C-144) will be filed within 60 days of closure completion and include sampling results, plot plan, details on backfilling, covering and inspections during the life of the pit.

This closure report includes sampling results, plot plan, closure details, inspections, and photos.

8) If the pit is located on federal or tribal surface, seeding will be deferred to BLM requirements per the BLM / OCD MOU. Otherwise, the disturbed area will be seeded or planted the first growing season after closing the pit. Seed will be drilled on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass but not including noxious weeds. Cover will be maintained through two successive growing seasons. During the two growing seasons that prove viability there shall be no artificial irrigation of the vegetation. Seeding or planting will continue until the required cover is

reached. If conditions are not favorable to establishment of vegetation due to periods of drought or similar problems then the Aztec office of the OCD will be notified. The Aztec office of the OCD will also be notified when the disturbed ground successfully achieves re-vegetation.

The pit is located on Federal or Tribal surface, seeding is deferred to BLM requirements per the BLM / OCD MOU.

9) Until the abandonment of the wells on the pad where the pit is located, a steel marker no less then four inches in diameter will be cemented in a hole three feet deep in the center of the onsite burial. The top of this marker will be flush with the ground. Once all wells on the pad are abandoned, a four foot tall riser will be welded on top of the marker with; operator name, lease number, well name and number, unit number, section, township and range, and a designation that it is an onsite burial location.

The marker was installed in the center of the closed pit. The marker is set flush to the ground until final abandonment. At the time of abandonment, a four foot riser will be installed and marked as follows: Energen Resources – Lease # NMNM 28277 – Carracas 17B #3 – Unit N – Sec. 17, T32N, R04W – Pit Burial Site.

Submit to Appropriate District Office Five Copies					State of the Williams					Form C-105 July 17, 2008					
	ench Dr., Hobbs, NM 88240					iciais ali	u man	nai ixe	sour	ces	1. WELL API NO.				
District II 1301 W. Grand Avenue, Artesia, NM 88210 District III OIL CONSERVATION DIVISION									30-039-30467						
District III 1000 Rio Brazos I	2d Aster 1	MA 87.	410						DΝ		2. Type Of Lease				
District IV.									S'	ТАТ	E 🗌 FE	EE 🗌 F	ED/INDIAN		
1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, 1NM 87505											& Gas Le		ana Para		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG															
4. Reason for filing: COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)												or Unit Agr s 17 B	reement N	ame	
l					-						6. Well N				
#33; attach this	and the pl	ATT A	he C-144 clos	(Fill in ure rep	boxes #1 throughout in accordance	gh #9, #15 D ce with 19.15	oate Rig R 5.17.13.K	eleased a NMAC)	nd #32	and/or	#3	unioe			
9. Type of Con	WELL [] w	ORKOVER		DEEPENING [] PLUGBA	ск 🗆	DIFFEF	ENT I	RESERV	OIR X	ОТНЕ	ER pit c	losure	
8. Name of Ope											9. OGRI				
		es (Corporati	on_								2928	3 e or Wildcat		
10. Address of 2010 Aft	-	•	Farmingt	~~	NM 87401								ruitlan	-	
12. Location	Unit Let		Section	<u> </u>	Township	Range	Lo		Feet f	from the	N/S Line		t from the		County
Surface:	J. J. L.	-	Section				-		1		1.00	1	_		1
BH:		-										+			†
13. Date Spudd	led 14	. Dat	e T.D. Reach	ed	15. Date Rig	Released .7/09	<u>,,</u>	16. D	ate Co	mpleted (Ready to Pr	oduce		Elevations GR, etc.)	(DF & RKB,
18. Total Meas	ured Dept	h of W	/ell		19. Plug Back		Depth	20. W	as Dire	ectional S	urvey Mad	e .	21. Type I	Electric an	d Other Logs Run
22. Producing l	Interval(s)	, of th	is completion	- Top,	Bottom, Name							T	<u> </u>	· <u>-</u>	
23.					CASING R	ECORD	(Repo	rt all st	rings	set in s	well)				
CASING	SIZE	T 7	WEIGHT LB.		DEPTH		_	LE SIZE	11155		CEMENTIN	IG RE	CORD	AM	OUNT PULLED
											-				
24.				LIN	ER RECOR	D				25.	7	rub.	ING REC	ORD	
SIZE	T	OP		BOT	ГОМ	SACKS CE	MENT	SCI	REEN	SIZ	E		DEPTH S	ET	PACKER SET
					l								l		L
26. Perforation	n record (i	nterva	al, size, and nu	ımber)				27. AC DEPTH					MENT, SC AND KIND		
												<u></u>			
28.						PR	ODUC	TION							
Date First Prod	uction		Product	ion Me	ethod (Flowing	, gas lift, pur	nping - Si	ize and typ	ре рит	p)			Well Stat	tus (Prod.	or Shut-in)
Date of Test		Hou	rs Tested	1	Choke Size	Prod'n Fo Test Perio		Oil - Bbl.		Gas - N	ICF	Water	- Bbl.	Gas - 0	Oil Ratio
Flow Tubing Press.		Casi	ing Pressure		Calculated 24- Hour Rate	Oil - Bbl.		Gas - N	ИCF	Wa	ter - Bbl.		Oil Grav	ity - API -	(Corr.)
29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By															
31. List Attach	ments										L		-		
32. If a tempor	ary pit wa	s used	at the well, a	ttach a	plat with the lo	cation of the	tempora	y pit.	_					<u> </u>	
33. If an on-sit	e burial w	as use	d at the well,	report	the exact location	on of the on-s		: 36.981	56	Long	itude	-107	.22098	NAD:	1927 X 1983
		e info	ormation sho	yrn or	n both sides of	this form is		d comple	te to t						
Signature (E-mail address			7/ (\	Printe Name	,	Vicki	Donagh	ey	Tit	ile Regu	lato	ry Anal	yst Da	te 08/16/10
L-man addres			donàghe@è	reig	<u> </u>										<u> </u>

District.1 1625 N French Dr , Hobbs, NM 88240 1301 W Grand Avenue, Artesia, NM 88210

State of New Mexico Energy, Minerals & Natural Resources

Form C-102 Revised October 12, 2005

OIL CONSERVATION DIVISION


Submit to Appropriate District Office
State Lease - 4 Copies

District III 1000 Rio Brazos	Rd , Aztec, l	NM 87410					ancis Dr.			Fee Lease - 4 Copies
District IV			o	ì	Santa Fe		>			AMENDED REPORT
1220 S St Franc	us Dr., Santa		us LL LOCA	ATION			LED GE DEDIC	ATION PLA		AMENDED REPORT
<u> </u>	¹ API Numb			² Pool Co			GE DEDIC	Pool Na		
30	0-039-304	167		71629				Basin Fruit		
⁴ Propert	y Code					perty Na	ame			⁶ Well Number
356					Car	racas	17B			3
⁷ OGRII					•	erator N				⁹ Elevation
1629	28		 	Ene			Corporation			7441 '
	<u> </u>				10 Surfac	e Loca				
UL or lot no	Section	Township	Range	Lot. Id	n Feet 1	from the	North/South line	Feet from the	East/West II	ne County
N	17	32N	04W		802	2	South	1853	West	Rio Arriba
	•		11 Bot	tom Hole	Location	If Diff	ferent From Su	ırface		
UL or lot no.	Section	Township	Range	Lot Id	n Feet	from the	North/South Ime	Feet from the	East/West I	ine County
С	17	32N	04W		10	(North	<u> 137</u> 7	West	Rio Arriba
12 Dedicated Acr	es 13 Jou	nt or Infill	14 Consolidatio	n Code 15 (Order No	۵	15116		חריווי	SEP 3 '09
316.47 W/	2					Λ.	-13119-N	5 L	KGVI	FORT 3 V.D
									OIL	CONS. DIV.
NO ALLOW	ABLE WI	LL BE ASS	SIGNED TO	THIS CO	MPLETIC	ON UN	TIL ALL INTE	RESTS HAVE	BEEN CO	SOLIDATED OR A
W.	7631		ON-STAND	ARD UNI	T HAS BE	EEN AI	PPROVED BY	THE DIVISION	٧	DIST. 3
16	2 - 2	12.6								RTIFICATION
745	5.77	1 BH						11	-	on contained herein is true and
		1						} '		dge and belief, and that this ig interest or unleased mineral
		l				İ		11 -		proposed bottom hole location
		1					N.	ll .	* .	his location pursuant to a
		ţ						11		nineral or working interest, or
								lo a voluntary por	oling agreement	or a compulsory pooling order
		1						heretofore entere	d by the division	,
		1		·			•	Michi No	man\	08/31/09
		1						Signature	$\alpha \alpha x$	Date
		1		ı				Vicki Do	naghev	
		l l						Printed Name		······································
		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\								
]		<u> </u>		-				19 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
		. !	. 1	•						RTIFICATION
		1.1	nol			ŀ		1	_	tion shown on this plat tual surveys made by
	1,716	· 🛁 🗥	2.						•	that the same is true
I		3	1					and correct to the	e best of my belie	ef.
		1625				1			05 5-	0.5
		N 1						Date of Survey	er 20, 20	07
	-							Signature and Seal of	of Professional Surv	reyer
		1 1			,	İ		origina)	arrivert .	creaded and Wid Russell
		'i						where	DA. DA	VISSELA DIV
			SHL							
1829,		, 1								
		Ŕ	Ĭ					100	<i>~</i>	

Certificate Number

ENERGEN RESOURCES CORPORATION

CARRACAS 17B #3
802' FSL & 1853' FWL
LOCATED IN THE SE/4 SW/4 OF SECTION 17,
T32N, R4W, N.M.P.M.,
RIO ARRIBA, NEW MEXICO
GROUND ELEVATION: 7441', NAVD 88
FINISHED PAD ELEVATION: 7440.6', NAVD 88




VERT. SCALE: 1" = 30' HORZ. SCALE: 1" = 50' JOB No.: ERG175 DATE: 10/02/07 FILL




Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637 L'ATITUDE: 36.98160°N LONGITÜDE: 107.28073°W DATUM: NAD 83

ENÉRGEN RESOURCES CORPORATION

CARRACAS 17B #3
802' FSL & 1853' FWL
LOCATED IN THE SE/4 SW/4 OF SECTION 17,
T32N, R4W, N.M.P.M.,
RIO ARRIBA, NEW MEXICO
GROUND ELEVATION: 7441', NAVD 88





1 FOOT CONTOUR INTERVAL SHOWN

SCALE: 1" = 50' JOB No.: ERG175 DATE: 10/02/07



Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637

Vicki Donaghey

From: Rosenbaum Construction Co., Inc. [rosenbaumconstruction@msn.com]

Sent: Tuesday, October 27, 2009 7:49 AM

To: Brandon.Powell

Cc: Bill Vocke; Doug Thomas; Robert Schmidt; Kellie Campbell; Vicki Donaghey; Ed Hasely

Subject: CLEAN UP NOTICE

BRANDON

THIS IS OUT 72 HOUR NOTICE TO SOLIDIFY PIT CONTENTS OF AN ENERGEN WELL SITE.

CARRACAS 17 B3

TOWNSHIP 32N, RANGE 4W, SECTION 17 RIO ARRIBA COUNTY

THANK YOU, STEPHANNE COATS ROSENBAUM CONSTRUCTION 505-325-6367



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client;	Energen	Project #:	03022-0001
Sample ID:	11190901	Date Reported:	11-20-09
Laboratory Number:	52496	Date Sampled:	11-18-09
Chain of Custody No:	8446	Date Received:	11-19-09
Sample Matrix:	Soil	Date Extracted:	11-19-09
Preservative:	Cool	Date Analyzed:	11-19-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Carracas 17#B3

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	96052-1627
Sample ID:	11190901	Date Reported:	11-20-09
Laboratory Number:	52496	Date Sampled:	11-18-09
Chain of Custody:	8446	Date Received:	11-19-09
Sample Matrix:	Soil	Date Analyzed:	11-19-09
Preservative:	Cool	Date Extracted:	11-19-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Barrana		0.0	
Benzene	(ND)	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
the property of the control of the c	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Carracas 17#B3

Analyst

Review Welter



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0001
Sample ID:	11190901	Date Reported:	11-19-09
Laboratory Number:	52496	Date Sampled:	11-18-09
Chain of Custody No:	8446	Date Received:	11-19-09
Sample Matrix:	Soil	Date Extracted:	11-19-09
Preservative:	Cool	Date Analyzed:	11-19-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons



11.2

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Carracas 17 #B3.



Chloride

Client: Project #: Energen 03022-0001 11190901 Sample ID: Date Reported: 11-20-09 Lab ID#: 52496 Date Sampled: 11-18-09 Sample Matrix: Soil Date Received: 11-19-09 Preservative: Cool Date Analyzed: 11-19-09 Condition: Intact Chain of Custody: 8446

Parameter

Concentration (mg/Kg)

Total Chloride

125

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Carracas 17#B3

Analyst

Review

BRANDON

THIS IS OUT 72 HOUR NOTICE TO SOLIDIFY PIT CONTENTS OF AN ENERGEN WELL SITE.

CARRACAS 17 B3

TOWNSHIP 32N, RANGE 4W, SECTION 17 RIO ARRIBA COUNTY

THANK YOU, STEPHANNE COATS ROSENBAUM CONSTRUCTION 505-325-6367

OC: BILL VOCKE
DOUG THOMAS
ROBERT SCHMIDT
KELLIE CAMPBELL
VICKY DONAGHE
ED HASELY

Good Comments: EM.PT4 AII IN Name (Print): 17000 PODIE Signature: Date: JUNE 20 Comments: Name (Print): Eldie Checon Signature: Date: Comments: Name (Print): Sall e 160 Signature: 5 Date: 22 hun Comments: Name (Print): 5/ le Chair _Signature: Date: Comments: Name (Print): FADIE Signature: Trum Date: June 24 2009 TAXIN Comments: Good Name (Print): TASON EDDIE Signature: Date: June Comments: Name (Print): JASON EDDIE Signature: Date: Jone 26 2007 Comments: Gull Name (Print): Telf Value Signature: (// Date: Jun 27 Comments: Name (Print): Jeff Valence Signature: Date: 2009 29 Comments: Date: Name (Print): Tell (hulence, Signature: Jun 29 Comments: Name (Print): JASON EDOIE Date: June 30, 2009 Signature from Ell Comments: Pit full AUN Reserve Name (Print) Jason Eddle Signature: Date: Ferson July 01 2004 Comments: all YOK Name (Print): JASON Eddie Date: JULY Signature: をんく 02,2009 Trova Comments: Name (Print): Signature: 2 Date: 09 Comments: Name (Print): Edelie Chaca) Signature: Date: 09 Comments: Name (Print): Edd. e Chaus Signature: Date: 09 Comments: Name (Print): Jason Eddie Date: July Signature: 2009 Comments: All LUOKS Good. V LINER TEAR Name (Print): Tasan Signature: Date: Comments: Name (Print): Jazan Signature BUL Date: 2009 Comments: all Name (Print): Eddie Date: Chocos Signature: July 9 Comments: Name (Print): Eddic Chacon Signature: Date: July 1.0 Comments: Name (Print): Signature: Date: July 11 Comments: Name (Print): Tuson Eddre Signature: Date: Tuly 2009 Comments: Name (Print):ゴル 511 Date: Jaky ب المان ا Signature: 2009 Joons Comments: good

CARRAGAS 17B#3

Comments:

Name (Print): Tason Fo	lli Signature From Edli	Date: July 14 200 9
Comments: It's a	U good!	Date. July 7-2001
	والمراقب المراق وموادر والمستحدث فأنتاث والمستحدد والمستحدد والمستحدد والمستحدد والمستحدد والمستحدد	Date: / // /5
Comments:	Signature:	Date: 12/y /3
Name (Print): Eddie!	O/ Signature:	Date: 14/4 //a
Comments:	La genn digitature.	, Date: 10/4 /6
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		
Name (Print):	Signature:	Date:
Comments:		



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit) Well Name: CARRACAS 178#7 Name (Print): DREW BATES Signature: Date: 7-20-2009 Note Any Deficiencies: ON FREE LIQUIDE Name (Print): DREW BATES Date: 7-71-2009 Signature: Note Any Deficiencies: NUNE Name (Print): < Signature: JACOBA Date: 7 Note Any Deficiencies: Name (Print): ALOBO Signature: Note Any Deficiencies: LONE ACOBO Name (Print): Signature: Note Any Deficiencies: Name (Print): XOID Signature: Note Any Deficiencies: 4ノかん Name (Print): 1640 Signature: Note Any Deficiencies: Name (Print): ACOBO Signature NONE Note Any Deficiencies: Name (Print): J10000 Date: Signature: Note Any Deficiencies: Name (Print): > KUL JAOM Signature: Note Any Deficiencies: Name (Print): Signature: Note Any Deficiencies: Name (Print): 4020 Signature: Note Any Deficiencies: no res Name (Print): Signature: ALOPO Note Any Deficiencies: Name (Print): 1000 Signature: NOND Note Any Deficiencies: NODO Name (Print): Signature: Note Any Deficiencies: Name (Print): 10020 Signature: Date: & → NB Note Any Deficiencies:



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name: ARRICAS		AP1:/ /7 /3	#5
Name (Print): SAUL JACOBO	Signature:		Date: 8/12/09
Note Any Deficiencies: NONE		11	
Name (Print): SAUL SEGO	Signature:		Date: 8/13/09
Note Any Deficiencies:			
Name (Print): SAUL Socoso	Signature:		Date: 6/14/09
Note Any Deficiencies:		1/2	8/.
Name (Print):	Signature:	7 /K	Date: 8/17/09
Note Any Deficiencies: SAW CO		//	· .
Name (Print): SAV JACO20	Signature:	7	Date: 4/8/09
Note Any Deficiencies: ハロシンで		[/	
Name (Print): Saul Acors	Signature:		Date: 8/19/09
Note Any Deficiencies: WONE		11/1	
Name (Print): Saul Jacko	Signature:	41	Date: 8/20/09
Note Any Deficiencies: Nowle		(
Name (Print): 5102 SACOBO	Signature:	!	Date: 8 21 09
Note Any Deficiencies: Nbルド			<u> </u>
Name (Print): Talme Pios	Signature: Jain	ne from	Date: 08 24 09
Note Any Deficiencies: Non E			
Name (Print): I came I ras	Signature: Juin	- Affin and	Date: 08/25/09
Note Any Deficiencies:	/		
Name (Print): JAUL JACOD	oSignature:		Date: <u>08 /2//</u> 0억
Note Any Deficiencies: ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:		· · · · · · · · · · · · · · · · · · ·	
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name: Con	racas 1	70#3	API:	
Name (Print): /S;//	Vocke	Signature:	Bu	Date: 8-24-00
Note Any Deficiencies:	None			
Name (Print):	Voeke	Signature: 7	Bell	_ Date: %-3/-09
Note Any Deficiencies:	None			
Name (Print): /3 //	1 Vocke	Signature: 7	The l	_ Date: 9-7-09
Note Any Deficiencies:	none			
Name (Print): /3,' //	Vocke	Signature:	Bill	Date: 9-14-09
Note Any Deficiencies:	None			
Name (Print): 311	Voeke	Signature: 2	Sel	Date: 9-71-09
Note Any Deficiencies:	MONE			
Name (Print): Bill	Voele	Signature: 7	B1-	Date: 9-78-09
Note Any Deficiencies:	NOAR		(
Name (Print): 13.W	Vocke	Signature:	BAL	Date: 10-6-09
Note Any Deficiencies:	None			
Name (Print): /5:U	Voeke	Signature: 7	Br	Date: 10-17-09
Note Any Deficiencies:	none			
Name (Print): S://	Vocke	Signature:	Bu	Date: 10-14-09
Note Any Deficiencies:	None			
Name (Print): /3, W	Vocke	Signature:	Bu _	_ Date: 10-20-09
Note Any Deficiencies:	centrar	191 90N	c all.	s well
Name (Print): /5///	Vocke	Signature:	51	_ Date: 10-28-09
Note Any Deficiencies:	none			
Name (Print): 3,1/	Vocke	Signature: Z	By C	Date: //-4-009
Note Any Deficiencies:	none			
Name (Print): /Si	Vocke	Signature:	Bell	Date: 11-11-09
Note Any Deficiencies:	none			<u>'</u>
Name (Print): /3://	Vocke	Signature: 7	Z.L	Date: 11-17-09
Note Any Deficiencies:	MONE			
Name (Print): SM	Voeke	Signature: 7	TSel_	_ Date: 11- 74-09
Note Any Deficiencies:	Pit 15	being cl	osed	
Name (Print):		Signature:		Date:
Note Any Deficiencies:				
	>> ~			

PO-0E-11 no Lowold Hif **
OI-01-01 licegot Lanit

