District I

1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD Distr	ict Office.
	Pit, Closed-Loop System,	Below-Grade Tank, or	
Prop	<del>-</del> -	ermit or Closure Plan Applica	<u>ttion</u>
Type of action:	Permit of a pit, closed-loop system	m, below-grade tank, or proposed alterna	tive method
المراجع	<u></u>	em, below-grade tank, or proposed altern	
1	Modification to an existing permi		
		an existing permitted or non-permitted pit	, closed-loop system,
	below-grade tank, or proposed all	ternative method	
Instructions: Please submit one a	pplication (Form C-144) per individu	ial pit, closed-loop system, below-grade	tank or alternative request
• •		lity should operations result in pollution of surface wat th any other applicable governmental authority's rules,	• •
1		n any other approaches go terminental actionty 5 to ec,	Togalimons of oraliminous.
Operator: Burlington Resources O	il & Gas Company, LP	OGRID#: 14538	
Address: P.O. Box 4289, Farming	ton, NM 87499		
Facility or well name: SAN JUAN	28-6 UNIT 184N		
API Number: 3	60-039-30807	OCD Permit Number:	
U/L or Qtr/Qtr: K(NE/SW) Section	ion: 7 Township: 28N	Range: 6W County: Rio	
Center of Proposed Design: Latitude			/_ NAD:
Surface Owner: X Federal	State Private Trib	bal Trust or Indian Allotment	
Permanent Emergency X Lined Unlined L X String-Reinforced Liner Seams: X Welded X E	rkover  Cavitation P&A  Liner type: Thickness 20 mil  Factory Other  Stion H of 19.15.17.11 NMAC  Drilling a new well Workover or 1		her
	notice of inter	ıt)	
	und Steel Tanks Haul-off Bins	Other	
	er type: Thicknessmil	LLDPE HDPE PVD Other	er
Liner Seams: Welded F	Factory Other		223242526223
	I of 19.15.17.11 NMAC bbl Type of fluid:  etection Visible sidewalls, liner,  Visible sidewalls only Othe mil HDPE PVC	.6-inch lift and automatic overflow shut-off er	PECEIVED  SOLUTION 68 L95
5	· · · · · · · · · · · · · · · · · · ·		
Alternative Method:			
Submittal of an exception request is re-	quired. Exceptions must be submitted to th	e Santa Fe Environmental Bureau office for co	onsideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify						
7  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)						
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC						
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No					
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No					
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No					
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	Yes No					
Within a 100-year floodplain - FEMA map	Yes No					

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Places indicate by a check work in the box, that the documents are attached.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC

16 Wests Demonst Cleants For Cleand Ions Systems That Hilling Above County Strain	Turks on Hard off Bins Only (10.15.17.12 D.NIMAC)			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities for the disposal of liquids, drilling facilities for the disposal of liquids, drilling facilities for the disposal of liquids.				
facilities are required.	er in the transfer with			
	Disposal Facility Permit #:			
	Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activities  Yes (If yes, please provide the information No	occur on or in areas that will not be used for future s	service and		
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriat	e requirements of Subsection H of 10 15 17 13 NMA	C		
Re-vegetation Plan - based upon the appropriate requirements of Subsect	•			
Site Reclamation Plan - based upon the appropriate requirements of Subs				
17				
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC		•		
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. I certain siting criteria may require administrative approval from the appropriate district office v				
office for consideration of approval. Justifications and/or demonstrations of equivalency are re		me gama i e i jiriri omnemar bureau		
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtain	ned from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells	∏ <sub>N/A</sub>		
Ground water is more than 100 feet below the bottom of the buried waste.		☐ ☐Yes ☐No		
NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells	□ N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	nt watercourse or lakebed, sinkhole, or playa lake	YesNo		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in exi  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	stence at the time of initial application.	YesNo		
Tistal inspection (confidence) of the proposed site, 7 terial prote, satellite image		□Yes □No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existen	ce at the time of the initial application.			
<ul> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certifica</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well</li> </ul>	, , ,			
pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtain	·	YesNo		
Within 500 feet of a wetland		∏Yes ∏No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspec	tion (certification) of the proposed site			
Within the area overlying a subsurface mine.		Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mir	neral Division			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mine	aral Pasaurass: LISGS: NIM Goalawigal Society:	∐Yes ∐No		
Topographic map	rial Resources, 0305, NW Ocological Society,			
Within a 100-year floodplain. - FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	f the following items must bee attached to the close	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirement	s of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the	appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a dryin	g pad) - based upon the appropriate requirements of	19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19				
Confirmation Sampling Plan (if applicable) - based upon the appropriate	•			
Waste Material Sampling Plan - based upon the appropriate requirements				
Disposal Facility Name and Permit Number (for líquids, drilling fluids ar		annot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection Plan - based upon th				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20 OCD Approval: Permit Application (including closuse plan) Closure Plan-(only) OCD Conditions (see attachment) OCD Representative Signature:
OCD Representative Signature:  Approval Date: 7/26/11
Title: Ompliance Officer OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [X] Closure Completion Date:  July 30, 2010
22 Closure Method:  Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name:  Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.6722 °N Longitude: 107.511122 °W NAD 1927 X 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin Title: Regulatory Tech.
Signature: Date: 18511
e-mail address:/

## Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-6 UNIT 184N

API No.: 30-039-30807

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	17.8 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	608 ug/kG
TPH	EPA SW-846 418.1	2500	94.8mg/kg
GRO/DRO	EPA SW-846 8015M	500	30.4 mg/Kg
Chlorides	EPA 300.1	(100)0/500	290 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 28-6 UNIT 184N, UL-K, Sec. 7, T 28N, R 6W, API # 30-039-30807

### Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

Thursday, September 03, 2009 10:37 AM

To:

'mark\_kelly@nm.blm.gov'

Subject:

SURFACE OWNER NOTIFICATION 09/03/09

Importance:

High '

The subject well will have a temporary pit that will be closed on site. Pleas let me know if you have any questions. Thanks

San Juan 28-6 Unit 184N San Juan 28-7 Unit 111N Rincon Unit Com 203N

If you no longer need to receive this notification, please let me know and I will remove you from my distribution list. Also, please forward this notification to anyone that I may have missed.

Thank you.

Marie Jaramillo
Staff Regulatory Tech.
ConocoPhillips
Office # (505) 326-9865
Fax # (505) 599-4062
mailto:marie.e.jaramillo@conocophillips.com

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 86240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

### WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number <sup>8</sup> Pool Code		Pool Name  DAKOTA/MESAVERDE		
<sup>4</sup> Property Code	<sup>6</sup> Pro <sub>l</sub>	* Well Number		
	SAN JUAN 2	184N		
OGRID No.	<sup>5</sup> Oper	<sup>9</sup> Elevation		
	BURLINGTON RESOURCES	S OIL & GAS COMPANY LP	6827'	


<sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
к	7	28-N	6-W	,	1025'	NORTH	1330'	WEST	RIO ARRIBA
			11 Rott	om Hole	Location I	f Different Fr	m Surface		

Location if Different from Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	7	28-N	6-W		710	NORTH	710	WEST	RIO ARRIBA
19 Dedicated Acre	18		13 Joint or	Infill	14 Consolidation C	ode	15 Order No.		
MV 260.40	ACRES S	5/2	}						
DK 326.18	ACRES						.4		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



# Burlington resources oil & gas company LP

SECTION 7, T-28-N, R-6-W, NMPM, RIO ARRIBA COUNTY, NM GROUND ELEVATION: 6827', DATE: DECEMBER 30, 2008 SAN JUAN 28-6 UNIT #184N, 1025' FNL & 1330' FWI




## NOTES.

ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION. VECTOR SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CONTRACTOR SHOULD CALL

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).

ri





### **EPA METHOD 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	07-01-10
Laboratory Number:	54891	Date Sampled:	06-25-10
Chain of Custody No:	9316	Date Received:	06-25-10
Sample Matrix:	Soil	Date Extracted:	06-29-10
Preservative:	Cool	Date Analyzed:	06-30-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	26.6	0.2
Diesel Range (C10 - C28)	3.8	0.1
Total Petroleum Hydrocarbons	30.4	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-6 Unit 184N

Analyst



### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	07-01-10
Laboratory Number:	54892	Date Sampled:	06-25-10
Chain of Custody No:	9316	Date Received:	06-25-10
Sample Matrix:	Soil	Date Extracted:	06-29-10
Preservative:	Cool	Date Analyzed:	06-30-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 28-6 Unit 184N

Analyst

5796 US Highway 64, Farmington, NM 87401

Review



### **EPA Method 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

### **Quality Assurance Report**

Client: Sample ID: Laboratory Number: Sample Matrix: Preservative: Condition:	QA/QC 06-30-10 QA/0 54891 Methylene Chlor N/A N/A		Project #: Date Reported: Date Sampled: Date Received: Date Analyzed: Analysis Reque		N/A 07-01-10 N/A N/A 06-30-10 TPH
Gasoline Range C5 - C10 Diesel Range C10 - C28	I-Cal Date 05-07-07 05-07-07	I-Cal RF: 9.9960E+002 9.9960E+002	C-Cal RF: 1.0000E+003 1.0000E+003	% Difference 0.04% 0.04%	Accept. Range 0 - 15% 0 - 15%
Blank Conc. (mg/L - mg/Kg) Gasoline Range C5 - C10 Diesel Range C10 - C28 Total Petroleum Hydrocarbons		Concentration ND ND ND		Detection Limit 0.2 0.1 0.2	
Duplicate Conc. (mg/Kg) Gasoline Range C5 - C10 Diesel Range C10 - C28	Sample 26.8 3.8	Duplicate 27.3 4.3	% Difference 1.9% 13.2%	Accept. Range 0 - 30% 0 - 30%	
Spike Conc. (mg/Kg) Gasoline Range C5 - C10 Diesel Range C10 - C28	Sample 26.8 3.8	Spike Added 250 250	Spike Result 278 258	% Recovery 100% 102%	Accept. Range 75 - 125% 75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 54891-54895; 54898-54900; 54916; 54828-54829

Analyst

Review Vaguera



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	07-02-10
Laboratory Number:	54891	Date Sampled:	06-25-10
Chain of Custody:	9316	Date Received:	06-25-10
Sample Matrix:	Soil	Date Analyzed:	06-30-10
Preservative:	Cool	Date Extracted:	06-29-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene 🔿	17.8	0.9
Toluene	78.3	1.0
Ethylbenzene	36.4	1.0
p,m-Xylene	363	1.2
o-Xylene	112	0.9
Total BTEX	608	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-6 Unit 184N

Analyst

Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	07-01-10
Laboratory Number:	54892	Date Sampled:	06-25-10
Chain of Custody:	9316	Date Received:	06-25-10
Sample Matrix:	Soil	Date Analyzed:	06-30-10
Preservative:	Cool	Date Extracted:	06-29-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	4.4	0.9
Toluene	12.8	1.0
Ethylbenzene	11.4	1.0
p,m-Xylene	31.1	1.2
o-Xylene	18.3	0.9
Total BTEX	78.0	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	100 %	
	1,4-difluorobenzene	100 %	
	Bromochlorobenzene	100 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 28-6 Unit 184N

Analyst

Review



### **EPA METHOD 8021** AROMATIC VOLATILE ORGANICS

and an annual section of the section					
Client:	N/A		Project #:		N/A
Sample ID:	0630BBLK QA/QC		Date Reported:		07-02-10
Laboratory Number:	54891		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		06-30-10
Condition:	N/A		Analysis:		BTEX
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)		Accept. Ran	ge 0 - 15%	Conc	Limit
Benzene	1.2656E+006	1.2682E+006	0.2%	ND	0.1
Toluene	1.1600E+006	1.1623E+006	0.2%	ND	0.1
Ethylbenzene	1.0418E+006	1.0439E+006	0.2%	ND	0.1
p,m-Xylene	2.5785E+006	2.5837E+006	0.2%	ND	0.1
o-Xylene	9.5318E+005	9.5509E+005	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)  Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	17.8 78.3 36.4 363 112	Duplicate 17.2 65.0 33.0 371 104	3.4% 17.0% 9.3% 2.2% 7.1%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	Detect. Limit  0.9 1.0 1.0 1.0 0.9
Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	17.8	50.0	52.6	77.7%	39 - 150
Toluene	78.3	50.0	57.2	44.6%	46 - 148
Ethylbenzene	36.4	50.0	51.8	60.0%	32 - 160
p,m-Xylene	363	100	135	99.4%	46 - 148
o-Xylene	112	50.0	60.3	98.6%	
O-Ayrene	112	50.0	6.00	90.0%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA.

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 54891-54895; 54898-54900

Analyst



### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	07-02-10
Laboratory Number:	54891	Date Sampled:	06-25-10
Chain of Custody No:	9316	Date Received:	06-25-10
Sample Matrix:	Soil	Date Extracted:	06-30-10
Preservative:	Cool	Date Analyzed:	06-30-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

94.8

9.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-6 Unit 184N

Analyst

Review Laguere



### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	07-02-10
Laboratory Number:	54892	Date Sampled:	06-25-10
Chain of Custody No:	9316	Date Received:	06-25-10
Sample Matrix:	Soil	Date Extracted:	06-30-10
Preservative:	Cool	Date Analyzed:	06-30-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons 22.0 9.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-6 Unit 184N

Analyst

Review



### **EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT**

Client: Sample ID:

Laboratory Number: Sample Matrix:

Preservative: Condition:

QA/QC QA/QC

06-30-TPH.QA/QC 54931 Freon-113

N/A N/A

Project #:

Date Reported: Date Sampled:

Date Analyzed: Date Extracted: Analysis Needed: 06-30-10 06-30-10 TPH

N/A

N/A

07-01-10

Calibration

I-Cal Date 06-30-10 C-Cal Date 06-30-10 I-Cal RF: 1,716 C-Cal RF: 1,770

% Difference 3.1%

Accept. Range +/- 10%

Blank Conc. (mg/Kg)

**TPH** 

Concentration

ND

**Detection Limit** 

9.6

Duplicate Conc. (mg/Kg)

**TPH** 

Sample 12.4

Duplicate 11.0

11.3%

% Difference Accept. Range +/- 30%

Spike Conc. (mg/Kg)

**TPH** 

Sample 12.4

Spike Added 2,000

Spike Result 1,920

% Recovery 95.4%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 54928-54931, 54945; 54891-54895

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### Chloride

Parameter		Concentration (mg/Kg)	
Condition:	Intact	Chain of Custody:	9316
Preservative:	Cool	Date Analyzed:	06-30-10
Sample Matrix:	Soil	Date Received:	06-25-10
Lab ID#:	5 <b>4</b> 891	Date Sampled:	06-25-10
Sample ID:	Reserve Pit	Date Reported:	07-01-10
Client:	ConocoPhillips	Project #:	96052-1706

**Total Chloride** 

290

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-6 Unit 184N



### Chloride

Project #: ConocoPhillips 96052-1706 Client: 07-01-10 Sample ID: Back Ground Date Reported: 06-25-10 54892 Date Sampled: Lab ID#: Soil Date Received: 06-25-10 Sample Matrix: Preservative: Cool Date Analyzed: 06-30-10 Chain of Custody: 9316 Intact Condition:

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

10

Reference:

spaning is the con-

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 28-6 Unit 184N

ernatur.		a same menter in	عاربة <del>المهيو في</del> عبد طب									
Submit To Appropri	riate District Off	ñce		State of N	lew M	1exico					]	Form C-105
District I 1625 N. French Dr.	Hobbs NM 88	3240	Energy,	Minerals a	nd Na	tural Re	esources	1. WELL	A DI NI	0		July 17, 2008
District II 1301 W. Grand Av				:1 C	_4:	D::.:		30-039-308		O.		
District III 1000 Rio Brazos R	,			il Conserva 20 South				2. Type of L			57 cm /n	IDIAN
District IV 1220 S. St. Francis			12	Santa Fe,			<i>)</i> 1.	3. State Oil 8		FEE ease No.	⊠ FED/II	IDIAN
								SF-080430	)			
WELL (		TION OR	RECOMPI	ETION R	EPOF	RT AND	D LOG	5. Lease Nan				
	Ü							SAN JUAI				
☐ COMPLET	ION REPOR	T (Fill in boxe	es #1 through #3	for State and F	ee wells	s only)		6. Well Num	ber:			
C-144 CLOS #33; attach this a	SURE ATTA	CHMENT (F	Fill in boxes #1 th	rough #9, #15 I	Date Rig	g Released	and #32 and/	or   184N				
7. Type of Com	oletion:							OIR OTHER				
8. Name of Oper	ator WELL W	ORKOVER	☐ DEEPENING	LIPLUGBAG	CK 🔲	DIFFERE	NI KESEKV	9. OGRID				
Burlington R		Dil Gas Co	mpany, LP				· · · · · · · · · · · · · · · · · · ·	14538	Wil	1 4		
10. Address of O PO Box 4298, Fa	perator irmington, NN	1 87499						11. Poor name	e or who	ıcaı		
12.Location	Unit Ltr	Section	Township	Range	Lot		Feet from th	ne N/S Line	Feet f	rom the	E/W Line	County
Surface: BH:							ļ		1			
13. Date Spudde	d   14 Date 1	ſ.D. Reached	15. Date R	g Released		16	Date Comple	eted (Ready to Pro-	duce)		Elevations	DF and RKB,
-			3/17/2010							RT	Γ, GR, etc.)	
18. Total Measur	ed Depth of W	Vell	19. Plug Ba	ick Measured D	epth	20	. Was Directi	onal Survey Made	?	21. Туре	e Electric and	Other Logs Run
22. Producing In	terval(s), of th	is completion	- Top, Bottom, N	lame			<del></del>					
				~==	~~~				•••			
23. CASING SI	75	WEIGHT LB		DEPTH SET	CORI		ort all str	ings set in w		OPD	AMOLII	NT PULLED
CASING SI	<u>ZC</u>	WEIGITI EB	),/1·1.	DECTION		110	JUL SIZE	CEMENTIN	NO KEC	OND	AWOO	VI I OLLED
24.	Lmos	I s		ER RECORI		Lagnan				G RECO		
SIZE	TOP	B	ОТТОМ	SACKS CE	MENT	SCREE	N	SIZE	DEF	TH SET	PAG	CKER SET
	<del> </del>											
26. Perforation	record (interv	val, size, and n	iumber)					FRACTURE, CI				
						DEPTH	INTERVAL	AMOUNT A	AND KI	ND MAT	TERIAL USE	. <u>D</u>
•												
28. Date First Produc	-45	Dead	iction Method (F	I 1: G		<u>ODUC</u>		W H Co	(D. 1	CII .		
Date First Produc	cuon	Plodu	iction iviethou (r	iowing, gas iiji,	pumpin	g - Size ar	іа туре ритр)	Well Statu	s (Proa.	or Shut-i	in)	
Date of Test	Hours Tes	sted C	Choke Size	Prod'n For		Oil - Bb	.1	Gas - MCF	Wat	er - Bbl.	Gas	- Oil Ratio
Succor rest	l rouis res			Test Period			.	Cas Wici		ci boi.	043	On Rutio
Flow Tubing	Casing Pr	essure C	Calculated 24-	Oil - Bbl.		Gas	- MCF	Water - Bbl.	<u> </u>	Oil Grav	vity - API - (0	Corr.)
Press.			lour Rate								,	,
29. Disposition of	of Gas (Sold, u	sed for fuel, ve	ented, etc.)	<b></b>					30. Te	st Witnes	ssed By	
31. List Attachm	ents			·					L			
32. If a temporar	y pit was used	at the well, at	tach a plat with t	he location of the	he tempo	orary pit.						
33. If an on-site	burial was use	d at the well, r	eport the exact lo	ocation of the or	n-site bu	rial:						
Thoroby corti	for that the i	Latitude 36.	.672200°N L	ongitude 107.5	is form	V NAD[	1927 \( \) 19	83 ete to the best o	of 122 . I.	noulai	lan and ha	liaf
	ny inai irie l	ngormanon C s.k.c	Pr	inted	is JOFII	i is itue	ана сотри	ae io ine dest (				iej
Signature	umü	, (300C)	NWW Na	me Jamie C	Goodwi	in Tit	le: Regula	tory Tech.	Date:	1/21/20	011	
E-mail Addre	ss Jamie L	Goodwin@	nconocophilli	ps.com								

## ConocoPhillips

Pit Closure Form:
Date: 7/30/10
Well Name: 53 28-6 184 N
Footages: 1025 FNL 1330 FWL Unit Letter: K
Section: 7, T- 28N, R- 6-W, County: 12 A State: MM
Contractor Closing Pit: R:++er
Construction Inspector: Norman Faver Date: 7/30/10
Inspector Signature: Twoman Jan

Revised 4/30/10

### Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Tuesday, July 27, 2010 6:49 AM

To:

(Brandon.Powell@state.nm.us); 'brook@crossfire-llc.com'; GRP:SJBU Regulatory; 'Isaiah Lee'; 'tevans48@msn.com'; (bko@digii.net); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.);

Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R

Cc:

'JDRITT@aol.com'

Subject:

Reclamation Notice: San Juan 28-6 Unit 184N

Importance:

High

Attachments:

San Juan 28-6 Unit 184N.pdf

JD Ritter will move a tractor to the **San Juan 28-6 Unit 184N** on Thursday, July 29, 2010 to start the reclamation process. Please contact Norm Faver (320-0670) if you have questions or need further assistance.



San Juan 28-6 Unit 184N.pdf (3...

Burlington Resources Well- Network #: 10260234 - Activity Code D250 (reclamation) & D260 (pit closure)

Rio Arriba County, NM

### SAN JUAN 28-6 UNIT 184N- BLM surface / BLM minerals

Twin: San Juan 28-6 Unit 408

1025' FNL, 1330' FWL

SEC.7, T28N, R06W

Unit Letter 'K'

Lease #: USA SF-080430

Latitude: 36° 40′ 19″ N (NAD 83)

Longitude: 107° 30' 40" W (NAD83)

Total Acres Disturbed: 3.03 acres

Access Road: n/a


API #: 30-039-30807


Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com


## ConocoPhillips

Reclamation Form:		
Date: 9/16/10	<del>.</del>	
Well Name: <u>53 28</u>	3-6 184N	ξ
Footages: 1025 F/	VL, 1330 FWL Unit Letter:	<u> </u>
Section: <u>7</u> , T- <u>28</u> -N	I, R- <u>ሬ</u> -W, County: <u> </u>	NM
Reclamation Contractor: _	Ritter	
Reclamation Date:	8/18/2010	(
Road Completion Date:	8/18/2010 -	
Seeding Date:	9/24/2010	· · · · · · · · · · · · · · · · · · ·
**PIT MARKER STATUS (V	Vhen Required):	
MARKER PLACED :	8/18/10	_(DATE)
LATATUDE:		
LONGITUDE:		
¥		
construction Inspector:	N Faver Date: 9	16/10
nspector Signature:	N Faver Date: 9	
. д		
5	<b>S</b>	









# WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 28-6 UNIT 184N

API#: 30-039-30807

DATE	INSPECTOR	LOCATION	ENVIROMENTAL	PICTURES TAKEN	COMMENTS
4/12/2010	Elmer Perry	×	×		Loacation needs gladed, no WH barricade
1/26/2010	Elmer Perry	×	×		Road and location rutted, fence loose, no WH barricade
04/21/2010	Elmer Perry	×	×		Road and location need bladded
05/03/2010	Elmer Perry	×	×		Road and location need bladded
03/03/2010	Elmer Perry	×	×		Road in bad shape, not drilled
02/16/2010	Jared Chavez	×	×		Pit and location in good condition
3/23/2010	Jared Chavez	×	×		Pit and location in good condition
6/25/2010	Elmer Perry	×	×		No diversion ditch
07/07/2010	Jon Berenz	×	×	:	No diversion ditch
07/13/2010	Jon Berenz	×	×		No diversion ditch
07/20/2010	Jon Berenz	×	×		No diversion ditch
07/20/2010	Jon Berenz	×	×		No diversion ditch
7/27/2010	Jon Berenz	×	×		No diversion ditch
8/03/2010	Jon Berenz				Pit Closed

# WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 28-6 UNIT 184N

API#: 30-039-30807

DATE	INSPECTOR	LOCATION	ENVIROMENTAL	PICTURES TAKEN	COMMENTS
05/14/2010	Elmer Perry	×	×		Road and location needs bladed, fence loose, oil pit diversion plugged
05/26/2010	Elmer Perry	×	×		Road need bladed, fence loose , some trash iin pit
06/01/2010	Elmer Perry	×	×		no diversion ditch
06/09/2010	Elmer Perry	×	×		Fence needs repaired, no diversion ditch
0/25/2010	Elmer Perry	×	×		No diversion ditch
07/07/2010	Hib Berenz	×	×		No Diversion Ditch
07/13/2010	Jon Berenz	×	×		No Diversion Ditch
07/20/2010	jon Berenz	×	×		No Diversion Ditch
07/20/2010	Jon Berenz	×	×		No diversion Ditch
08/03/2010	Jon Berenz	×	×		6/01/2010