

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

RECEIVED

16 2010

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other		5. Lease Serial No. NMNM019414
2. Name of Operator XTO ENERGY INC.		6. If Indian, Allottee or Tribe Name
3a. Address 382 CR 3100 AZTEC, NM 87410	3b. Phone No. (include area code) 505-333-3176	7. If Unit or CA/Agreement, Name and/or No. NMNM-99310
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SHL: 804' FSL & 649' FEL SEC.9(P)-T32N-R12W N.M.P.M. BHL: 1444' FSL & 2089' FEL SEC.9(J)-T32N-T12W		8. Well Name and No. STANOLIND GAS COM B #5H
		9. API Well No. 30-045-32879
		10. Field and Pool, or Exploratory Area BASIN FRUITLAND COAL
		11. County or Parish, State SAN JUAN NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☒ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	RC BASIN FC
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletable horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletable in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

XTO Energy Inc. has re-completed this well per the attached morning report.

RCVD FEB 10 '11

OIL CONS. DIV.
DIST. 3



14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) TEENA M. WHITING	Title REGULATORY COMPLIANCE TECHNICIAN
Signature Teena M. Whiting	Date 8/4/2010

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Wellname: Stanolind Gas Com B 05H

Objective: Horizontal/Lateral

Daily Operations Data From: 5/7/2010 7:00:00AM to 5/7/2010 6:00:00PM

Operation Summary: MIRU PU. TOH w/rods & rotor. TOH w/tbg & stator. TIH w/RBP. Set RBP @ 1,880'.

Daily Operations Data From: 5/10/2010 10:00:00AM to 5/10/2010 6:00:00PM

Operation Summary: RIH w/GR/CCL/CBL. Logged fr/1,850' to surf. Rls RBP @ 1,880'. TOH w/RBP. RIH w/ WL set RBP & set @ 1,840'. RDMO PU.

Daily Operations Data From: 5/25/2010 6:00:00AM to 5/26/2010 6:00:00AM

Operation Summary: Mobilize AWS rig # 507.

Daily Operations Data From: 5/26/2010 6:00:00AM to 5/27/2010 6:00:00AM

Operation Summary:

Daily Operations Data From: 5/27/2010 6:00:00AM to 5/28/2010 6:00:00AM

Operation Summary: Trip in hole w/ KOT whipstock. Orient whip @ 297.3 Az. Mill window in 5-1/2" csg fr/1,822' t/1,828'. TD mill section @ 1,832' (100% formation). TOH w/mill. TIH & orient tool face w/Basin Well Logging (Gyro).

Daily Operations Data From: 5/31/2010 6:00:00AM to 6/1/2010 6:00:00AM

Operation Summary: Slide & rotary drill t/3,510'. TOH w/bit.

Daily Operations Data From: 6/1/2010 6:00:00AM to 6/2/2010 6:00:00AM

Operation Summary: Rotary drill fr/3,510' - 3,555'. Run 23 jts of 3-1/2" 9.2 ppf UFJ pre-perf liner. Set top of 3-1/2" liner @ 1,837' inside 4-3/4" lateral section. 9' of open hole from TOL to btm of window. Set BP @ 1,000'. Rel BP. Release rig ✓

Daily Operations Data From: 6/9/2010 12:00:00PM to 6/9/2010 4:30:00PM

Operation Summary: MIRU PU Att to PT w/no results. TIH 5-1/2" RBP. Set RBP @ 798'. Ld & PT csg to 1,000 psig. Tstd OK. ✓

Daily Operations Data From: 6/10/2010 7:00:00AM to 6/10/2010 4:30:00PM

Operation Summary: Tgd RBP @ 798'. Rls RBP. TOH w/RBP. Tgd RBP @ 1,109'. Rls RBP. TOH w/RBP. TIH w/CT. CO lnr fr/1,846' - 2,802'.

Daily Operations Data From: 6/11/2010 7:00:00AM to 6/11/2010 4:30:00PM

Operation Summary: Circ hole cln. TOH w/CT.

Daily Operations Data From: 6/14/2010 7:00:00AM to 6/14/2010 5:00:00PM

Operation Summary:


Daily Operations Data From: 6/15/2010 7:00:00AM to 6/15/2010 5:00:00PM

Operation Summary: TIH w/tbg. Rls whipstock. TOH w/whipstock. TIH w/tbg. Rls RBP @ 1,840'. TOH w/RBP.

Daily Operations Data From: 6/16/2010 7:00:00AM to 6/16/2010 5:00:00PM

Operation Summary: SICP 200 psig. Bd csg. TIH 2-7/8" x 30' EOMA w/3/8" weephole & stop pin, SN & 686 jts 2-7/8" 6.5#, J-55, 8rd, EUE tbg. SN @ 2,179' w/EOT @ 2,209'. TIH pmp & rods. ✓

Standolind Cas Com B #5 H ✓



DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Ave., Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

"As Drilled"

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-32879	² Pool Code 71629	³ Pool Name Basin Fruitland Coal
⁴ Property Code 22637	⁵ Property Name STANOLIND GAS COM B	⁶ Well Number 5H
⁷ GRID No. 5380	⁸ Operator Name XTO ENERGY INC.	⁹ Elevation 6046'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	9	32-N	12-W		804	SOUTH	649	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	9	32-N	12-W		1444	SOUTH	2089	EAST	SAN JUAN

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16 AS-DRILLED B.H.L. B.H.L. FOOTAGES ARE AS-DRILLED AND PROVIDED BY XTO ENERGY INC. CLIENT	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Teena M. Whiting</i> 6-18-10 Signature Date <i>Teena M. Whiting</i> Printed Name
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JUNE 4, 2010 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor 06-18-10 Certificate Number	19 AS-DRILLED BOTTOM HOLE: LAT: 36.99718° N. (NAD 83) LONG: 108.09931° W. (NAD 83) LAT: 36°59'49.84" N. (NAD 27) LONG: 108°05'57.53" W. (NAD 27) LOT 8 LOT 7 LOT 9 SURFACE: LAT: 36.99524° N. (NAD 83) LONG: 108.09438° W. (NAD 83) LAT: 36°59'42.88" N. (NAD 27) LONG: 108°05'39.78" W. (NAD 27) LOT 10 LOT 11 LOT 6 LOT 5 B.H.L. 2089' 649' 804' N 63°54'07" W 1603.05' N 87°24'12" W 2545.00' FD. 3 1/4" BC. 1952 B.L.M.



Stanolind Gas Com B#5H
San Juan Co., NM

KB Elev: 6052
GL Elev: 6046

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	1814.90	2.00	296.03	1814.90	0.00	0.00	0.00	0.00	0.00	
3	1829.90	2.00	296.03	1829.90	0.11	-0.24	13.33	296.03	0.26	
4	1834.90	2.00	296.03	1834.89	0.19	-0.39	0.00	0.00	0.44	
5	2171.84	103.08	296.03	2014.26	-210.74	30.00	0.00	0.00	234.54	
6	3875.59	103.08	296.03	1628.60	831.33	-1701.87	0.00	0.00	1894.06	

WELL DETAILS

Name+N/S: +E/W: Northing: Easting: Latitude: Longitude: Shot:
#4H: 0.00 0.00 2181655.56 423931.75 36°59'43.010N 108°05'37.720W N/A

SAN JUAN CO., NM (NAD 27)
Geoidetic System: US State Plane Coordinate System 1927
Ellipsoid: NAD27 (Clarke 1866)
Zone: New Mexico, Western Zone
Magnetic Model: IGRF2010
System Datum: Mean Sea Level
Local North: True North

FIELD DETAILS

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/2010

Created By: Russell W Joyner

Survey: WH SY (45H/1)

Date: 6/7/



Weatherford International Ltd.

Survey Report - Geographic

**Weatherford**

Company: XTO	Date: 6/2/2010	Time: 06:49:11	Page: 1
Field: SAN JUAN CO., NM (NAD 27)	Co-ordinate(NE) Reference: Well: #5H, True North		
Site: Stanolind Gas Com B #5H	Vertical (TVD) Reference: SITE 6052.0		
Well: #5H	Section (VS) Reference: Well (0.00N,0.00E,296.03Azi)		
Wellpath: 1	Survey Calculation Method: Minimum Curvature	Db: Sybase	

Field: SAN JUAN CO., NM (NAD 27)**Map System:** US State Plane Coordinate System 1927
Geo Datum: NAD27 (Clarke 1866)
Sys Datum: Mean Sea Level**Map Zone:** New Mexico, Western Zone
Coordinate System: Well Centre
Geomagnetic Model: IGRF2010**Site:** Stanolind Gas Com B #5H

820' FSL 665' FEL of Sec 9, T32N, R12W

Site Position:	Northing: 2181655.56 ft	Latitude: 36 59 43.010 N
From: Geographic	Easting: 423931.75 ft	Longitude: 108 5 37.720 W
Position Uncertainty: 0.00 ft		North Reference: True
Ground Level: 6046.00 ft		Grid Convergence: -0.16 deg

Well: #5H**Slot Name:**

Well Position: +N/-S 0.00 ft	Northing: 2181655.56 ft	Latitude: 36 59 43.010 N
+E/-W 0.00 ft	Easting: 423931.75 ft	Longitude: 108 5 37.720 W
Position Uncertainty: 0.00 ft		

Wellpath: 1

Current Datum: SITE	Height 6052.00 ft	Drilled From: Surface
Magnetic Data: 5/28/2010		Tie-on Depth: 0.00 ft
Field Strength: 50989 nT		Above System Datum: Mean Sea Level
Vertical Section: Depth From (TVD)		Declination: 10.20 deg
ft	+N/-S ft	Mag Dip Angle: 63.64 deg
0.00	0.00	+E/-W ft
		Direction deg
		296.03

Survey: Wft Svy**Start Date:** 5/28/2010**Company:** Weatherford International Ltd.
Tool: MWD;MWD - Standard**Engineer:** Russell W Joyner
Tied-to: User Defined**Survey:** Wft Svy

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	<--- Latitude ---> Deg Min Sec			<--- Longitude ---> Deg Min Sec		
1750.00	1.37	313.35	1749.86	10.54	-14.44	2181666.14	423917.33	36	59	43.114 N	108	5	37.898 W
1815.00	1.46	307.58	1814.84	11.58	-15.66	2181667.18	423916.12	36	59	43.124 N	108	5	37.913 W
1866.00	15.82	296.93	1865.13	15.14	-22.41	2181670.76	423909.38	36	59	43.160 N	108	5	37.996 W
1897.00	25.26	303.01	1894.13	20.67	-31.75	2181676.32	423900.06	36	59	43.214 N	108	5	38.111 W
1928.00	34.62	306.36	1920.97	29.52	-44.41	2181685.20	423887.41	36	59	43.302 N	108	5	38.267 W
1959.00	43.00	303.59	1945.10	40.61	-60.34	2181696.33	423871.52	36	59	43.412 N	108	5	38.464 W
1991.00	52.12	300.43	1966.68	53.07	-80.36	2181708.84	423851.53	36	59	43.535 N	108	5	38.711 W
2022.00	61.06	296.85	1983.73	65.42	-103.07	2181721.26	423828.86	36	59	43.657 N	108	5	38.991 W
2054.00	69.88	293.10	1997.01	77.66	-129.44	2181733.58	423802.52	36	59	43.778 N	108	5	39.316 W
2085.00	78.61	290.32	2005.42	88.67	-157.13	2181744.66	423774.86	36	59	43.887 N	108	5	39.657 W
2114.00	87.06	289.35	2009.03	98.43	-184.17	2181754.49	423747.84	36	59	43.983 N	108	5	39.990 W
2145.00	92.38	289.62	2009.18	108.76	-213.39	2181764.90	423718.66	36	59	44.085 N	108	5	40.351 W
2177.00	97.98	291.79	2006.30	120.02	-243.19	2181776.25	423688.89	36	59	44.197 N	108	5	40.718 W
2240.00	103.75	294.72	1994.42	144.42	-300.01	2181800.80	423632.14	36	59	44.438 N	108	5	41.418 W
2271.00	107.06	297.97	1986.19	157.68	-326.78	2181814.13	423605.40	36	59	44.569 N	108	5	41.748 W
2303.00	108.06	299.60	1976.53	172.37	-353.52	2181828.89	423578.70	36	59	44.714 N	108	5	42.078 W
2334.00	104.75	298.47	1967.78	186.79	-379.52	2181843.39	423552.74	36	59	44.857 N	108	5	42.398 W
2366.00	103.38	296.72	1960.00	201.17	-407.03	2181857.84	423525.27	36	59	44.999 N	108	5	42.738 W
2397.00	103.50	297.10	1952.80	214.82	-433.91	2181871.56	423498.42	36	59	45.134 N	108	5	43.069 W
2429.00	103.66	297.52	1945.28	229.09	-461.55	2181885.91	423470.82	36	59	45.275 N	108	5	43.410 W
2460.00	101.81	297.60	1938.45	243.08	-488.36	2181899.97	423444.06	36	59	45.414 N	108	5	43.740 W
2492.00	101.81	297.22	1931.90	257.50	-516.16	2181914.47	423416.29	36	59	45.556 N	108	5	44.083 W
2523.00	101.88	297.22	1925.54	271.37	-543.14	2181928.42	423389.35	36	59	45.693 N	108	5	44.416 W



Weatherford International Ltd.

Survey Report - Geographic

**Weatherford**

Company: XTO
Field: SAN JUAN CO., NM (NAD 27)
Site: Stanolind Gas Com B #5H
Well: #5H
Wellpath: 1

Date: 6/2/2010 Time: 06:49:11 Page: 2
Co-ordinate(NE) Reference: Well: #5H, True North
Vertical (TVD) Reference: SITE 6052.0
Section (VS) Reference: Well (0.00N,0.00E,296.03Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: Wft Svy

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	<--- Latitude ---> Deg Min Sec			<--- Longitude ---> Deg Min Sec		
2555.00	100.16	296.52	1919.42	285.57	-571.16	2181942.69	423361.37	36	59	45.834 N	108	5	44.761 W
2586.00	100.25	296.35	1913.93	299.15	-598.48	2181956.35	423334.09	36	59	45.968 N	108	5	45.098 W
2618.00	100.44	296.10	1908.18	313.06	-626.72	2181970.33	423305.88	36	59	46.106 N	108	5	45.446 W
2649.00	101.00	296.47	1902.41	326.55	-654.03	2181983.90	423278.61	36	59	46.239 N	108	5	45.782 W
2681.00	100.52	295.54	1896.44	340.33	-682.28	2181997.76	423250.40	36	59	46.375 N	108	5	46.131 W
2712.00	98.00	295.60	1891.45	353.54	-709.88	2182011.04	423222.84	36	59	46.506 N	108	5	46.471 W
2742.00	97.94	295.60	1887.29	366.38	-736.67	2182023.95	423196.08	36	59	46.633 N	108	5	46.801 W
2774.00	97.31	295.47	1883.05	380.05	-765.29	2182037.70	423167.50	36	59	46.768 N	108	5	47.154 W
2806.00	99.92	297.02	1878.25	394.04	-793.67	2182051.76	423139.16	36	59	46.906 N	108	5	47.504 W
2837.00	103.38	298.97	1871.99	408.28	-820.47	2182066.08	423112.39	36	59	47.047 N	108	5	47.834 W
2867.00	103.88	299.22	1864.92	422.46	-845.95	2182080.33	423086.96	36	59	47.187 N	108	5	48.148 W
2897.00	105.56	298.97	1857.30	436.57	-871.30	2182094.51	423061.64	36	59	47.327 N	108	5	48.461 W
2927.00	106.87	298.71	1848.92	450.46	-896.53	2182108.47	423036.45	36	59	47.464 N	108	5	48.772 W
2958.00	106.38	298.22	1840.06	464.62	-922.65	2182122.70	423010.37	36	59	47.604 N	108	5	49.094 W
2990.00	105.06	297.85	1831.39	479.10	-949.84	2182137.25	422983.22	36	59	47.747 N	108	5	49.429 W
3024.00	104.50	297.97	1822.71	494.49	-978.89	2182152.72	422954.22	36	59	47.900 N	108	5	49.787 W
3055.00	104.81	298.26	1814.87	508.62	-1005.34	2182166.92	422927.80	36	59	48.039 N	108	5	50.113 W
3087.00	106.31	297.85	1806.28	523.12	-1032.54	2182181.50	422900.64	36	59	48.183 N	108	5	50.449 W
3118.00	106.31	297.47	1797.58	536.93	-1058.90	2182195.38	422874.32	36	59	48.319 N	108	5	50.774 W
3149.00	106.56	296.47	1788.81	550.41	-1085.40	2182208.94	422847.86	36	59	48.453 N	108	5	51.100 W
3181.00	107.69	295.35	1779.39	563.78	-1112.90	2182222.38	422820.39	36	59	48.585 N	108	5	51.439 W
3211.00	107.93	294.87	1770.21	575.90	-1138.76	2182234.57	422794.56	36	59	48.704 N	108	5	51.758 W
3240.00	107.94	294.97	1761.28	587.52	-1163.79	2182246.26	422769.57	36	59	48.819 N	108	5	52.067 W
3270.00	107.81	294.47	1752.07	599.46	-1189.72	2182258.27	422743.67	36	59	48.937 N	108	5	52.386 W
3302.00	108.44	293.97	1742.12	611.94	-1217.46	2182270.83	422715.97	36	59	49.061 N	108	5	52.728 W
3333.00	108.69	292.47	1732.25	623.53	-1244.46	2182282.48	422689.00	36	59	49.175 N	108	5	53.061 W
3367.00	108.94	291.97	1721.28	635.70	-1274.25	2182294.74	422659.24	36	59	49.296 N	108	5	53.428 W
3399.00	108.48	291.96	1711.02	647.03	-1302.36	2182306.15	422631.16	36	59	49.408 N	108	5	53.775 W
3430.00	108.19	292.47	1701.26	658.16	-1329.61	2182317.35	422603.95	36	59	49.518 N	108	5	54.111 W
3462.00	107.94	292.35	1691.34	669.76	-1357.73	2182329.03	422575.85	36	59	49.633 N	108	5	54.458 W
3493.00	108.31	292.72	1681.70	681.05	-1384.94	2182340.39	422548.67	36	59	49.744 N	108	5	54.793 W
3513.00	108.26	292.56	1675.42	688.36	-1402.47	2182347.75	422531.17	36	59	49.816 N	108	5	55.009 W
3556.00	108.26	292.56	1661.95	704.02	-1440.18	2182363.52	422493.50	36	59	49.971 N	108	5	55.474 W

Annotation

MD ft	TVD ft	
1750.00	1749.86	Tie-On Gryo
1815.00	1814.84	First Wft Svy
3513.00	1675.42	Last Wft Svy
3556.00	1661.95	Proj. To Bit