Listrict I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

ρÜ	<9
	\sim 1

<u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Deperator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: P.O. Box 4289, Farmington, NM 87499	
Facility or well name: SAN JUAN 29-7 UNIT 67N	
API Number: 30-039-30698 OCD Permit Num	iber:
U/L or Qtr/Qtr: K(NE/SW) Section: 23 Township: 29N Range:	7W County: Rio Arriba
Center of Proposed Design: Latitude: 36.709658 °N Longitude:	107.541648 °W NAD: 1927 X 1983
Surface Owner: Federal State X Private Tribal Trust or Indi	ian Allotment
Z Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type: Thickness 20 mil X LLDPE X String-Reinforced Liner Seams: X Welded X Factory Other Volume: 770	HDPE
notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other	to activities which require prior approval of a permit or HDPE
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and at Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other	OIL CONS. DIV. DIST. 3
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Envir	ronmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	-				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of app	roval.			
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐Yes ☐NA	□No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No			
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division 	☐Yes ☐Yes	□No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain - FEMA map	Yes Yes	□ No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closure Fran - based upon the appropriate requirements of subsection C of 15.15.17.5 NMAC and 15.15.17.15 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	d Steel Tanks or Haul-off Bins Only:(19 15 17 13 D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, dr	illing fluids and drill cuttings. Use attachment if more than two	•				
facilities are required.	Diamonal English Parmit #					
Disposal Facility Name:	•	= 				
Disposal Facility Name: Will any of the proposed closed-loop system operations and associated a						
Yes (If yes, please provide the information No		service and				
Required for impacted areas which will not be used for future service and operat Soil Backfill and Cover Design Specification - based upon the ap		MAC.				
Re-vegetation Plan - based upon the appropriate requirements of Su						
Site Reclamation Plan - based upon the appropriate requirements of	f Subsection G of 19.15.17.13 NMAC					
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 N Instructions: Each siting criteria requires a demonstration of compliance in the closure pla certain siting criteria may require administrative approval from the appropriate district offi office for consideration of approval. Justifications and/or demonstrations of equivalency at	n. Recommendations of acceptable source material are provided below ice or may be considered an exception which must be submitted to the St					
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No				
 NM Office of the State Engineer - iWATERS database search; USGS: Dat 	a obtained from nearby wells	∐N/A				
Ground water is between 50 and 100 feet below the bottom of the buried	l waste	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	∐N/A				
Ground water is more than 100 feet below the bottom of the buried wast	e.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	□N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s (measured from the ordinary high-water mark).	ignificant watercourse or lakebed, sinkhole, or playa lake	Yes No				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; satellite	•••	Yes No				
		Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh wat pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No				
 Written confirmation or verification from the municipality; Written approve Within 500 feet of a wetland 	al obtained from the municipality	□Yes □No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	∐Yes ∐No				
Within the area overlying a subsurface mine.	☐Yes ☐No					
- Written confiramtion or verification or map from the NM EMNRD-Mining						
Within an unstable area.	Yes No					
 Engineering measures incorporated into the design; NM Bureau of Geology Topographic map 	& Mineral Resources; USGS; NM Geological Society;					
Within a 100-year floodplain FEMA map		Yes No				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.		sure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appr	•					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Title:				
Signature: Date:				
e-mail address: Telephone:				
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 2/7// Title: OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: May 19, 2010				
22				
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized.				
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliant to the items below)				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36,709673 °N Longitude: 107,541916 °W NAD 1927 X 1983				
Name (Print): Marie El Jafamillo / Title: Staff Regulatory Tech				
Signature: Date:				
e-mail address: marie.e.jaramillo@conocophillips.com Telephone: 505-326-9865				

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 29-7 UNIT 67N

API No.: 30-039-30698

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached)(Well located on Private Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	1.1 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	172 ug/kG
TPH	EPA SW-846 418.1	2500	135mg/kg
GRO/DRO	EPA SW-846 8015M	5 Q0	71.8 mg/Kg
Chlorides	EPA 300.1	1000/500	255 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Hauf Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished on 05/24/10 with the following seeding regiment:

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Unknown	2.0
Four-wing Saltbrush	Delar	.25

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished on 05/24/10 with the above seeding regiment. Seeing was accomplished via drilling on the contour whenever practical or by other division-approved methods. The OCD will be notified once two successive growing seasons have been accomplished by submitting a C-103.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, Fee, SAN JUAN 29-7 UNIT 67N, UL-K, Sec. 23, T 29N, R 7W, API # 30-039-30698

STATE OF NEW MEXICO §
COUNTY OF RIO ARRIBA

RECORDATION NOTICE AND MEMORANDUM OF SURFACE USE AGREEMENT

This Agreement effective as of the 121 day of 1AN., 2009 ("the Effective Date"), by and between Margarita L. Archuleta, whose address is 636 CR 4599, Blanco, NM, 87412, hereinafter referred to as "Grantor", does hereby grant unto Burlington Resources L.P., an affiliate of ConocoPhillips Company, whose address is ConocoPhillips Company, Attention: Manager, RPA, P. O. Box 7500, Bartlesville, Oklahoma 74004-7500, hereinafter referred to as "Grantee".

WITNESSETH

- In consideration of Ten Dollars (\$10.00) and other good and valuable consideration, cash in hand paid by Grantee to Grantor, the receipt and sufficiency of which is hereby acknowledged, Grantor hereby grants unto Grantee the following:
 - (a) The rights and privileges to enter upon and use the following lands of Grantor in accordance with the terms and conditions of that certain unrecorded Surface Use Agreement executed by the parties herein and of even date herewith covering:

LEGAL DESCRIPTION OF PROPERTY

San Juan 29-7 Unit 67N Section 23, T29N, R7W Rio Arriba County, New Mexico

(b) In accordance with Section 19.15.17.13.F.1.f of the NMAC, operator hereby provides notice in the public record of an on-site burial of a temporary pit on the premises, as indicated on Exhibit "A" attached hereto and made a part hereof.

The Surface Use Agreement is hereby referred to and incorporated herein.

IN WITNESS WHEREOF, this Recordation Notice and Memorandum of Surface Use Agreement has been executed on the date indicated below by the undersigned but shall be effective as of the Effective Date.

GRANTEE

BURLINGTON RESOURCES L.P., an affiliate of CONOCOPHILLIPS COMPANY

Michael J. Moore/Attorney-in-Fact

RIO ARRIBA COUNTY CLERK MOISES A MORALES JR 200900804

02/04/2009 02:11:53 PM

Page 1 of 2

GRANTOR	,
Mangarita L Chehraleta Margarita L Archuleta	
STATE OF TEXAS § COUNTY OF HUTCHINSON §	·
This instrument was acknowledged before Michael J. Moore, Attorney-in-Fact of CONOCOPHILLIPS COMPANY, on behalf	BURLINGTON RESOURCES L.P., an affiliate of
My Commission Expires:	Same
11-3-2012	Notary Public for the State of Texas
STATE OF NEW MEXICO. § COUNTY OF SAN JUAN § This instrument was acknowledged before to Margarita L. Archuleta. My Commission Expires: Aug. 13TH 2112	SUMMER L. MORENO Notary Public, State of Texas My Commission Expires November 03, 2012 Movember 03, 2012

RIC ARRIBA COUNTY CLERK
MOISES A MORALES JR
200900804
Book 532 Page 804
2 of 2
02/04/2009 02:11:53 PM
BY DELORA

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II
1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410


DK 320.00 ACRES W/2 MV 320.00 ACRES W/2 ☐ AMENDED REPORT


1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API	Number			² Pool Code	BASIN DAKOTA/BLANCO MESAVERDE				
Property C	ode		·	⁵ Property Name ⁵ Well No			ell Number		
:	44			SAN JUAN 29 - 7 UNIT			.67N		
OGRID No),	*****************************		and the second design of the second s	Operator Name Elevation			Elevation	
	Separate de la constante de la		BURL	INGTON R	RESOURCES OIL & GAS COMPANY LP 6254'			6254	
					¹⁰ Surface	Location	te de la ciga di la cia		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	23	29-N	7-W		2050	SOUTH	2250	WEST	RIO ARRIBA
			11 Botte	om Hole	Location I	f Different Fro	om Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	23	29-N	7-W		2500	NORTH	1930	WEST	RIO ARRIBA
¹² Dedicated Acre	s		18 Joint or	Infill	14 Consolidation (Code ""	15 Order, No.	The state of the s	***************************************

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED







EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Olf - mA	O BUN'		
Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	04-30-10
Laboratory Number:	53867	Date Sampled:	04-27-10
Chain of Custody No:	8755	Date Received:	04-27-10
Sample Matrix:	Soil	Date Extracted:	04-28-10
Preservative:	Cool	· Date Analyzed:	04-29-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	4.3	0.2	
Diesel Range (C10 - C28)	67.5	0.1	
Total Petroleum Hydrocarbons	71.8	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 29-7 Unit 67N

Franklight Jake

Mustly Welter Beview



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	04-30-10
Laboratory Number:	53868	Date Sampled:	04-27-10
Chain of Custody No:	8755	Date Received:	04-27-10
Sample Matrix:	Soil	Date Extracted:	04-28-10
Preservative:	Cool	Date Analyzed:	04-29-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 29-7 Unit 67N



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A	
Sample ID:	04-29-10 QA/	QC	Date Reported:		04-30-10	
Laboratory Number:	53886		Date Sampled:		N/A	
Sample Matrix:	Methylene Chlo	ride	Date Received:		N/A	
Preservative:	N/A		Date Analyzed:		04-29-10	
Condition:	N/A		Analysis Request	ed:	TPH	
	ALA MEGAHDAGA	Fi [*] Egali st	i (e-call a	% Difference	n Transferinda	irig(e)
Gasoline Range C5 - C10	05-07-07	1.1369E+003	1.1373E+003	0.04%	0 - 159	%
Diesel Range C10 - C28	05-07-07	1.1118E+003	1.1123E+003	0.04%	0 - 159	%
				The Market State of the State o	कारम	
Blank Conc. Img/Lamb/K		Concentration		Detections in	ann an t-	

Blank(Cone, (me/Lome/Ke))	Close entitlish 14	Profession Englishment
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Diplicate Cong. (mg/kg);	e Semple	/ Apripilent	3% Difference	Mesergal/Religion
Gasoline Range C5 - C10	3,160	3,110	0.0%	0 - 30%
Diesel Range C10 - C28	2,350	2,340	0.4%	0 - 30%

Spike Conc ((ng/Kg))	Sample	Spike/Added#	Spike Result	- W. Recovery	raccept Rance
Gasoline Range C5 - C10	3,160	250	3,290	96.5%	75 - 125%
Diesel Range C10 - C28	2,350	250	2,590	99.6%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 53867, 53868, 53879, 53886 - 53888 and 53889 - 53892.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	04-30-10
Laboratory Number:	53867	Date Sampled:	04-27-10
Chain of Custody:	8755	Date Received:	04-27-10
Sample Matrix:	Soil	Date Analyzed:	04-29-10
Preservative:	Cool	Date Extracted:	04-28-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
		,	
Benzene	1.1	0.9	
Toluene	39.8	1.0	
Ethylbenzene	11.9	1.0	
p,m-Xylene	88.0	1.2	
o-Xylene	30.7	0.9	
Total BTEX	172		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter Percent Recovery	
	Fluorobenzene	96.7 %
	1,4-difluorobenzene	98.4 %
	Bromochlorobenzene	104 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 29-7 Unit 67N

Manda Julia

Mostum Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	04-30-10
Laboratory Number:	53868	Date Sampled:	04-27-10
Chain of Custody:	8755	Date Received:	04-27-10
Sample Matrix:	Soil	Date Analyzed:	04-29-10
Preservative:	Cool	Date Extracted:	04-28-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.9 %
	1,4-difluorobenzene	97.2 %
	Bromochlorobenzene	106 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 29-7 Unit 67N

Man Ma Justa

Mustum Water



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	04-29-BTEX QA/QC	Date Reported:	04-30-10
Laboratory Number:	53886	Date Sampled:	N/A
Sample Matrix:	Sail	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-29-10
Condition:	N/A	Analysis:	BTEX

Calibration and	eni/Cál RF	CHORINA	%offic	Slank i	IBEREG!
Santicienoti el Intre antolio		Anere el ore l'exertal		Conto	
Benzene	1.3042E+006	1.3068E+006	0.2%	ND	0.1
Toluene	1.2003E+006	1.2027E+006	0.2%	ND	0.1
Ethylbenzene	1.0769E+006	1.0791E+006	0.2%	ND	0.1
p,m-Xylene	2.7599E+006	2.7654E+006	0.2%	ND	0.1
o-Xylene	1.0164E+006	1.0185E+006	0.2%	ND	0.1

Pupilicate Conc. (uc/Kc)	Semile: 45° l	Quelleate.	%Pini%	୍ଧ/ନ(ଜ.୯୯ଜ) ହାଁ ମଧ୍ୟାନ (ଜାନୀ	EGGEFFFF
Benzene	1,820	1,800	1.1%	0 - 30%	0.9
Toluene	27,000	26,700	1.1%	0 - 30%	1.0
Ethylbenzene	5,900	5,900	0.0%	0 - 30%	1.0
p,m-Xylene	41,700	41,300	1.0%	0 - 30%	1.2
o-Xylene	12,800	12,900	0.8%	0 - 30%	0.9

Spike@one (ug/Kg)	Amo	uni Spiked Spi	kerel syangellar	Waterovij _{ez}	AceepidReinger
Benzene	1,820	50.0	224	12.0%	39 - 150
Toluene	27,000	50.0	2,720	10.1%	46 - 148
Ethylbenzene	5,900	50.0	639	10.7%	32 - 160
p,m-Xylene	41,700	100	4,220	10.1%	46 - 148
o-Xylene	12,800	50.0	1,300	10.1%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 53867, 53868, 53879, 53886 - 53888 and 53889 - 53892.

Rei



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	04-30-10
Laboratory Number:	53867	Date Sampled:	04-27-10
Chain of Custody No:	8755	Date Received:	04-27-10
Sample Matrix:	Soil	Date Extracted:	04-29-10
Preservative:	Cool	Date Analyzed:	04-29-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

135

14.9

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 29-7 Unit 67N

Analyst Analyst

Mustle Mucles

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	04-30-10
Laboratory Number:	53868	Date Sampled:	04-27-10
Chain of Custody No:	8755	Date Received:	04-27-10
Sample Matrix:	Soil	Date Extracted:	04-29-10
Preservative:	Cool	Date Analyzed:	04-29-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

18.9

14.9

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 29-7 Unit 67N

Analyst

(Wester) Walter Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

04-30-10

Laboratory Number:

04-29-TPH.QA/QC 53855

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

04-29-10

Preservative:

N/A N/A Date Extracted: Analysis Needed: 04-29-10 **TPH**

Condition:

C-Cal Date

I-Cal RF:

C-Cal RF: % Difference

Accept. Range

Calibration

I-Cal Date 04/22/2010

04-29-10

1,690

1,750

3.6%

+/- 10%

Concentration:

TPH

ND

Detection Limit 14.9

Duplicate Conc. (mg/Kg)

Sample 27.1

Duplicate % Difference Accept Range 31.1

14.8%

+/- 30%

TPH

Spike Conc. (mg/Kg) TPH

Sample Spike Added Spike Result % Recovery Accept Range 27.1

2,000

1,690

83.4%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 53854 - 53855, 53867 - 53868, 53879 - 53881 and 53886 - 53888.



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-03-10
Lab ID#:	53867	Date Sampled:	04-27-10
Sample Matrix:	Soil	Date Received:	04-27-10
Preservative:	Cool	Date Analyzed:	04-30-10
Condition:	Intact	Chain of Custody:	8755

Parameter

Concentration (mg/Kg)

Total Chloride

255

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 29-7 Unit 67N



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	05-03-10
Lab ID#:	53868	Date Sampled:	04-27-10
Sample Matrix:	Soil	Date Received:	04-27-10
Preservative:	Cool	Date Analyzed:	04-30-10
Condition:	Intact	Chain of Custody:	8755

Parameter

Concentration (mg/Kg)

Total Chloride

5

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 29-7 Unit 67N

Two Copies	ite District	Office		State of New Mexico					Form C-105						
District I	II.LL. NIM	00240		Energy	, Minerals an	d Natu	ıral Re	sources	ļ	July 17, 2008					
1625 N. French Dr., I District II	HODDS, INM	88240								1. WELL API NO.					
1301 W. Grand Aven District III	ue, Artesia	, NM 88210		(Dil Conserva	tion D	ivisio	n	-	30-039-30698 2. Type of Lease					
1000 Rio Brazos Rd.	, Aztec, NM	1 87410		1	220 South S	t. Fra	ncis D	r.	İ	Z. Type of Le		⊠ FEE	ПБ	ED/IND	ian
District IV 1220 S. St. Francis D	r Santa Fe	NIM 87505			Santa Fe,				-	3. State Oil &				ED/II.	
1220 3. St. 1 lanels D	r., Sama re	., 14IVI 07505			Suma 1 0,	1111	700			FEE					
WELL C	OMPL	ETION (OR RE	COMF	PLETION RE	POR	T ANE	LOG		and the second second					Section 1
4. Reason for filin	g:									5. Lease Name				ame	
COMPLETIC	COMMITTION DEPOND (PULL 1 U.A. 1 U.A. 1 U.A. 1 L.A.						SAN JUAN		7 UNIT	`					
_ compens	on has o	· (1 III III (30XW #1 (unougn #.	or for state and re	c wells c	my)		-	6. Well Numb	er:				
#33; attach this and	the plat t								or	67N					
 Type of Completion NEW W 		WORKOVE	R □ DE	EEPENIN	G □PLUGBAC	к П р	FFERE!	NT RESERV	OIR	OTHER					
8. Name of Operate			LJ 2			<u></u>				9. OGRID				***************************************	
Burlington Re		Oil Gas	Compa	ny, LP	<u>. </u>					14538					
10. Address of Ope PO Box 4298, Farr		NM 87499								11. Pool name	or Wi	ldcat			
12.Location	Jnit Ltr	Section	To	ownship	Range	Lot		Feet from th	ne	N/S Line	Feet	from the	E/W	Line	County
Surface:													T		
BH;		+				<u> </u>							-		
13. Date Spudded	14. Date	L e T.D. Reach	ned	15 Date	Rig Released	J	16	Date Comple	eted	(Ready to Prod	nce)	1.	7 Elevai	tions (DF	and RKB,
15: But Spudded	124	c r.b. reaci		11/07/09	ing monasta		10.	Dute Compre	otou	(Reday to 110a	u 00)		T, GR, 6		und rate,
18. Total Measured	l Depth of	f Well		19. Plug l	Back Measured De	pth	20.	Was Directi	ona	l Survey Made?		21. Тур	e Electr	ic and Ot	her Logs Run
22. Producing Inte	rval(s), of	this complet	ion - Top	, Bottom,	Name		-								
23.	·			CA	SING REC	ORD	(Ren	ort all str	ing	es set in we	ell)				
CASING SIZ	E	WEIGHT	LB./FT.		DEPTH SET			LE SIZE		CEMENTING		CORD	Al	MOUNT	PULLED
												_			
															
SIZE	TOD		LDOTTC		INER RECORD		COPEE		25.			NG REC		I DA CKI	ED CET
SIZE	TOP		BOTTO	JIVI	SACKS CEN	AENI	SCREE		SIZ	LE	DE	PTH SET	l	PACK	ER SET
	 										+			<u> </u>	
26. Perforation r	ecord (int	erval, size, a	nd numbe	er)			27 AC	ID. SHOT. 1	FR	ACTURE, CE	MEN	T. SOU	EEZE.	ETC.	
	•	, , , , , ,		,				INTERVAL		AMOUNT A					
												_			
		,,								1					
28.						PRO	DUC	TION				_			
Date First Producti	ion	P	roduction	Method (Flowing, gas lift,	oumping	- Size an	d type pump)		Well Status	(Prod	l. or Shut	-in)		
Date of Test	Hours 7	Tested	Choke	Size	Prod'n For	ŀ	Oil - Bb	ı	Gas	s - MCF	Wa	ater - Bbl.	•	Gas - C	Oil Ratio
					Test Period			İ							
Flow Tubing	Casing	Pressure		ated 24-	Oil - Bbl.		Gas	- MCF		Water - Bbl.		Oil Gra	vity - A	PI - (Cor	r.)
Press.			Hour R	Rate											
29. Disposition of	Gas (Sold,	, used for fue	l, vented,	etc.)							30. T	est Witne	essed By	,	
31. List Attachmer				•	· · · · · · · · · · · · · · · · · · ·										
32. If a temporary		ad at the	1 0#40 -1-	nlot :!21	the least a of the	a tames = :									
)			- D												·
33. If an on-site bu	rial was u		· V -		location of the on Longitude 107.54			71927 ⊠10	83						;
I hereby certify	that the	e informat	ion show	wn on b	oth sides of thi	s form	s true	and comple	ete	to the best o	f my	knowle	dge an	d beliej	r
Signature	MM	Wh	/ Wi	,	rinted Iame Marie E			_		Legulatory Te			e: 6/18		
E-mail Address	V V	e jaramill	odcor	oconhill	ins com										
L-man Address	, maire	.c.jaiaiiiiii	Jugadin	ocobiiii	гра.сош	· · · · · · · · · · · · · · · · · · ·					-				

ConocoPhillips

Pit Closure Form:	
Date: <u>5/19/10</u>	
Well Name: <u>55 29-7 67N</u>	
Footages: 2050 FSL, 2250 FWL	Unit Letter: <u>K</u>
Section: <u>23</u> , T- <u>29</u> -N, R- <u>07</u> -W, Count	ty: Reo Arresa State: NM
Contractor Closing Pit: AzTEC Excava:	TION
Construction Inspector: JARES CHAVE?	Date: 5/19/10
Inspector Signature:	

Jaramillo, Marie E

From:

Payne, Wendy F

Sent:

Monday, May 10, 2010 2:29 PM

To:

Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.);

Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R

Cc:

'Aztec Excavation'; (Brandon.Powell@state.nm.us); 'brook@crossfire-llc.com'; GRP:SJBU Regulatory; 'Isaiah Lee'; 'tevans48@msn.com'; (bko@digii.net); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Chavez, Virgil E; Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Silverman, Jason M; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon

Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY;

Work, Jim A

Subject:

Reclamation Notice: San Juan 29-7 Unit 67N

Attachments:

San Juan 29-7 Unit 67N.pdf

Aztec Excavation will move a tractor to the San Juan 29-7 Unit 67N to start the reclamation process on Thursday, May 13th, 2010. Please contact Jared Chavez (793-7912) if you have guestions or need further assistance. Driving Directions are attached.



Burlington Resources Well- Network #: 10248494 - Activity code D250 (reclamation) & D260 (pit closure)

Rio Arriba County, NM

SAN JUAN 29-7 Unit 67N- FEE surface / FEE minerals

Onsited: n/a

Twin: San Juan 29-7 Unit 67M

2050' FSL. 2250' FWL

SEC. 23, T29N, R07W

Unit Letter 'K'

Lease #: FEE

Latitude: 36° 42 min 34.76880 sec N (NAD 83)

Longitude: 107° 32 min 29.93280 sec W (NAD83)

Elevation: 6254'

Total Acres Disturbed: 3.03 acres

Access Road: na


API#: 30-039-30698


Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:	
Date: <u>6/9/10</u>	
Well Name: <u>57 29-7 67N</u>	
Footages: 2050 FSL, 2250 FWL Unit Letter:	K
Section: 23, T-29-N, R-07-W, County: Rts Arriba State:	NM
Reclamation Contractor: AZTEC EXCAVATION	
Reclamation Date: 5/20/10	···
Road Completion Date: 5/21/10	· · · · · · · · · · · · · · · · · · ·
Seeding Date: <u>5/24/10</u>	
/	
**PIT MAKER STATUS (When Required):	
MARKER PLACED: 6/2/10	_(DATE)
LATATUDE: N36.709673	
LONGITUDE: W107.541916	
Construction Inspector: JARED CHAVEZ Date: 6	19/10
Inspector Signature:	
FEE/FFF	









WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 29-7 UNIT 67N

API#: 30-039-30698

PICTURES COMMENTS TAKEN	X LOCATION LOOKS GOOD. JEG	KEY # 12 IS ON LOCATION	X PIT AND LOCATION IN GOOD CONDITION	COULD NOT ACCESS LOCATION-FACILITIES CREW HAD LOCATION BARRICADED FOR NO ENTRY	X PIT AND LOCATION IN GOOD CONDITION	X PIT AND LOCATION IN GOOD CONDITION	×	X PIT AND LOCATION IN GOOD CONDITION	X WATER NEEDS PULLED-CONTACTED M DAWN TRUCKING, FENCE NEEDS TIGHTENED-CONTACTED CROSSFIRE FOR REPAIRS	X SIGN ON LOC. & LOC. RUTTED	LOCATION NEEDS BLADED STAIN ON LOCATION
LOCATION PICTI	×		×		×	×	×	×	×	×	×
> \											
R SAFETY CHECK	×		×		×	×	×	×	×	×	×
INSPECTOR	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	JARED CHAVEZ	A/N	JARED CHAVEZ	JARED CHAVEZ	ELMER PERRY	ELMER PERRY
DATE	11/24/09	01/11/10	02/03/10	02/09/10	02/16/10	02/22/10	03/01/10	03/15/10	03/23/10	03/25/10	04/15/10

04/22/10	ELMER PERRY	×	×	SIGN ON LOCATION
04/29/10	ELMER PERRY	×	×	SIGN ON LOC. DIVERSION DITCH PLUGGED