District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

(Revised 3/9/94)

SEP 2003

30-045-24800 PIT REMEDIATION AND CLOSURE REPORT

Operator: ConocoPhillips Company	Y Telephone: (505)599-3400
Address: 5525 Hwy. 64 Farmingto	on, NM 87401
Facility Or: Hamner #3E Well Name	
Location: Unit or Qtr/Qtr Sec M Se	Sec 29 T 29N R 9W County San Juan
Pit Type: Separator Dehydrat	tor Other Earthen Vent Pit
Land Type: BLM X, State	, Fee Other
(Attach diagram)	10', width 10', depth 3'
Footage from reference: _	50'
Direction from reference:	
Britain from foreignes.	of
	X West South X
Depth To Ground Water	Less than 50 feet (20 points)
(Vertical distance from	50 feet to 99 feet (10 points)
contaminants to seasonal	Greater than 100 feet (0 points) 0
high water elevation of ground water.)	Greater than 100 feet (0 points)
Wellhead Protection Area:	Yes (20 points)
(Less than 200 feet from a private	No (0 points)
domestic water source, or; less than	
1000 feet from all other water sources.)	
Distance To Surface Water:	Less than 200 feet (20 points)
(Horizontal distance to perennial	200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)	Greater than 1000 feet (0 points) 0
	RANKING SCORE (TOTAL POINTS): 0 pts.

Date Remediation Start	ed: <u>6/30/03</u>		Date completed:	6/30/03	
Remediation Method:	Excavation N/A		Approx. cubic yards		
(Check all appropriate sections.)	Landfarmed N/A		nsitu Bioremediation _	***************************************	
	Other		***		
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)					
General Description of	Remedial Action:				
A soil sample was extra	acted at 6-ft below gro	und level (3-ft. b	elow pit bottom). The sa	ample was analyzed for	
GRO/DRO and Btex ar	nalysis. All analyses w	vere within BLM	and NMOCD requireme	ents.	
			-		
Ground Water Encountered: No X Yes Depth					
Final Pit: Sample location <u>Center of pit, 6-ft below surface level (3-ft. below pit bottom)</u> Closure Sampling: (if multiple samples,					
and diagram of sample	attach sample results and diagram of sample Sample depth 3-ft. below pit bottom				
locations and depths)	ocations and depths) Sample Date 6/30/03 Sample time 9:00				
	Sample Results				
	Benzene(ppm)				
	Total BTI	EX(ppm)	6.930		
Field headspace(ppm) N/A					
	ТРН		1580 ppm		
Ground Water Sample:	Yes	_ No <u>X</u>	_ (If yes, attach sample	results)	
Date 7/10/03	I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
NK	1020 00		lame Frank McDonald	maal Good Salica	
Signature 1	1/2/	and Title	Senior Environme	iliai Specialist	

Client: Con	ocoPhillips Compan	y							Date B	egan:	6/30/03	Date End	<u>:</u> 6/30/03
Location:	Hamner #3E						Site Diagram:						
Footages:		970' FSI	L & 870' FW	L						\wedge			
Unit Letter:	M	Sec.	29	Twn. 2	29N Rng.	9W				N	North		
Latitude:	36° 41' 31"	N	Longitude:	107	7° 48' 31"	W		Hamner #	3E				
Lease Num.	SF-080245	;	Land	Туре:_	BLM								
Pit Type:		Earth	en Vent Pit				:	٧.					
Pit Reference	ce							it Ian					
Reference:	Wellhead		Footage:		50'			Earthen Pit 300 bbL Tank					
Direction:	N or S	45	Degree	s	E or	(A)		the O bl					
Initial size:		10' × 10'	' × 3' = 300ff	.3				Ear 30			⊢ ••		
Final Size:		10' × 10'	' × 3' = 300ff	3)				
Total Cubic	Yards:	С) yd ³								Meter Run		
Distanes fro	om (ft):										Y		
Groundwater	r:		· > 10	00 ft.			ı	95 h	bL Tank				
Wellhead Pro	otection Area:		Į.	10					02 14111				
Nearest Surf	ace Water:		> 10	00 ft.					\supset .	—			
Distance to e	ephemeral stream:		N	/A				Sep	arator	Wel	llhead		
(Navajo/Jica	rilla only)										Earthen	Drip Pit	
	Score (points):		0	ots.									
								F 41					
Sample ID	Description	OVM Re	eading					Eart	hen Vent Pi	τ			
1	3' below pit bottom	N/A											
2													
3													
4													
5						•							
6													
7													
8										S	urface Gra	dient	
9					A					\bigvee			
10							Not to Scale						
Comments:													
Strong odor							N		S	E	-		W
	below pit bottom						:						
Bedrock at sa	ample depth												
								↑ 3 ft.				↑ 3 ft.	•
Tests:	GRO/DRO & BTEX							₩ "				*	
Prepared by	/: Jody Gonzales (FI	int)						<u> </u>	Biosphere	Envir	onmental S	Sciences Tech	nnologies



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	97070-003-512
Sample ID:	Vent Pit	Date Reported:	07-01-03
Laboratory Number:	26013	Date Sampled:	06-30-03
Chain of Custody No:	11082	Date Received:	06-30-03
Sample Matrix:	Soil	Date Extracted:	07-01-03
Preservative:	Cool	Date Analyzed:	07-01-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,510	0.2
Diesel Range (C10 - C28)	73.5	0.1
Total Petroleum Hydrocarbons	1,580	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hamner 3E.

Analyst

Mistari m Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	97070-003-512
Sample ID:	Vent Pit	Date Reported:	07-01-03
Laboratory Number:	26013	Date Sampled:	06-30-03
Chain of Custody:	11082	Date Received:	06-30-03
Sample Matrix:	Soil	Date Analyzed:	07-01-03
Preservative:	Cool	Date Extracted:	07 - 01-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	124	1.8	
Toluene	1,580	1.7	
Ethylbenzene	1,090	1.5	
p,m-Xylene	1,870	2.2	
o-Xylene	2,270	1.0	
Total BTEX	6,930		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Hamner 3E.

Analyst C. Cyl

Mistine milater