District 1

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. July 21, 2008

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM	8/303	-	and exceptions submit in office and provide a condition District Office.	
<u>P</u>	it, Closed-Loop System, ed Alternative Method Pe			lication	
Type of action:	Permit of a pit, closed-loop system Closure of a pit, closed-loop system Modification to an existing permit Closure plan only submitted for a below-grade tank, or proposed all	m, below-grade ta em, below-grade t t n existing permitt ernative method	ank, or proposed al- tank, or proposed a	ternative method alternative method ed pit, closed-loop s	
	ication (Form C-144) per individuals s request does not relieve the operator of liabilit the operator of its responsibility to comply with	y should operations resu	ult in pollution of surface	e water, ground water or th	he
Operator: Burlington Resources Oil & Address: P.O. Box 4289, Farmington			OGRID#: <u>1453</u>	8	
Facility or well name: SAN JUAN 30-					
API Number: 30-0	39-30745 O	CD Permit Number	r:		
U/L or Qtr/Qtr: G(SW/NE) Section: Center of Proposed Design: Latitude: Surface Owner: X Federal	36.76987 °N	Range: 7 Longitude: al Trust or Indian	107.57247	Rio Arriba *W NAD: 1	1927 X 1983
	itation P&A type: Thickness 20 mil	X LLDPE 1	HDPE PVC	Other	_x D <u>12'</u>
	notice of inten Steel Tanks Haul-off Bins pe: Thickness mil	t)]Other	DPE PVD	A Dr	222324 253
Below-grade tank: Subsection I of Volume: bbl Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner Liner Type: Thickness	Type of fluid: Type of fluid: tion		matic overflow shut-	SI ST CONS	CENTER 6 2010 C. DIV. DIST. 3 L. 998
Alternative Method: Submittal of an exception request is required.	ed. Exceptions must be submitted to the	e Santa Fe Environ			
*					

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		!			
X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	leration of app	roval.			
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		i			
10					
Siting Criteria (regarding permitting) 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No			
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	□Yes	□No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	Yes	□ _{NIe}			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Lies	∐No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.	∏Yes	□No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	 	<u> </u>			
Within a 100-year floodplain	Yes	□No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Cleanure, 10 IS 17 12 NIMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two				
facilities are required.				
Disposal Facility Name: Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future se Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations:				
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM	AC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropraite requirements of Subsection G of 19.15.17.13 NMAC				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. In certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Sant office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.	☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	YesNo			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database: Visual inspection (certification) of the proposed site	YesNo			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No			
- Written confirmation or verification from the municipality: Written approval obtained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	∐Yes ∐No			
Within the area overlying a subsurface mine.	∏Yes ∏No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.	Yes No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;				
Topographic map	—. —.			
Within a 100-year floodplain FEMA map	∐Yes ∐No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closu	ire nlan Please indicate			
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMA	C			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
	cannot be achieved)			
 □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards □ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC 	cannot be achieved)			

Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: June 14, 2010
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique X Site Real protein (Photo Decumpatation)
X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.7699 °N Longitude: 107.57221 °W NAD 1927 X 1983
On the closure bounder. Darkete. Darket
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Matie/f. Jaramillo Title: Staff Regulatory Tech Signature: Date:
e-mail address: marie.e.jaramillo@conocophillips.com Telephone: 505-326-9865

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 30-6 UNIT 92N

API No.: 30-039-30745

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results	
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg	
BTEX	EPA SW-846 8021B or 8260B	50	ND ug/kG	
TPH	EPA SW-846 418.1	2500	83.9mg/kg	
GRO/DRO	EPA SW-846 8015M	500جـــ	ND mg/Kg	
Chlorides	EPA 300.1	1000/500	15 mg/L	

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 30-6 UNIT 92N, UL-G, Sec. 33, T 30N, R 7W, API # 30-039-30745

Sessions, Tamra D

From:

Sessions, Tamra D

Sent:

Tuesday, April 21, 2009 1:07 PM

To: Subject: 'mark_kelly@nm.blm.gov' Surface Owner Notification

The following wells will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

Burnt Mesa 1M San Juan 28-6 Unit 142P San Juan 28-7 Unit 260N San Juan 30-6 Unit 92N

Sunray F 3N

The following well has a temporary pit that will be closed on-site. Please let me know if you have any questions.

Huerfanito Unit 83E

Thank you,

Tamra Sessions
Staff Regulatory Technician
CONOCOPHILLIPS COMPANY / SJBU
505-326-9834
Tamra.D.Sessions@conocophillips.com

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 68240 State of New Mexico Energy, Minerals & Natural Resources Department Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

Dedicated Acres

320.0 Acres - (E/2)

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe. NM 87505 Submit to Appropriate District Office State Lease — 4 Copies Fee Lease — 3 Copies

☐ AMENDED REPORT

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NY 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT


³ API	Number			Pool Code		Pool Name BASIN DAKOTA/BLANCO MESAVERD			AVERDE	
Property C	ode	**************************************			⁸ Property	Name			* Well	Number
					SAN JUAN 3	0-6 UNIT			9	2 N
OGRID No	э.				BOperator	Name			P KI	levation
			BUF	RLINGTON	RESOURCES O	OURCES OIL & GAS COMPANY LP 6304'			5304'	
					¹⁰ Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	line	County
G	33	30N	7W		2383'	NORTH	1512'	EAST		RIO ARRIBA
			11 Bott	om Hole	Location I	f Different Fr	om Surface	,		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	line	County
G	33	30N	7W		2540'	NORTH	1975'	EAST		RIO ARRIBA


NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

15 Order No.

Consolidation Code

"Joint or Infill







EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	05-11-10
Laboratory Number:	54053	Date Sampled:	05-06-10
Chain of Custody No:	9255	Date Received:	05-06-10
Sample Matrix:	Soil	Date Extracted:	05-07-10
Preservative:	Cool	Date Analyzed:	05-10-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

SJ 30-6 #92M / 92N



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Otiont	CananaPhilling	Duning at #1	06052 1706
Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-11-10
Laboratory Number:	54054	Date Sampled:	05-06-10
Chain of Custody No:	9255	Date Received:	05-06-10
Sample Matrix:	Soil	Date Extracted:	05-07-10
Preservative:	Cool	Date Analyzed:	05-10-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	10.5	0.1
Total Petroleum Hydrocarbons	10.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

SJ 30-6 #92M



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	05-10-10 QA/QC	Date Reported:	05-11-10
Laboratory Number:	54053	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-10-10
Condition:	N/A	Analysis Requested:	TPH

	l⊧0al Date	I#CaliRF	C-CaliRF:	% Officience	Accept Range
Gasoline Range C5 - C10	05-07-07	9.7097E+002	9.7136E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9656E+002	9.9696E+002	0.04%	0 - 15%

Blank Conc. (mg/Lamg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/kg)	Sample	Duplicate	-% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike/Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	237	95.0%	75 - 125%
Diesel Range C10 - C28	ND	250	266	107%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 54048, 54052 - 54054, 54058 - 54059, 54061, 54087 and 54088.

Muste of Woodles



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

CanacaPhilling	Project #:	96052-1706
Conocorninips	Froject #.	30002-1700
Background	Date Reported:	05-11-10
54053	Date Sampled:	05-06-10
9255	Date Received:	05-06-10
Soil	Date Analyzed:	05-10-10
Cool	Date Extracted:	05-07-10
Intact	Analysis Requested:	BTEX
	54053 9255 Soil Cool	Background Date Reported: 54053 Date Sampled: 9255 Date Received: Soil Date Analyzed: Cool Date Extracted:

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	84.6 %
	1,4-difluorobenzene	91.9 %
	Bromochlorobenzene	92.8 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

SJ 30-6 #92M

Grand Jak



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

~	0 00.787	5	00050 4700
Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-11-10
Laboratory Number:	54054	Date Sampled:	05-06-10
Chain of Custody:	9255	Date Received:	05-06-10
Sample Matrix:	Soil	Date Analyzed:	05-10-10
Preservative:	Cool	Date Extracted:	05-07-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)		
Benzene	ND	0.9		
Toluene	ND	1.0	•	
Ethylbenzene	ND	1.0		
p,m-Xylene	ND	1.2		
o-Xylene	ND	0.9		
Total BTEX	, ND			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter Percent Recovery	
	Fluorobenzene	101 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	94.1 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

SJ 30-6 #92M

Sanda Juli



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	05-10-BTEX QA/QC	Date Reported:	05-11-10
Laboratory Number:	54053	Date Sampled:	N/A
Sample Matrix:	Soil '	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-10-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-CaliRe	C⊧CaliRF ∕Accepti≀Rand	#%D(fi je0416%: 22	Blank Conc	Detect:
Benzene	1.3095E+006	1.3121E+006	0.2%	ND	0.1
Toluene	1.2085E+006	1.2109E+006	0.2%	ND	0.1
Ethylbenzene	1.0832E+006	1.0854E+006	0.2%	ND	0.1
p,m-Xylene	2.7060E+006	2.7114E+006	0.2%	ND	0.1
o-Xylene	1.0180E+006	1.0200E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Du	plicate 🚁	#%Diff	Accept Range	Delect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	unt Spiked // Spil	(ed Sample	% Recovery	/Accept/Range
Benzene	ND	50.0	49.2	98.3%	39 - 150
Toluene	ND	50.0	49.2	98.4%	46 - 148
Ethylbenzene	ND	50.0	48.5	96.9%	32 - 160
p,m-Xylene	ND	100	95.7	95.7%	46 - 148
o-Xylene	ND	50.0	48.4	96.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 54048, 54052 - 54054, 54058 - 54059, 54061, 54087 and 54088.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	05-10 - 10
Laboratory Number:	54053	Date Sampled:	05-06-10
Chain of Custody No:	9255	Date Received:	05-06-10
Sample Matrix:	Soil	Date Extracted:	05-07-10
Preservative:	Cool	Date Analyzed:	05-07-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

83.9

21.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

SJ 30-6 #92M

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-10-10
Laboratory Number:	54054	Date Sampled:	05-06-10
Chain of Custody No:	9255	Date Received:	05-06-10
Sample Matrix:	Soil	Date Extracted:	05-07-10
Preservative:	Cool	Date Analyzed:	05-07-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

114

21.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

SJ 30-6 #92M



Calibration

EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

% Difference Accept. Range

+/- 10%

1.8%

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	05-10-10
Laboratory Number:	05-07-TPH.QA/QC 54053	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	05-07-10
Preservative:	N/A	Date Extracted:	05-07-10
Condition:	N/A	Analysis Needed:	TPH

C-Cal Date

05-07-10

Blank Conc. (mg/Kg) TPH	Ć	oncentration ND		Detection Limi	t
Duplicate Conc. (mg/Kg) TPH		Sample 83.9	Duplicate 87.9	% Difference 4.8%	Accept. Range +/- 30%
Spike Conc. (mg/Kg) TPH	Sample §	Spike Added 2,000	Spike Result 1,890	% Recovery 90.7%	Accept Range 80 - 120%

I-Cal RF:

1,690

C-Cal RF:

1,720

ND = Parameter not detected at the stated detection limit.

I-Cal Date

04/22/2010

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 54044 - 54045, 54053 - 54054, 54061 and 54075 - 54076.

Analyst

Mustin Mualer Review



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	05-11-10
Lab ID#:	54053	Date Sampled:	05-06-10
Sample Matrix:	Soil	Date Received:	05-06-10
Preservative:	Cool	Date Analyzed:	05-11-10
Condition:	Intact	Chain of Custody:	9255

Parameter

Concentration (mg/Kg)

Total Chloride

15

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

SJ 30-6 #92M



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	05-11-10
Lab ID#:	54054	Date Sampled:	05-06-10
Sample Matrix:	Soil	Date Received:	05-06-10
Preservative:	Cool	Date Analyzed:	05-11-10
Condition:	Intact	Chain of Custody:	9255

Parameter

Concentration (mg/Kg)

Total Chloride

180

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

SJ 30-6 #92M

Submit To Appropr Two Copies	iate Distric	t Office		State of New Mexico			Form C-105										
District I 1625 N. French Dr.	Hobbs N	M 88240		Ene	rgy, l	Minerals and	i Na	tural	Re	sources		July 17, 2008 1. WELL API NO.					
District II			210			~						1. WELL A		NO.			
1301 W. Grand Ave District III			210			Conservat					ŀ	2. Type of Lease					
1000 Rio Brazos Ro District IV	d., Aztec, N	NM 87410				20 South St			_	r.		☐ STATE ☐ FEE ☒ FED/INDIAN 3. State Oil & Gas Lease No.					
1220 S. St. Francis	Dr., Santa	Fe, NM 87	505			Santa Fe, N	NM :	8750	5			SF-02151-1		Lease N	0.		
WELL (COMP	LETIO	N OR F	RECC	MPL	ETION REI	POF	RT A	NE	LOG							
4. Reason for fili									•			5. Lease Nam				Name	
COMPLET	ON REF	ORT (Fi	II in boxes	#1 throu	gh #31 :	for State and Fee	wells	s only)				6. Well Numb		6 UNI	<u>T</u>		
C-144 CLOS											or	92N					
7. Type of Comp] work	OVER [DEEPE	NING	□PLUGBAC	< D	DIFFE	REI	NT_RESERV	OIR	OTHER					
8. Name of Opera		O:I .	C C		T D							9. OGRID 14538					
Burlington R		es On C	Gas Con	pany,	LP_							11. Pool name	or W	ildcat			
PO Box 4298, Fa		, NM 874	99														
12.Location	Unit Ltr	Sec	tion	Towns	hip	Range	Lot			Feet from the	he	N/S Line	Feet	from th	e E/V	V Line	County
Surface:												·					
ВН:																	
13. Date Spudded	-	ate T.D. I	Reached	09/2	4/09	Released						(Ready to Prod			RT, GR		
18. Total Measur	ed Depth	of Well		19. F	lug Bac	k Measured Dep	oth		20.	Was Directi	iona	l Survey Made?	,	21. Ty	pe Elec	ctric and Ot	ther Logs Run
22. Producing Int	erval(s),	of this co	mpletion -	Top, Bot	tom, Na	ime											
23.					CAS	ING REC	OR	D (R	epo	ort all str	ing	gs set in w	ell)				
CASING SI	ZE	WE	IGHT LB./						CEMENTING RECORD AMOUNT PULL				PULLED				
												<u> </u>					*****
SIZE	TOP		BO	ТОМ	LIN	ER RECORD SACKS CEM	ENIT	SCR	CEN		25. SIZ			NG RE			ER SET
SIZE	101			TOM		SACKS CEIVI	DINI	3CK	EEC		312		10	er in si	21	FACK	EKSEI
26. Perforation	record (i	nterval, si	ize, and nur	nber)							FR.	RACTURE, CEMENT, SQUEEZE, ETC. AMOUNT AND KIND MATERIAL USED					
								DEP	IH.	INTERVAL		AMOUNTA	ND K	LIND M.	ATEKI.	AL USED	
ļ								ļ									
28.										TION							·
Date First Produc	ction		Product	ion Meti	od (Fla	owing, gas lift, pi	umpin	g - Size	e an	d type pump)		Well Status	(Pro	d. or Shi	ıt-in)		
Date of Test	Hours	urs Tested C		ke Size		Prod'n For (Oil -	Oil - Bbl C		Gas	s - MCF	Water - Bbl.		ol.	Gas - C	Dil Ratio
								<u>l</u>									
Flow Tubing Press.	- 1		24-	Oil - Bbl.		1	Gas ·	- MCF	1	Water - Bbl.		Oil G	ravity -	API - (Cor	r.)		
29. Disposition o	f Gas (So	ld, used fo	or fuel, ven	ted, etc.)		<u> </u>							30. 7	est Witi	nessed l	By	
31. List Attachme			<u> </u>														
32. If a temporary		used at th	e well, atta	ch a plat	with the	e location of the	tempe	orary ni	it.		_						
33. If an on-site b		- 1															
j ss. n an on sice o	dilai was	1	itude 36!70			itude 107.5722			Пι	927 🖾 1983							
I hereby certi	fy that t	he infor	mation s	hown c	n both Prir	sides of this	forn	is tri	ue o	and comple	ete	to the best o	f my	knowle	edge a	ınd belief	
Signature	(M)	M/V	MUY (J		ne Marie E.	Jaraı	nillo	7	Title: Staf	f R	egulatory Te	ech	Da	te: 8/1	9/2010	
E-mail Addre	ss mari	e e.jara	millo@c	onocop	hillips	s.com											
		$\bigcup_{i=1}^{n}$				•											

ConocoPhillips

7

Pit Closure Form:
Date: 6/14/10
Well Name: 5J30-8# 92 M = 92 N
Footages: 22/3 FNL 1500 FEL 2383 FNL 1512 FEL Unit Letter:
Section: 33 , T-30-N, R-7-W, County: Rio Arabi State: NM
Contractor Closing Pit: Ace Services
(1)
Construction Inspector: 5. McGlasson Date: 6/14/10
Inspector Signature:

Jaramillo, Marie E

From:

Silverman, Jason M

Sent:

Monday, November 30, 2009 11:35 AM

To:

Mark Kelly; Robert Switzer; Sherrie Landon

Cc:

'mike waybourn'; 'bko@digii.net'; 'tevans48@msn.com'; Elmer Perry; Faver Norman (faverconsulting@yahoo.com); Jared Chavez; Bassing, Kendal R.; Scott Smith; Silverman, Jason M; Smith Eric (sconsulting.eric@gmail.com); 'Steve McGlasson'; Terry Lowe; Becker, Joey W; Bonilla, Amanda; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, Pavid A; Hines, Porek J (Finney Land Co.): Maxwell Many Alice: McWilliams, Paggy J;

David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams, Peggy L;

Seabolt, Elmo F; Stallsmith, Mark R

Subject:

Reclamation Notice: San Juan 30-6 Unit 92M & 92N (twinned)

Importance: High

Attachments: San Juan 30-6 Unit 92M.pdf; San Juan 30-6 Unit 92N.pdf

Ace Services will move a tractor to San Juan 30-6 Unit 92M & 92N (twinned) on Thursday, December 3rd, 2009 to start the reclamation process. Please contact Steve McGlasson (330-4183) if you have any questions or need father assistance.

Thanks, Jason Silverman

Burlington Resources Well- Network #: 10250373

Rio Arriba County, NM

SAN JUAN 30-6 UNIT 92M - BLM surface / BLM minerals

Twin: San Juan 30-6 Unit 141 2313' FNL, 1500' FEL SEC. 33, T30N, R07W

Unit Letter 'G'

BH: NW1/4NE1/4 SEC. 33, T30N, R07W

Lease #: USA NM-02151-B

Latitude: 36° 46 min 12.21600 sec N (NAD 83) Longitude: 107° 34 min 20.74800 sec W (NAD83)

Elevation: 6307' API #: 30-039-30686

Rurlington Descurees Well Notes: 4. 10351:

Burlington Resources Well- Network #: 10251746

Rio Arriba County, NM

SAN JUAN 30-6 UNIT 92N – BLM surface / BLM minerals

Twin: San Juan 30-6 Unit 141

2383' FNL, 1512' FEL SEC. 33, T30N, R07W Unit Letter 'G'

BH: SW1/4NE1/4 SEC. 33, T30N, R07W

Lease #: USA NM-02151-B

Latitude: 36° 46 min 11.53200 sec N (NAD 83) Longitude: 107° 34 min 20.89200 sec W (NAD83)

Elevation: 6304' API #: 30-039-30745


ConocoPhillips


Reclamation Form:		
Date: 4/30/10		
Well Name: SJ30-6#9	72n [§] 92 N 92N (EL 2383FN 15)2FE(Unit Letter:	
Footages: 23/3 FNL 1500F	EL 2383FVL 1512FELUnit Letter:	4
Section: <u>33</u> , T- <u>30</u> -	N, RW, County: <u> </u>	Nr
Reclamation Contractor:	Ace services	
Reclamation Date:	ap 4/11/10	
	6/25/10	
Seeding Date:	6/28/10	
**PIT MARKER STATUS (When Required):	
MARKER PLACED :	1/ed in 6/30/10	_(DATE)
LATATUDE:		
LONGITUDE:		
Construction Inspector: _	5. M 4 / 950 Date: 6/3	0/10
Inspector Signature:	SME	
	$\mathcal{D}_{1}M$	



EURLINGTON: L. RESCURCES: L.

AN JUAN 30-6 UNIT #92N
TUDE 36° 46 MIN. 11.53200 SEC. N (NAD 83)
GITUDE 107° 34 MIN. 20.89200 SEC. W (NAD 83)
JNIT G SEC 33 T30N R07W
: SW1/4 NE1/4 SEC 33 T30N R07W
33' FNL 1512' FEL / API#30-039-30745
ASE# USA NM-02151-B ELEV.6304'
D ARRIBA COUNTY, NEW \$\text{Markhoo}\$\text{5}





WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: SAN JUAN 30-6 UNIT 92N

API#: 30-039-30686

DATE	INSPECTOR	SAFETY	LOCATION	PICTURES TAKEN	COMMENTS
04/29/09	SCOTT	×	×	×	LINER IN GOOD CONDITION, FENCE OUT, NOT REPAIRED PROPERLY; NO DIVERSION DITCH @ PIT
05/04/09	SMITH	×	×	×	FENCE IN GOOD CONITION; LINER NOT KEYED IN PROPERLY @ TRANSITION BETWEEN RESERVE & BLOWPIT; NO DIVERSION DITCH @ PIT
05/19/09	SCOTT	×	×	×	LINER IN GOOD CONDITION; FENCE(GATE) @ N END OF RESERVE PIT LOOSE & M BARBED-WIRE; NO DIVERSION DITCH@ PIT
05/27/09	SCOTT SMITH	×	×	×	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT
60/60/90	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION; NO TEMPORARY SIGN, JUST LOCATION INFO ON LATHE; NO DIVERSION DITCH @ PIT
60/80/90	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT; NO TEMPORARY SING ON LOCATION
06/16/09	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT; NO LOCATION SIGN
60/90/20	SCOTT	×	×	×	FENCE IN GOOD CONDITION; LINER TORN @ BLOWPIT; NO DIVERSION DITCH @ PIT
02/12/09	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION; NO

DIVERSION DITCH @ PIT; LOCATION SIGN MISSING	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT		FINCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT; LOCATION SIGN MISSING	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT; LOCATION SIGN MISSING	FENCE & LINER IN GOOD CONDITION; NO DIVERSION DITCH @ PIT; LOCATION SIGN MISSING	FENCE & LINER IN GOOD CONDTION; NO DIVERSION DITCH @ PIT	LOCATION PREPARED FOR DRILLING LINER IN GOOD CONDITION; FENCE LOOSE, BARBED WIRE CUT	LOCATION PREPARED FOR DRILLING LINER IN GOOD CONDITION; FENCE LOOSE, BARBED WIRE CUT	RIG ON LOCATION	FENCE IN GOOD CONDITION; LINER TORN BELOW MUDLINE; NOTIFIED OCD, SAFETY & ENVIRONMENTAL&CONOCO, PROJECTS
	×	×	×	×	×	×	×	×	×	×	×
	×	×	×	×	×	×	×	×	×	×	×
	×	×	×	×	×	×	×	×	×	×	×
SMITH	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT	SCOTT SMITH
	07/22/09	07/29/09	08/04/09	08/12/09	08/18/09	08/21/09	09/01/09	09/04/08	09/10/09	10/01/09	10/08/09

.

					DEPT;CONTACTED POLARIS SERVICES TO BEGIN HYDRO-VAC OF PIT IN ORDER FOR CREW TO REPAIR LINER
10/15/09	SCOTT	×	×	×	FENCE & LINER IN GOOD CONDITION
10/30/09	SCOTT SMITH	×	×	×	FENCE & LINER IN GOOD CONDITION
11/09/09	SCOTT SMITH	×	×	×	FENCE & LINER IN GOOD CONDITION
11/16/09	SCOTT SMITH	×	×	×	FRAC CREW ON LOCATION
11/25/09	SCOTT SMITH	×	×	×	FENCE CUT, NOT REPAIRED PROPERLY; LINER HAS TEAR @ ANCHOR POINT; TRASH ON LOCATION.
12/01/09	SCOTT SMITH				RIG ON LOCATION
12/08/09	SCOTT SMITH				RIG ON LOCATION
01/11/10	JARED CHAVEZ	×	×	×	PIT AND LOCATION IN GOOD CONDITION
01/13/10	FREDDIE MARTINEZ	×	×	×	WAITING ON FIRST DELIVERY
01/25/10	FREDDIE MARTINEZ	×	×	×	ROAD HAS RUTS BECAUSE OF SNOW AND MUD
02/03/10	FREDDIE MARTINEZ	×	×	×	ROADS RUTTY LOCATION HAS FROZEN PILES OF DIRT
02/3/10	FREDDIE MARTINEZ	×	×	×	LOCATION IS COMPLETED NEEDS TESTED
02/05/10	ELMER PERRY	×	×	×	ROAD AND LOCATION RUTTED AND ROUGH

02/24/10	ELMER	×	×	×	ROAD AND LOCATION RUTTED, MUDDY AND
	PERRY				BAD SHAPE
03/22/10	ELMER	×	×	×	RD. AND LOC. RUTTED SIGN ON LOC
	PERRY				
03/30/10	FREDDIE	×	×	×	PIT NEEDS PULLED - CONTACT FLINT TO
	MARTINEZ				PULL PIT
04/08/10	FREDDIE	×	×	×	PIT NEEDS PULLED, CONTACT DAWN TO
	MARTINEZ	•			PULL PIT
04/14/10	FREDDIE	×	×	×	
	MARTINEZ				
04/21/10	FREDDIE	×	×	×	CONTACT FLINT TO FIX FENCE
	MARTINEZ			İ	
05/03/10	FREDDIE	×	×	×	CONTACT FLINT TO FIX FENCE
	MARTINEZ				
02/06/10	FREDDIE	×	×	×	
	MARTINEZ				
05/13/10	FREDDIE	×	×	×	
!	MARTINEZ	;			
05/26/10	FREDDIE	×	×	×	
	MARTINEZ				
06/09/10	FREDDIE	×	×	×	BEING RECLAIMED
	MARTINEZ				