District I 1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District IV 1220 S. St. Francis Dr., Santa Fc, NM 87505	appropriate NMOCD District Office.
(0111	Pit, Closed-Loop System, Below-Grade Tank, or
Propo	osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
Instructions, Places submit and s	below-grade tank, or proposed alternative method  pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
• •	eve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1 Operator: Burlington Resources Oi	1 & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmingto	
Facility or well name: SAN JUAN 2	29-7 UNIT 83B & SAN JUAN 29-7 UNIT 83M
API Number: 3003930	712 & 3003930713 OCD Permit Number:
U/L or Qtr/Qtr: II(SE/NE) Section	on: 3 Township: 29N Range: 7W County: Rio Arriba
Center of Proposed Design: Latitude	
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
2	
X Pit: Subsection F or G of 19.15.17	•
	kover
	iner type: Thickness 20 mil X LLDPE HDPE PVC Other
X String-Reinforced	
Liner Seams: X Welded X Fa	actory Other Volume: 7700 bbl Dimensions L 120' x W 55' x D 12'
3	
	ion H of 19.15.17.11 NMAC
Type of Operation: P&A	Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Grou	and Steel Tanks Haul-off Bins Other
	r type: ThicknessmilLLDPEHDPEPVDOther
Liner Seams: Welded Fa	actory Other milLLDPEHDPEPVDOther
. 4	WYOS MIN S
Below-grade tank: Subsection	of 19.15.17.11 NMAC  bl Type of fluid:  OIL CONS. DIV. DIST. 3
Volume: b Tank Construction material:	bbl Type of fluid:
Secondary containment with leak de	etection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner	telection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls only Other
Liner Type: Thickness	mil HDPE PVC Other
5	
Alternative Method:	
Submittal of an exception request is req	quired. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



6		i		
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		İ		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institute.)	tion or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet	,	-		
X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.				
1				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
Starts Subsection Cof 19.15.17.11 NIMAC				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations o	eration of appr	oval.		
(Fencing/BGT Liner)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		Ì		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	_	_		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No		
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No		
application.		_		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□N0		
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	□No		
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	-			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.	Yes	□No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		∐No		
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		_		
Society; Topographic map Within a 100-year floodplain	Yes	□No		
- FFMA mon	L	∟		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15,17.9 NMAC and 19.15,17.13 NMAC				
Previously Approved Design (attach copy of design)  API  or Permit				
Previously Approved Design (attach copy of design)				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Mcthod (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Page 3 of 5

16		Į.		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please identify the facility or facilities for the disposal of liquids, drilling flufacilities are required.	Fanks or Haul-off Bins Only: (19.15.17.13.D NMAC) ids and drill cuttings. Use attachment if more than two			
	sposal Facility Permit #:			
	sposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and  Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17  Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Record certain siting criteria may require administrative approval from the appropriate district office or may office for consideration of approval. Justifications and/or demonstrations of equivalency are required.	y be considered an exception which must be submitted to the Sai			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtain	ed from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste		☐ ☐Yes ☐No		
NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed fròm nearby wells	□N/A		
-				
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ad from academic lie	∐Yes ∐No		
- NW Office of the State Engineer - TWATERS database search, USUS; Data obtain	to from nearby wells	∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significa (measured from the ordinary high-water mark).	nt watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site	·			
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	istence at the time of initial application.	YesNo		
	;	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exister - NM Office of the State Engineer - iWATERS database; Visual inspection (certifice	nce at the time of the initial application.			
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtain		Yes No		
Within 500 feet of a wetland	the municipality	∏Ycs ∏No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspe	ction (certification) of the proposed site			
Within the area overlying a subsurface mine.  - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division		Yes No		
Within an unstable area.	The Division	∏Yes ∏No		
Engineering measures incorporated into the design; NM Bureau of Geology & Mir Topographic map	eral Resources; USGS; NM Geological Society;			
Within a 100-year floodplain FEMA map	\$	Yes No		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriat	e requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the	ne appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a dry	:			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Su				

19				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Staff Regulatory Technician				
Signature: Date:				
e-mail address: marie a laramillo@conocophillips.com Telephone: \\505-326-9865				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 2/28/28/				
Title: Compliance Office OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:				
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name:  Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate complilane to the items below)				
Required for impacted areas which will not be used for future service and operations:				
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude: Longitude: NAD 1927 1983				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that				
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print):  Title:				
Signature: Date:				
e-mail address: Telephone:				

## Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for attemporary pit Drilling/Completion and Workover

## Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 09/11/10)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.