District I

1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District III	1220 South St. Fr	rancis Dr.	
1000 Rio Brazos Rd., Aztec, NM 87410  District IV  1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM	87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 3. 3t. Francis Dr., Santa Fe, NW 87303	Pit, Closed-Loop System,	Below-Grade	e Tank, or
Prop	osed Alternative Method P		
Type of action:		_	nk, or proposed alternative method
<i>\\</i>		_	ank, or proposed alternative method
	X Modification to an existing perm		ed or non-permitted pit, closed-loop system,
	below-grade tank, or proposed a		or non-perimited pit, closed-100p system,
Instructions: Please submit one a	pplication (Form C-144) per individ	lual pit, closed-loop	o system, below-grade tank or alternative request
Please be advised that approval of	of this request does not relieve the operator of liab	ility should operations re	sult in pollution of surface water, ground water or the
environment. Nor does approval rel	eve the operator of its responsibility to comply w	rith any other applicable g	governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources O	il & Gas Company, LP		OGRID#: 14538
Address: P.O. Box 4289, Farming	ton, NM 87499		
Facility or well name: EPNG COM	[A1		
API Number: 3	0-045-34305	OCD Permit Number	:
U/L or Qtr/Qtr: F(SE/NW) Secti	on: 32 Township: 31	Range:	8 County: San Juan
Center of Proposed Design: Latitude	e: 36.512891 °N	Longitude:	<b>107.418797 °W</b> NAD: <b>X</b> 1927 1983
Surface Owner: Federal	X State Private Tri	ibal Trust or Indian	Allotment
2			RCVD JAN 28'11
X Pit: Subsection F or G of 19.15.1	7.11 NMAC		OIL CONS. DIV.
Temporary: X Drilling Wo	rkover		DIST. 3
Permanent Emergency	Cavitation P&A		·
	iner type: Thickness 12 mil	X LLDPE	HDPE PVC Other
X String-Reinforced			
Liner Seams: X Welded X F	actory Other	Volume: <u>4400</u>	bblDimensions L65'x W45'x D10'
3			
	tion H of 19.15.17.11 NMAC	D 711: 74 11: 1	
Type of Operation: P&A	Drilling a new well Workover or notice of inte		activities which require prior approval of a permit or
Drying Pad Above Grou	and Steel Tanks Haul-off Bins	Other	
Lined Unlined Line	er type: Thickness mil	LLDPE H	IDPE PVD Other
Liner Seams: Welded F	actory Other		
4			
Below-grade tank: Subsection	I of 19.15.17.11 NMAC		
Volume:	obl Type of fluid:		
Tank Construction material:			
Secondary containment with leak de			matic overflow shut-off
Visible sidewalls and liner	Visible sidewalls only Otl	her	
Liner Type: Thickness	1 Tunne	1 10.1	
	mil HDPE PVC	Other	
5 Alternative Method:	mil HDPE PVC	Other	

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of approval.			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> </ul>	Yes No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	Yes No			
- FEMA map				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan  Closure Plan have discontinuous the control plan of Subsection Conf. 10.15.17.12.NMAC and 10.15.17.12.NMAC			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
14			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method: Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Trick Control of the			

16			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.	() ()		
Disposal Facility Name: Disposal Facility Permit #:			
Disposal Facility Name: Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future. Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	лас -		
17			
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provide certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	∐N/A		
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland  US Fish and Wildlife Wetland Heartification many Tengagorbia many Visual inspection (configuration) of the proposed site.	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.	Yes No		
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;	Yes No		
Topographic map			
Within a 100-year floodplain FEMA map	Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the cloby a check mark in the box, that the documents are attached.	osure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division

Page 4 of 5

19 Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate an	nd complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
20 OCD Approval: Permit Application (including-elosure plan) Clo OCD Representative Signature:	OCD Permit Number:
Time	OCD Termit Number.
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to imprepent is required to be submitted to the division within 60 days of the completion of the approved closure plan has been obtained and the closure activities have been completed.	lementing any closure activities and submitting the closure report. The closure he closure activities. Please do not complete this section of the form until an
22	
Closure Method:  Waste Excavation and Removal X On-site Closure Method  If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop systems only)
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Tha Instructions: Please identify the facility or facilities for where the liquids, drilling fli	
were utilized.	udas and arm cuttings were disposed. Ose attachment if more than two faculties
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or it	in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	
Required for impacted areas which will not be used for future service and operation  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation	ons:
Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: Instructions: Each of the following the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)	g items must be attached to the closure report. Please indicate, by a check mark in
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
X Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude: °N I	Longitude: <u>°W</u> NAD 1927 1983
25 Operator Closure Certification:	
	ort is ture, accurate and complete to the best of my knowledge and belief. I also certify that d in the approved closure plan.
Name (Print): Crystal Tafoya	Title: Staff Regulatory Tech
Signature: Signature: Tapaya	Date: 1/27/2011
e-mail address: <u>crystal.tafoya@conocophillips.com</u>	Telephone: 505-326-9837

## Modification Temporary Pit Reclamation

The subject well had a Temporary Pit Closure Report filed without the Reclamation Form and pictures due to seeding of the location not being completed. The form and pictures are attached.

## ConocoPhillips

Reclamation Form:	
Date: 5/5/16	·
Well Name: EPNG	Com A INS #1
Footages: 2500 F	NL, 2665 FWL Unit Letter: F
Section: <u>32</u> , T- <u>3\</u> -	N, R- & -W, County: <u>\$ 3</u> State: <u>NM</u>
Reclamation Contractor:	Ace
Reclamation Date:	Fall 2009
Road Completion Date:	Fall 2009
Seeding Date:	4/20/2010
**PIT MAKER STATUS (W	/hen Required):
MARKER PLACED :	(DATE)
LATATUDE:	
LONGITUDE:	
Construction Inspector:	Norman Faver Date: 5/5/10
No Mer	1 5 + g + p







