1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Q	S	Q	\
~	$\overline{}$	•	`

District III 1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 8		For permanent pits and exceptions submit to the Sar Environmental Bureau office and provide a copy to the	
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			appropriate NMOCD District Office.	
	t, Closed-Loop System, d Alternative Method Pe		· · · · · · · · · · · · · · · · · · ·	
Type of action:	Permit of a pit, closed-loop system	m, below-grade tar	nk, or proposed alternative method	
		_	ank, or proposed alternative method	
X	Modification to an existing permi	it		
	Closure plan only submitted for a below-grade tank, or proposed alt		ed or non-permitted pit, closed-loop system,	,
Please be advised that approval of this a	request does not relieve the operator of liabilit	ty should operations resu	system, below-grade tank or alternative realit in pollution of surface water, ground water or the overnmental authority's rules, regulations or ordinances.	quest
Operator: ConocoPhillips Company			OGRID#: 217817	
Address: PO Box 4289, Farmington, N	M 87499			
Facility or well name: SAN JUAN 30-5	UNIT 85N			
API Number: 30-03	9-30760 O	OCD Permit Number	:	
U/L or Qtr/Qtr: F(SE/NW) Section:	36 Township: 30N		W County: Rio Arriba	7,000
Center of Proposed Design: Latitude: Surface Owner: Federal X		Longitude: oal Trust or Indian	107.310414 °W NAD: 1927 X]1983
2				
Temporary: X Drilling Workove Permanent Emergency Cavita X Lined Unlined Liner t X String-Reinforced Liner Seams: X Welded X Factor	ation P&A ype: Thickness 20 mil		HDPE PVC Other bbl Dimensions L 120' x W 55' x D	12'
	H of 19.15.17.11 NMAC illing a new well Workover or I	•	activities which require prior approval of a permit	t or
Drying Pad Above Ground S		Other		
Liner Seams: Welded Factor		LLDPE HI	DPE PVD Other 252627.	²⁸ 293 ₈
4			RECEIV	/EU
	9.15.17.11 NMAC		8	ŌĨŌ
Volume: bbl Tank Construction material:	Type of fluid:		/80 ou cons DI	N. DIST. 3
Secondary containment with leak detecti	on Visible sidewalls, liner,	6-inch lift and auton	natic overflow shut-off	
Visible sidewalls and liner	Visible sidewalls only Othe		J'SI DI CO. T.	11010
Liner Type: Thickness	mil HDPE PVC	Other	15131	1000
5 Alternative Method:				
	f. Excentions must be submitted to th	ne Santa Fe Environn	nental Bureau office for consideration of approva	al
Submittan of an exception request is required	1. Executions must be submitted to th	c Santa i C Environni	nemai Bureau office for consideration of approva	A1.



6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution foot height, four strands of barbed wire evenly spaced between one and four feet X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.	ution or church	<i>)</i>
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	leration of app	roval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	☐Yes ☐NA	No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	□No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of	
19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) APIor Permit	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative	
Proposed Closure Method: Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
On-site Closure Method (only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.	
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St	eel Tanks or Haul-off Rins Only (10 15 17 13 D NMAC)	
Instructions: Please identify the facility or facilities for the disposal of liquids, drillin facilities are required.	g fluids and drill cuttings. Use attachment if more than two	
Disposal Facility Name:	Disposal Facility Permit #:	
Disposal Facility Name:	Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No	rities occur on or in areas that will nbe used for future	service and
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate Re	priate requirements of Subsection H of 19.15.17.13 NI ection I of 19.15.17.13 NMAC	MAC
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recertain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval. Justifications and/or demonstrations of equivalency are re	ecommendations of acceptable source material are provided below. or may be considered an exception which must be submitted to the Sa	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data of	otained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried wa	iste	 ∏Yes ∏No
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	i	□N/A
Ground water is more than 100 feet below the bottom of the buried waste.		☐ ☐Yes ☐No
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi (measured from the ordinary high-water mark).	ficant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo: satellite ima	**	∐Yes ∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existing - NM Office of the State Engineer - iWATERS database; Visual inspection (certification incorporated municipal boundaries or within a defined municipal fresh water was	stence at the time of the initial application. fication) of the proposed site	☐Yes ☐No
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval of	otained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual in	spection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine.	M' ID'	Yes No
 Written confirantion or verification or map from the NM EMNRD-Mining and Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & I 		Yes No
Topographic map	vinieral resources, USOS, N.W. Geological Society;	
Within a 100-year floodplain FEMA map		Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each	ch of the following items must bee attached to the clos	sure plan. Please indicate,
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstrations - based upon the appropriate of the compliance Demonstration - based upon the appropriate of the compliance Demonstration - based upon the appropriate of the compliance Demonstration - based upon the compliance Demonstration - based upon the compliance - based u	rists requirements of 10 15 17 10 NIMAC	
Proof of Surface Owner Notice - based upon the appropriate requires	•	
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requiren		
Disposal Facility Name and Permit Number (for liquids, drilling flui		s cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Sub		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Marie E Jaramill Title: Staff Regulatory Technician Date: Date:
e-mail address: <u>marile ĕ_jatamillo@conocodhillips.com</u> Telephone: 505-326 ⁵ 9865
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 2/28/11
Title: Och Permit Number:
Title: Omplime AT W OCD Fermit Number;
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:

ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

2ND Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- COP did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the Closure Plan is approved. (Revised Closure Date of 10/10/10) is requested to complete closure activities.
 Other than the revised closure date there will be no modifications to the design, operation and
- maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.