


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

API # 30-045-07125

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company XTO Energy Inc.	Contact Lisa Winn	
Address 2700 Farmington Ave, Bldg K, Ste. 1, Farmington, NM 87401	Telephone No. (505) 566-7942	
Facility Name Ohio C Govt #3	Facility Type Gas Well	
Surface Owner BLM	Mineral Owner BLM	Lease No. NMNM020501

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
P	26	28N	11W	1090	South	990	East	San Juan


Latitude 36.62901 Longitude 107.96691

NATURE OF RELEASE

Type of Release Produced Water and Condensate	Volume of Release Approx 8 bbl	Volume Recovered N/A
Source of Release Broken dump line from a separator	Date and Hour of Occurrence 02/08/06, time unknown	Date and Hour of Discovery 02/08/06 at 10:00 am
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. NA	
If a Watercourse was Impacted, Describe Fully.* NA		
Describe Cause of Problem and Remedial Action Taken.* <input type="checkbox"/> An XTO Lease Operator discovered a broken dump line from a separator and observed a small area beneath the broken line where the soil was stained. It was estimated that less than 20 gallons of water/oil was released, and a contractor was assigned to remove the impacted soil. Upon digging the area with a shovel, it appeared the release might be larger than originally suspected. Blagg Engineering collected samples on 02/09/06 and results (attached) and results indicate no detectable levels of contamination.		
Describe Area Affected and Cleanup Action Taken.* The produced water with condensate did not flow laterally from the well pad. The impacted area, estimated at approximately 120 yards of soil, was excavated and landfarmed on site. Soil samples were collected for laboratory analysis to confirm the extent of excavation.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature:		OIL CONSERVATION DIVISION
Printed Name: Lisa Winn	Approved by District Supervisor:	<i>[Signature]</i> for Charlie Perry
Title: Environmental Specialist	Approval Date: 4/12/06	Expiration Date:
E-mail Address: Lisa.Winn@xtoenergy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 03/30/06	Phone: 505-566-7942	

* Attach Additional Sheets If Necessary

1 DGF060555 05 62

CLIENT: <u>XTO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: _____ COCR NO: <u>HALL</u>																																				
FIELD REPORT: SPILL CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																				
LOCATION: NAME: <u>OHIO C GOVT WELL # 3</u> TYPE: <u>LINE RUPTURE</u>		DATE STARTED: <u>2/9/06</u>																																				
QUAD/UNIT: <u>P SEC: 26 TWP: 28N RNG: 11W PM: NM CNTY: SJ ST: NM</u>		DATE FINISHED: _____																																				
QTR/FOOTAGE: <u>1090'S/990'E</u> <u>SE/SE</u> CONTRACTOR: <u>HDI (FERNANDO)</u>		ENVIRONMENTAL SPECIALIST: <u>NV</u>																																				
EXCAVATION APPROX. <u>24</u> FT. x <u>31</u> FT. x <u>10</u> FT. DEEP. CUBIC YARDAGE: <u>250</u>																																						
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																						
LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM-020501</u> FORMATION: <u>DK</u>																																						
FIELD NOTES & REMARKS: <u>PIT LOCATED APPROXIMATELY 204 FT. S25E FROM WELLHEAD.</u>																																						
DEPTH TO GROUNDWATER: <u><50'</u> NEAREST WATER SOURCE: <u>>1,000'</u> NEAREST SURFACE WATER: <u><1,000'</u>																																						
NMOCD RANKING SCORE: <u>30</u> NMOCD TPH CLOSURE STD: <u>100</u> PPM																																						
SOIL AND EXCAVATION DESCRIPTION: <u>ELEV. - 5597'</u>																																						
OVM CALIB. READ. = <u>53.6</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>11:15</u> <u>80</u> ppm DATE: <u>2/9/06</u>																																						
SOIL TYPE: <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____																																						
SOIL COLOR: <u>PALE PINK ORANGE</u>																																						
COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE																																						
CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / <u>FIRM</u> / DENSE / VERY DENSE																																						
PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																						
DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD																																						
MOISTURE: <u>DRY</u> / <u>SLIGHTLY MOIST</u> / MOIST / WET / <u>SATURATED</u> / SUPER SATURATED <u>c GROUNDWATER INTERFERENCE</u>																																						
DISCOLORATION/STAINING OBSERVED: <u>YES</u> / <u>NO</u> EXPLANATION: _____																																						
HC ODOR DETECTED: <u>YES</u> / <u>NO</u> EXPLANATION: <u>EXCAVATED SOIL @ PT. OF RELEASE TO GW.</u>																																						
SAMPLE TYPE: <u>GRAB</u> / <u>COMPOSITE</u> # OF PTS. <u>4</u>																																						
ADDITIONAL COMMENTS: <u>GROUNDWATER ~ 9' BELOW GRADE. EXCAVATION ~ 10' BELOW GRADE.</u>																																						
<u>GROUNDWATER ENCOUNTERED</u> <u>SUBMITTED 4 PT. COMPOSITE SAMPLE OF SIDEWALLS FOR LAB ANALYSES.</u>																																						
FIELD 418.1 CALCULATIONS																																						
<table border="1" style="width:100%"><thead><tr><th>SAMP. TIME</th><th>SAMP. ID</th><th>LAB NO.</th><th>WEIGHT (g)</th><th>ML FREON</th><th>DILUTION</th><th>READING</th><th>CALC. (ppm)</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></tbody></table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	ML FREON	DILUTION	READING	CALC. (ppm)																												
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	ML FREON	DILUTION	READING	CALC. (ppm)																															
<div style="display: flex; justify-content: space-between;"><div style="width: 30%;"><p>SCALE</p><p>0 FT</p></div><div style="width: 30%;"><p>PIT PERIMETER</p></div><div style="width: 30%;"><p>PIT PROFILE</p><table border="1" style="width:100%"><thead><tr><th>SAMPLE ID</th><th>FIELD HEADSPACE (ppm)</th><th>TIME</th></tr></thead><tbody><tr><td>1 @ 5'</td><td>9.8</td><td>1100</td></tr><tr><td>2 @ 5'</td><td>8.7</td><td>1100</td></tr><tr><td>3 @ 5'</td><td>0.0</td><td>1128</td></tr><tr><td>4 @ 5'</td><td>16.4</td><td>1100</td></tr><tr><td>5 @</td><td> </td><td> </td></tr></tbody></table> <table border="1" style="width:100%"><thead><tr><th>SAMPLE ID</th><th>ANALYSIS</th><th>TIME</th></tr></thead><tbody><tr><td>SW-4 PCS</td><td>TPH/TEX/CHL</td><td>1145</td></tr><tr><td>5'</td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table></div></div>			SAMPLE ID	FIELD HEADSPACE (ppm)	TIME	1 @ 5'	9.8	1100	2 @ 5'	8.7	1100	3 @ 5'	0.0	1128	4 @ 5'	16.4	1100	5 @			SAMPLE ID	ANALYSIS	TIME	SW-4 PCS	TPH/TEX/CHL	1145	5'											
SAMPLE ID	FIELD HEADSPACE (ppm)	TIME																																				
1 @ 5'	9.8	1100																																				
2 @ 5'	8.7	1100																																				
3 @ 5'	0.0	1128																																				
4 @ 5'	16.4	1100																																				
5 @																																						
SAMPLE ID	ANALYSIS	TIME																																				
SW-4 PCS	TPH/TEX/CHL	1145																																				
5'																																						
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																						
TRAVEL NOTES: CALLOUT: <u>2/9/06 - morn.</u> ONSITE: <u>2/9/06 - morn.</u>																																						

Hall Environmental Analysis Laboratory

Date: 17-Feb-06

CLIENT: Blagg Engineering
Lab Order: 0602110
Project: Ohio C Govt #3 - Piping Release
Lab ID: 0602110-01

Client Sample ID: SW-4 PC @ 5'
Collection Date: 2/9/2006 11:45:00 AM
Date Received: 2/10/2006
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE ORGANICS						Analyst: SCC
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	2/16/2006 1:31:38 PM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	2/16/2006 1:31:38 PM
Surr: DNOP	97.8	60-124		%REC	1	2/16/2006 1:31:38 PM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	2/14/2006 12:01:56 PM
Surr: BFB	97.6	79-128		%REC	1	2/14/2006 12:01:56 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.050		mg/Kg	1	2/14/2006 12:01:56 PM
Toluene	ND	0.050		mg/Kg	1	2/14/2006 12:01:56 PM
Ethylbenzene	ND	0.050		mg/Kg	1	2/14/2006 12:01:56 PM
Xylenes, Total	ND	0.050		mg/Kg	1	2/14/2006 12:01:56 PM
Surr: 4-Bromofluorobenzene	98.3	87.5-115		%REC	1	2/14/2006 12:01:56 PM
EPA METHOD 9056A: ANIONS						Analyst: MAP
Chloride	1.2	0.30		mg/Kg	1	2/15/2006

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit