District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

Revised June 10, 2003

PIT REMEDIATION AND CLOSURE REPORT

Operator: ConocoPhillips Company	Telephone: (505) 59	9-3400		
Address: 5525 Hwy. 64 Farmington, NM 8740	1			
Facility Or: Holloway Fed B #3 Well Name	API#:30-045-06086	>		
Location: Unit or Qtr/Qtr SecA Sec6	T <u>26N</u> R <u>11W</u> County S	San Juan		
Pit Type: Separator Dehydrator	Other Earthen Pit			
Land Type: BLM X, State, Fee	Other			
Pit Location: Pit dimmensions: length, (Attach diagram) Reference: wellhead, other	•	-		
Footage from reference: 1	32'			
Direction from reference: 90 Degrees X East North X of West South				
Dough To Crown d Woton	*			
	Loss than 50 fact			
Depth To Ground Water (Vertical distance from	Less than 50 feet	(20 points)		
(Vertical distance from	50 feet to 99 feet	(20 points) (10 points)		
1 ·	· ·	(20 points)		
(Vertical distance from contaminants to seasonal high water elevation of	50 feet to 99 feet Greater than 100 feet	(20 points) (10 points)		
(Vertical distance from contaminants to seasonal high water elevation of ground water.)	50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) (0 points) <u>0</u> (20 points)		
(Vertical distance from contaminants to seasonal high water elevation of ground water.) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than	50 feet to 99 feet Greater than 100 feet Yes	(20 points) (10 points) (0 points) <u>0</u> (20 points)		
(Vertical distance from contaminants to seasonal high water elevation of ground water.) Wellhead Protection Area: (Less than 200 feet from a private	50 feet to 99 feet Greater than 100 feet Yes	(20 points) (10 points) (0 points) <u>0</u> (20 points)		
(Vertical distance from contaminants to seasonal high water elevation of ground water.) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than	50 feet to 99 feet Greater than 100 feet Yes	(20 points) (10 points) (0 points) <u>0</u> (20 points)		
(Vertical distance from contaminants to seasonal high water elevation of ground water.) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources.)	50 feet to 99 feet Greater than 100 feet Yes No	(20 points) (10 points) (0 points) <u>0</u> (20 points) (0 points) <u>0</u>		
(Vertical distance from contaminants to seasonal high water elevation of ground water.) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources.) Distance To Surface Water:	50 feet to 99 feet Greater than 100 feet Yes No Less than 200 feet	(20 points) (10 points) (0 points) <u>0</u> (20 points) (0 points) <u>0</u>		

• • • • • • • • • • • • • • • • • • •	·
Date Remediation Starte	d: 11/19/03 Date completed: 11/19/03
Remediation Method:	Excavation N/A Approx. cubic yards
(Check all appropriate sections.)	Landfarmed N/A Insitu Bioremediation
	Other
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite
General Description of I	Remedial Action:
A soil sample was extra	eted at 7-ft below ground level (3-ft. below pit bottom). The sample was analyzed for
GRO/DRO and BTEX a	nalysis. All analyses were within BLM and NMOCD requirements.
	red: No X Yes Depth
Ground water Encounte	red. No X res Depui
Final Pit: Closure Sampling: (if multiple samples,	Sample location Center of pit, 7-ft below surface level (3-ft. below pit bottom)
attach sample results and diagram of sample	Sample depth 3-ft. below pit bottom
locations and depths)	Sample Date11/19/03 Sample time12:30
	Sample Results
	Benzene(ppm) 0.100
	Total BTEX(ppm)2.630
	Field headspace(ppm)N/A
	TPH1540 ppm
Ground Water Sample:	Yes NoX (If yes, attach sample results)
I hereby certify that the	information above is true and complete to the best of my knowledge and belief.
Signature Jan T	Date 2/3/04
Printed Name Larry T	
E-mail Address fmcd b	est(a)hotmail.com

Client: Con	ocoPhillips Compar	ny				<u>Date Began:</u>	11/19/03	<u>Date E</u>	<u>nd:</u> 11/19/03
Location:	Holloway Fed B #3	3			Site Diagram:				
Footages:		790' FN	L & 990' FE	L	и и	No	rth		
Unit Letter:	A	_ Sec.	6	Twn. 26N Rng 11V	Holloway Fed B #3 Not to Scale				
Latitude:	36.5223°	N	Longitude:	108.0387° W		\wedge			
Lease Num.	Fed NM 035	523	Land	Type: BLM	_	Meter Run			
Pit Type:		Ear	rthen Pit						
Pit Reference	e								
Reference:	Wellhead	1	Footage:			1		Earthen Pit	
Direction:	N or S	90	Degree	es 🖲 or W		- ∳ We1	llhead	Earthen Fit	
Initial size:			× 4' = 1200						
Final Size:			× 4' = 1200	ft ³					
Total Cubic	Yards:		O yd ³						
Distanes fro	m (ft):								Surface Gradient
Groundwater	:		> 1	00ft.					_ Surface Gradient
Wellhead Pro	otection Area:			No	_				
Nearest Surfa	ace Water:		> 10	000ft.	_				
Distance to e	phemeral stream:		N	I/A	_				
(Navajo/Jicar									
Ranking	Score (points):		0	pts.					
Sample ID	Description	OVM Re	eading		_				
1				:	1				
2					1				
3				>					
4					1				
5					1		*		
6									
7									
8									
9									
10					Not to Scale				
Comments:									
					N	S	E		W
Tests:					<u> </u>	3 ft.		1 3	_f t.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-026-059
Sample ID:	Earth Pit	Date Reported:	11-22-03
Laboratory Number:	27251	Date Sampled:	. 11-19 - 03
Chain of Custody No:	11044	Date Received:	11-21-03
Sample Matrix:	Soil	Date Extracted:	11-21-03
Preservative:	Cool	Date Analyzed:	11-22-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	635	0.2
Diesel Range (C10 - C28)	905	0.1
Total Petroleum Hydrocarbons	1,540	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Holloway Fed B #3.

Analyst C. Car

Mistari m Walter

•



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-026-059
Sample ID:	Earth Pit	Date Reported:	11-22-03
Laboratory Number:	27251	Date Sampled:	11-19-03
Chain of Custody:	11044	Date Received:	11-21-03
Sample Matrix:	Soil [′]	Date Analyzed:	11-22-03
Preservative:	Cool	Date Extracted:	11-21-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	100	1.8
Toluene	540	1.7
Ethylbenzene	250	1.5
p,m-Xylene	1,190	2.2
o-Xylene	548	1.0
Total BTEX	2,630	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Holloway Fed B #3.

Analyst C. Cy

Mustine my Walter