


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

OK
Submit 1 copy to
appropriate
District Office
and 1 copy to
the Santa Fe Office

Revised June 10, 2003



PIT REMEDIATION AND CLOSURE REPORT

Operator: <u>ConocoPhillips Company</u> Telephone: <u>(505) 599-3400</u>		
Address: <u>5525 Hwy. 64 Farmington, NM 87401</u>		
Facility Or: <u>Schlosser Wn Fed. #7</u>		API #: <u>30-045-06613</u>
Well Name _____		
Location: Unit or Qtr/Qtr Sec <u>P</u> Sec <u>10</u> T <u>27N</u> R <u>11W</u> County <u>San Juan</u>		
Pit Type: Separator <u>X</u> Dehydrator _____ Other _____		
Land Type: BLM <u>X</u> State _____ Fee _____ Other _____		
Pit Location: Pit dimensions: length <u>10'</u> , width <u>10'</u> , depth <u>3'</u> (Attach diagram)		
Reference: wellhead <u>X</u> , other _____		
Footage from reference: <u>85'</u>		
Direction from reference: <u>40</u> Degrees <u>East</u> North <u>X</u> of <u>X</u> West South _____		
Depth To Ground Water (Vertical distance from contaminants to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) (0 points) <u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)	Less than 200 feet 200 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) (0 points) <u>0</u>
RANKING SCORE (TOTAL POINTS):		<u>0 pts.</u>

Date Remediation Started: 12/30/03 Date completed: 12/30/03

Remediation Method: Excavation N/A Approx. cubic yards _____
(Check all appropriate sections.) Landfarmed N/A Insitu Bioremediation _____

Other _____

Remediation Location: Onsite _____ Offsite _____
(i.e. landfarmed onsite,
name and location of
offsite facility)

General Description of Remedial Action: _____

A soil sample was extracted at 6-ft below ground level (3-ft. below pit bottom). The sample was analyzed for
GRO/DRO and BTEX analysis. All analyses were within BLM and NMOCD requirements.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit:
Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample location Center of pit, 6-ft below surface level (3-ft. below pit bottom)

Sample depth 3-ft. below pit bottom

Sample Date 12/30/03 Sample time 10:54

Sample Results

Benzene(ppm) 0.0089

Total BTEX(ppm) 2.040

Field headspace(ppm) 575

TPH 936 ppm

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signature Jay Trujillo Date 2/2/04

Printed Name Larry Trujillo Title Environmental Specialist

E-mail Address fmcd_best@hotmail.com

Location:	Schlosser Wn Fed. #7		
Footages:	1000' FSL & 800' FEL		
Unit Letter:	P	Sec. 10	Twn. 27N Rng 11W
Latitude:	36.58516° N		Longitude: 107.98452° W
Lease Num.	SF-078673	Land Type: BLM	
Pit Type:	Separator		
Pit Reference			
Reference:	wellhead	Footage:	85'
Direction:	(N) or S	40 Degrees	E or (W)
Initial size:	10' x 10' x 3' = 300ft ³		
Final Size:	10' x 10' x 3' = 300ft ³		
Total Cubic Yards:	0 yd ³		
Distances from (ft):			
Groundwater:	> 100ft.		
Wellhead Protection Area:	No		
Nearest Surface Water:	> 1000ft.		
Distance to ephemeral stream:	N/A		
(Navajo/Jicarilla only)			
Ranking Score (points):	0 pts.		


Sample ID	Description	OVM Reading
1	3' below pit bottom	575 ppm
2		
3		
4		
5		
6		
7		
8		
9		
10		

Comments:
Gray layer of soil at 20' below surface level with a strong odor.


Tests:

Site Diagram:

Schlosser Wn Fed. #7
Not to Scale



Not to Scale



ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-026-067
Sample ID:	Sep Pit	Date Reported:	12-31-03
Laboratory Number:	27447	Date Sampled:	12-30-03
Chain of Custody No:	11697	Date Received:	12-30-03
Sample Matrix:	Soil	Date Extracted:	12-30-03
Preservative:	Cool	Date Analyzed:	12-31-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	586	0.2
Diesel Range (C10 - C28)	350	0.1
Total Petroleum Hydrocarbons	936	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Schlosser WN Fed #7.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-026-067
Sample ID:	Sep Pit	Date Reported:	12-31-03
Laboratory Number:	27447	Date Sampled:	12-30-03
Chain of Custody:	11697	Date Received:	12-30-03
Sample Matrix:	Soil	Date Analyzed:	12-31-03
Preservative:	Cool	Date Extracted:	12-30-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	8.9	1.8
Toluene	558	1.7
Ethylbenzene	228	1.5
p,m-Xylene	954	2.2
o-Xylene	294	1.0
Total BTEX	2,040	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Schlosser WN Fed #7.


Analyst


Review