
U. S. LAND OFFICE Auto Fi NM. SERIAL NUMBER NILL HO 142

LEASE OR PERMIT TO PROSPECT



					LC)G	OF C)IL	OR G	AS V	VELI	
		L CORRECT								 .	1	-4
									21 Vailey			
									rideat			
Well N	Vo24_	L. Sec. 24	_ T.	<i>17M</i> R	.//// M	eridia	$\mathbf{n} = \mathcal{M}_{i}$	MFA	Cou	inty	Miku	ley.
Locati	ion <u>3£3C</u>	$-$ ft. $\left\{ \begin{array}{l} \mathbf{N} \\ \mathbf{S} \end{array} \right\}$ of	<u>N</u>	Line an	nd III	$\mathbf{ft}.egin{cases} \mathbf{HS}, \ \mathbf{W}. \end{cases}$	of 44	Line	e of Ail	24	Eleva	tion
T so far	he inform as can be	ation giver determined	her I fro	ewith is n all av	11-1-1				ord of the w			
Doto	15	1+2.fortes		,		Signed	1					
						tion o	f the well	at. a	above date.	<i>P</i>		
		-							rilling	11 -	9.	19 67
		J					ANDS C				<i>,</i>	,
						•	e gas by G)					
									n			
									n			
190. 5,	110111		1				WATER		n	U	0	
No. 1.	from		1	_					n	to	0	
									n			
,							RECOR					
Size casing	Weight per foot	Threads pe	r	Make	Amoun	t Ki	nd of shoe	Cut	an 1 pulled from		rated	Purpose
Casing		.1		74 (c. 17	. 7.1		. vaj in ini		Bareta.	From	To-	75 . A 1 11
2: 1151 X			40 M									
	# 3											
										(1, 1)	. 0.35, 40	- 1 Mark - 18 - 1923 - 1923
	-								RECORD			
Size					1		· · · · · · · · ·	146				
casing	Where s	et Nu	mber	sacks of ce	ment	Me	thod used	_ -	Mud gravity	- A	mount of m	ud used
					ĺ							
										i		
	·				· · · · · · · · ·		D ADAP			-		
Heavi	ng plug—	Material		:		Len	gth			Depth set	;	
Adapt	ers—Mat	erial										
<u></u>				 		<u>-</u>	IG RECO			<u> </u>		
Size	e SI	nell used		Explosive u	sed	Quar	atity L	ate	Depth shot		Depth clear	ned out
					ì		į			i		
			·	· 					i			
Roter	v toole we	re used fro	m	$L^{r,r}$			S USED		, and from		feet to	foo
_									, and from			
Cabio	tools work	doct II om			1000		ATES		, 0/224 22 0222 22		. 1000 00	
				, 19			Put to	prod	ducing			, 19
	•						barr	els o	f fluid of wh			·
		% water; ar		1			~ 11		Gravity, °B			
	,	_					Gallons	gaso	oline per 1,00	00 cu. ft.	of gas	
R	lock press	ure, lbs. pe	r sq.	ın			LOYEES					
W.Z.	Myer,	Allagery	<u>. بر یا </u>	N'M,								, Drille
	*	·										, Drille
					FOR	MATI	ON REC	ORI)			
FR	ом-	то-		т	OTAL FEE	e r			FOR	MATION		
0	,	1551			15°5 1		New	a, i.e.s.,	L_{i} ,			
				1								
	İ											
	į											

(OVER)

					:		
					:		
					:		
	n de la composition br>La composition de la					n was a second as a second	1
							A 10 10 10 10 10 10 10 10 10 10 10 10 10
*						dodo tale	
	er e					-	
u digital							
. 4	1.812 L	t.					
	- A A A						
i en en en eta eta). E	35 (1) 43 (1)						-
a an area and		-			4 × 12		
. •						1	
· · · · · · · · · · · · · · · · · · ·							
			1.1	-		under de getende en de	

"State reading of the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

to a control of a manager per person.

ath of Astado

Form 9-331 a (Feb. 1951)

·		
	i	:

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
Land Office Jaute te, NAI.
Losso No. 11. 646 147
Unit

NOTICE OF INTENTION TO DRILL.	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	JODGE GOLD IN THE STATE OF THE
NOTICE OF INTENTION TO PULL OR ALIER CASING	SUPPLEMENTAR'Y WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL.	
(INDICATE ABOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)
-	15 veteber , 1961
Well No. $2k \cdot l$ is located $R \times l$ ft. from	$\left\{ egin{array}{c} \mathbf{N} \\ \mathbf{S} \end{array} \right\} \ \text{line and} \ \left\{ egin{array}{c} \mathcal{G} \\ \mathbf{V} \end{array} \right\} \ \text{line of sec.} \ \left\{ egin{array}{c} \mathcal{G} \\ \mathbf{W} \end{array} \right\}$
16 14 Sic / 4 17 /1 (12 Sec. and Sec. No.) (Twp.) (Re	L NAIPHI.
(1/2 Sec. and Sec. No.) (Twp.)	(Meridian)
(Field) (County or S	neliy A Control (State or Territory)
he elevation of the derrick floor above sea level	is $\underline{e}/2$? ft.
DETAIL	S OF WORK
ing points, and all other	weights, and lengths of proposed casings; indicate mudding jobs, cemen is important proposed work)
<i>i</i>	
Last he	
7 = A U	
·	
e see see	AFTFILIAN.
e seed of	RECEIVED
	RECEIVED
	RECEIVED 1962
	RECEIVED 1962
	OIL COM
e sente e	PELLIVED FEB 20 1962 OIL CON.
	RELEVES FEB 20 1962 OIL CON
	OIL COM.
I understand that this plan of work must receive approval in w	iting by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval in w	FEB 20 1962 OIL CONTROL OF THE COMMENCE OF THE
I understand that this plan of work must receive approval in w	FEB 20 1962 OIL COTT
I understand that this plan of work must receive approval in w	FEB 20 1962 OIL CON. Other Control of the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval in w	
I understand that this plan of work must receive approval in w	
	By Title Lands