

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

<p>1. Type of Well OIL</p> <hr/> <p>2. Name of Operator Geo Engineering</p> <hr/> <p>3. Address & Phone No. of Operator P. O. Box 2966 Santa Fe, NM 87505</p> <hr/> <p>4. Location of Well, Footage, Sec., T, R, M Sec. 29 T-20-N, R-9-W, NMPM, McKinley County Unit B, 420' FNL 1940' FEL</p>	<p>API # (assigned by OCD) 30-031-20579</p> <p>5. Lease Number Fee</p> <p>6. State Oil & Gas Lease #</p> <p>7. Lease Name/Unit Name Santa Fe Pacific</p> <p>8. Well No. #43</p> <p>9. Pool Name or Wildcat</p> <p>10. Elevation:</p>
--	--

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
<input type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations

A-Plus Well Service, contractor, will plug and abandon said well according to the attached procedure prepared by NMOCD.

This work will be in accordance with State of New Mexico Contract No. 98-521.25-059.

RECEIVED
JAN 22 1998

OIL CON. DIV.
DIST. 3

SIGNATURE William F. Clark Contractor
William F. Clark

December 30, 1997

(This space for State Use)

Approved by Johnny Robinson DEPUTY OIL & GAS INSPECTOR, DIST. #3
Title

Date JAN 22 1998

COMPANY

Ger Engineering

PROPERTY NAME

Santa Fe Pacific

WELL NO.

43

DATE

LOCATION (ULSTR)

B-29-20N-09W

FOOTAGE

API NO.

POOL

4 1/2" csq. with a collar
at ground level

CASING RECORD:

4 1/2" csq. @ 450'
calc. T.O.C. @ 142'

P+A Procedure

Rigless

142'

O.H.

490'450'

COMPANY Geo Engineering		PROPERTY NAME Santa Fe Pacific	WELL NO. 43
DATE	LOCATION (ULSTR) R-29-20N-09W	FOOTAGE	
API NO.		POOL	

**4 1/2" csg. with a collar
at ground level**

CASING RECORD:

**4 1/2" csg. @ 450'
calc. T.O.C. @ 142'**

P & A Procedure

1. Determine depth of well
2. If depth is 300' or more continue with procedure
3. Per @ 30' & Est. cnc. to the surf.
4. GIH with slickline & load hole with cement
5. POH with slickline & pump cement down the csg. & cnc. cement to the surf.
6. Install dry hole marker

