

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

COPY

Sundry Notices and Reports on Wells

1. Type of Well
Oil

2. Name of Operator
Woosley Oil Company

3. Address & Phone No. of Operator

4. Location of Well, Footage, Sec., T, R, M
330' FNL & 330' FEL, Unit A
Sec. 17, T-19-N, R-6-W, NMPM, McKinley County
A

5. API # (assigned by OCD)
30-031-20845

6. Lease Number

7. State Oil&Gas Lease #

8. Lease Name/Unit Name
Santa Fe Energy

9. Well No.
#2

10. Pool Name or Wildcat
Star Mesaverde

11. Elevation:

RECEIVED
JUN 10 1999

OIL CON. DIV.
DIST. 3

Type of Submission

☐ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other -

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

A-Plus Well Service Inc., as contractor, plugged and abandon this well per the attached report. This work was done under Contract Number 99-521.25-080

SIGNATURE


William F. Clark

Contractor

May 21, 1999

(This space for State Use)

Approved by

ORIGINAL SIGNED BY E. VILLANUEVA

Title

DEPUTY OIL & GAS INSPECTOR, DIST. #3

Date

JUN 15 1999

Daily Report

A - PLUS WELL SERVICE

14756

P.O. BOX 1979 • FARMINGTON, NM 87499
505-325-2627 • FAX (505) 325-1211

Rig No 116

Date Feb 11-1999

Well No. SMITH P-14-101 #2 Location N-E Sec 17 T-19-N R-6-W Company GOULD OIL CO / AMOCO

[illegible]

Fuel & Motor Oil _____ Water Hauled _____

Rental Equipment _____ Cement Retainers _____

Cementing P-T 0.75 #1 P-#1-20 ^{15.6%} SMS

Wireline 1-4 1/2" BOLT B-P 21,840'

CREW	NAME	UNIT #	MILEAGE	HOURS
Supervisor	ROBERT WHITELEY	25	16,896	
Operator	SAM STUART	20	52,333	9
Helper	ROBERT VELASQUEZ			9
Helper	VICTOR CELIS			9
Helper	RICHARD BATTIE			9

PCI 029643.5

Date 4-16-99

Daily Report

A - PLUS WELL SERVICE

P.O. BOX 1979 • FARMINGTON, NM 87499
505-325-2627 • FAX (505) 325-1211

14757

Rig No 26

Date MAY 4-17-99

Well No SACTA FL 8-28972 Location _____ Company Wesley Oil Co / Amoco

FROM	TO	DESCRIPTION OF OPERATION
6:00	6:30	LOAD RIG SUPPLYS
6:30	8:30	TRIP IN TO LOC.
8:30	9:00	START RIG & EQUIP. HEED SAFETY MTS (TOPIC) WORKING TOGETHER.
9:00	9:15	TIA + TAG LOC @ 1540'
9:15	9:30	LOAD THE HOLE WITH 2 BBL'S OF WATER. TEST CSG TO 500# HOLD FOR 5 MIN CH.
9:30	10:00	L-D ALL THE TBS.
10:00	10:15	R-O WIRE LINE. TIA + PERFORATE 3-HSC HOLES @ 642' PUGH. R-D WIRE LINE.
10:15	10:30	LOAD THE HOLE WITH 1/2 BBL'S OF WATER. TRY TO EST RATE IN TO PLUGS @ 642'. COULD NOT PUMP IN TO PERFS. PRESSURED UP TO 1,000#
10:30	10:50	R-O 2 3/8" TBS + TIA TO 716' ^{15.5"}
10:50	11:00	PLUG #2 MIX + PUMP 12 SKS CEMENT FROM 716' TO LOC @ 561'.
11:00	11:20	L-D ALL THE TBS.
11:20	11:30	TIA + PERFORATE 3-HSC HOLES @ 110' PUGH. R-D WIRE LINE.
11:30	-	BREAK CIRCULATION OUT THE GRADEN HEAD WITH 7 BBL'S OF WATER. PLUG #3 ^{15.6"} MIX + PUMP 44 SKS CEMENT FROM 110' WITH GOOD CEMENT RETURNS
-	12:00	CUT THE GRADEN HEAD SHUT WELL IN WITH 400#
12:00	1:00	WOC.
1:00	-	OPEN WELL UP. NO PRESSURE. A-D GAP & 4 1/2" X 7 5/8" WELL HEAD. DIS- OUT WELL HEAD. CUT WELL HEAD OFF. INSTALL MARKER WITH 15 SKS CEMENT 4 SKS FOR 4 1/2" & 7" CSG + 11 SKS FOR MARKER. CEMENT DOWN 15' FROM SURFACE IN 4 1/2" & 7" CSG
2:30	4:00	R-D RIG & EQUIP. MCH
		(10 HRS)
		HENRY VILLANUEVA W/AMOCO WAS ON LOC. & OK'D ALL PLUGS.

Fuel & Motor Oil _____ Water Hauled _____

Rental Equipment _____ Cement Retainers _____

Cementing P-T DAY #2 P-^{#2} - 12 SKS P-^{#3} - 14 SKS marker 15 SKS

Wireline 3-HSC Holes @ 642' & 3-HSC Holes @ 110'

CREW	NAME	UNIT #	MILEAGE	HOURS
Supervisor	ROBERT WHITELEY	25	17.133	1
Operator	SAM STUART	20	34.537	10
Helper	ROBERT VELASQUEZ			10
Helper	VICTOR CELIS			10
Helper	RICHARD BEATTIE			10

Date 7-19-99