DEPUTY OIL & GAS INSPECTOR

JICARILLA APACHE TRIBE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

MAR 2 8 1997

ENVIRONMENTAL PROTECTION OFFICE

/

P.O. BOX 507 DULCE, NEW MEXICO 87528

PIT REMEDIATION AND CLOSURE REPORT

	التوجيد والمراجع	
Operator:	PNM Gas Services (RAy/<33	<u>)</u> Telephone: 324-3764
Address:	603 W. Elm Street Farmington, NM 87401	
Facility or V	Well Name: Axi Apache F-6	
Location:	Unit: <u>1</u> Sec. /3 T. 23 N R.	R. 5 W County Rio Arriba
Pit Type:	Separator Other	ner Drug
Land Type:	Jicarilla Apache	
Pit Location	on: Pit dimensions: length /9 wid	dth <u> </u>
(Attach diag	gram) Reference: wellhead X	other
	Footage from reference: 6/	
	Direction from reference: Straight Degrees	East North
		West South ${\chi}$
Depth to Gr (Vertical distance fro to seasonal high wat ground water)	rom contaminants 50 fee	s than 50 feet (20 points) eet to 99 feet (10 points) than 100 feet (0 points)
Wellhead P	Protection Area: (from a private domestic pass han 1,000 feet from all la)	Yes (20 points) No (0 points)
	Surface Water: OLL COLL LANGE Less the to personnial as streams.	than 200 feet (20 points) to 1,000 feet (10 points) an 1,000 feet (0 points)
Distance to (Horizontal distance streams having a w feet)	ca to all downgradiem	than 100 feet (10 points) (0 points)
Pond: (Horizontal distance	O Nearest Lake, Playa, or Watering Greater the stress of t	than 100 feet (10 points) (10 points)
	RANKING SCO	ORE (TOTAL POINTS):

Date Remediation Started	10/9/96	Date Completed:	11-14-96
Remediation Method:	Excavation X	_ Approx. Cubic Yards _	308
(Check all appropriate	Landfarmed	Amount Landfarmed (cubi	c yds): 308
sections)	Other		
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite	Offsite	
Removed Cor walls And head space	taminated soil	from all f to get a bel	our side
Ground Water Encount	ered: No <u>×</u> Yes	Depth _	
Final Pit Closure Sampling:	Sample Location North	East, South,	West side
(if multiple samples, attach sample result and diagram of	Sample depth 23'	·	
sample locations and depths.)	Sample date / 8/9/0	Sample time	1659
ļ	Sample Results		
Soil:	Benzene (ppm)	Water: Benzene	
	Total BTEX (ppm	Toluene	
	Field headspace (ppm) 35.	<i>'</i>	zene (ppb)
	TPH < 5.0 ppm Method	8015	
· Ground Water Samp	le: Yes No	(If yes, attac	h sample results)
I HEREBY CERTIFY TH KNOWLEDGE AND MY	AT THE INFORMATION ABOVE IS BELIEF	TRUE AND COMPLETE TO	THE BEST OF MY
DATE 10	0/11/96 PR	NTED NAME Roy I	Burnham
SIGNATURE Reg	Burnha A	ND TITLE Environment	al Technician II
	HE PIT CLOSURE INFORMATION, E TRIBE PIT CLOSURE ORDINAN		ED IN ACCORDANCE
APPROVED: YES	NO (REAS	ON):	
SIGNED:	kiel Julian D.	ATE: 10/15/96	

14x: Hpache F-6 Sec. 13 T23N RSW Bayless

Drip
Riser

Drip
Column

Meter
house

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Denver Bearden Attn:

Date:

11-Oct-96

Company: PNM Gas Services

COC No.:

5349

Address:

603 W. Elm

Sample No.

Job No.

12549

City, State: Farmington, NM 87401

2-1000

Project Name:

PNM Gas Services - Axi Apache F-6 Run 116

Project Location:

9610091659; 5pt. Composite PA

Date: Date: 9-Oct-96 Time:

16:59

Sampled by: Analyzed by:

DC/HR

11-Oct-96

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Cambration Critical							
	Method	Unit of	True	Analyzed			
Parameter	Blank	Measure	Value	Value	% Diff	Limit	
Diesel Range (C10 - C28)	<5.0	ppm	100	108	8.5	15%	

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	105	114	(70-130)	6	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:
Date: 10/11/96

JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528


SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

Operator: PNM Gas Services	(Bayless)	Telephone: 324-	3764				
Address: 603 W. Elm Street Farmin	gton. NM 87401						
Facility or Well Name: $\cancel{\beta} \times i$	Apache F-	6					
Location: Unit:	Sec/3 T	23 N R. 5	W County Rio Arriba				
Land Type: Jicarilla Apache							
Date Remediation Started: 10/c Remediation Method: Landfarmed Composted Other	7/96 X	Date Completed: Approx. cubic yards	10-30-96 306				
Depth to Ground Water: (pts.) (pts.) (pts.) Sampling Date: 10-30-96 Time 1332 Distance to Nearest Lake, Playa, or Watering Pond: Wellhead Protection Area: (pts.) (pts.) (pts.) Final Closure Sampling: Sampling Date: 10-30-96 Time 1332 Sampling Results: Field Headspace (ppm) 40.5 TPH (ppm) <5.0 Method 80/5							
Distance to Surface Water: Ranking Score (Total Point	(pts.) <u></u>	Other					
I HEREBY CERTIFY THAT THE INFORM							
DATE 11/5/96 PRINTED NAME ROY BURN HAM SIGNATURE ROY BURN HAM AND TITLE Environmental Technician II							
AFTER REVIEW OF THE SOIL REMEDI JICARILLA APACHE TRIBE PIT CLOSU	ATION INFORMATION. ON-SI RE ORDINANCE	TE REMEDIATION APP	ROVED IN ACCORDANCE TO THE				
APPROVED: YES X NO	(REASON)	<u></u>					
signed: <u>Karena Ca</u>	Stillo DA	re: <u>Nov.12</u>	,1996				

14XIMPACLE 17-6 Sec. 13 T23N RSW Bayless

Land farm



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: Denver Bearden Date:

1-Nov-96

Company: PNM Gas Services

COC No.:

5388

603 W. Elm Address:

Sample No. Job No.

12729 2-1000

City, State: Farmington, NM 87401

PNM Gas Services - Axi Apache F-6 Landfarm Run 116

Project Name: **Project Location:**

9610301332; 5pt. Composite

Sampled by:

RB

Date: Date: 30-Oct-96 Time: 1-Nov-96

13:32

Analyzed by: Sample Matrix: DC/HR

Soil

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	106	6.1	15%

Matrix Spike

macrix opine					
	1- Percent	2 - Percent	İ		
Parameter	Recovered	Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	110	97	(70-130)	9	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: