## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

(other) Temperature Survey

10/28/82.

CONDITIONS OF APPROVAL, IF ANY:

TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL

PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON\*

orm 9–331 Dec. 1973	Budget Bureau No. 42-R1424
UNITED STATES  DEPARTMENT OF THE INTERIOR	5. LEASE NM 28737
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil  gas	Annie
well well other	9. WELL NO.
2. NAME OF OPERATOR	1
Merrion Oil & Gas Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Counselors Gallup
P. O. Box 1017, Farmington, New Mexico 87499	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	Sec. 10, T23N, R6W
AT SURFACE: 1650' FSL and 990' FWL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same	Rio Arriba New Mexico
AT TOTAL DEPTH: Same	14. API NO.
6. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
The state of the s	6838' GL
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
EST WATER SHIT-OFF \( \bigcap \)	**

(NOTE: Report results of multiple completion or zone

change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Enclosed is a Temperature Survey as per your request of

Set @ Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct TITLE Operations Manager 10/29/82 (This space for Federal or State office use) DATE APPROVED BY TITLE

NCY 1982

ASCEPTED FOR RECORD

\*See Instructions on Reverse Side