

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Drawer DD, Artesia, NM 88211

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

RECEIVED
DEC 20 1985

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

OIL CON.
DIST. 3

TPH

PIT REMEDIATION AND CLOSURE REPORT

Operator: ROBERT L. BAYLESS Telephone: 326-2659

Address: 368 HWY 170, FARMINGTON, NM

Facility Or: GLN TONAS #1
Well Name

Location: Unit or Qtr/Qtr Sec SE/SW Sec 22 T 22N R 6W County SANDOVAL

Pit Type: Separator ☐ Dehydrator ☐ Other DRAIN PIT

Land Type: BLM ☐, State ☐, Fee ☐, Other INDIAN (NAVAJO)

Pit Location: Pit dimensions: length 25', width 20', depth 3'
(Attach diagram)

Reference: wellhead X, other ☐

Footage from reference: 90'

Direction from reference: 348 Degrees ☐ East North ☐
of
☐ West South ☐

Depth To Ground Water:
(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet	(20 points)
50 feet to 99 feet	(10 points)
Greater than 100 feet	(0 Points) <u>0</u>

Wellhead Protection Area:
(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

Yes	(20 points)
No	(0 points) <u>0</u>

Distance To Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet	(20 points)
200 feet to 1000 feet	(10 points)
Greater than 1000 feet	(0 points) <u>0</u>

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: 11/29/99 Dated Completed: 11/30/99

Remediation Method: Excavation X Approx. cubic yards 50
(Check all appropriate sections) Landfarmed X Insitu Bioremediation _____

Landfarmed X Insitu Bioremediation

Other _____

Remediation Location: Onsite X Offsite _____
(ie. landfarmed onsite,
name and location of
offsite facility) _____

General Description Of Remedial Action: PET. HC-IMPACTED SOIL WAS REMOVED FROM THE PIT USING A RUBBER TIRE-MOUNTED BACKHOE. EXCAVATION ACTIVITIES WERE MONITORED FOR PHYSICAL EVIDENCE OF IMPACT + WITH A PID. IMPACTED SOIL WAS MOVED TO AN ONSITE LANDFARM ~~LOCATION~~ WHERE IT IS BEING TREATED. A 4-PT. COMPOSITE CONF. SAMPLE WAS COLLECTED FROM THE WALLS OF THE EXCAV. + A 5-PT. COMP. FROM THE FLOOR FOR FIELD HEADSPACE + TPH ANALYSES. EXCAVATION HAS BEEN FILLED W/ CLEAN ONSITE

Ground Water Encountered: No ☒ Yes ☐ Depth BORROW FILL.

Final Pit:
Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample location WALLS / FLOOR

Sample depth 8' BGS

Sample date 11/30/99 Sample time 1305/1325

Sample Results

Benzene (ppm) N/A

Total BTEX (ppm) N/A

Field headspace(ppm) 0.4 WALLS/14 FLOOR

TPH 1,300 WALLS / 42 FLOOR
(opm)

Ground Water Sample: Yes ☐ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 12/2/99

SIGNATURE

PRINTED NAME
AND TITLE

DAVID R. CESARK
SR. GEOLOGIST

District I
P O Box 1980, Hobbs, NM
District II
P O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: ROBERT L. BAYLESS Telephone: 326-2659
Address: 368 HWY 170, FARMINGTON, NM
Facility Or: GLIN TOMAS #1
Well Name _____
Location: Unit or Qtr/Qtr Sec SE/SW Sec 22 T 22N R 6W County SANDOVAL
Pit Type: Separator _____ Dehydrator _____ Other RESERVE PIT
Land Type: BLM _____, State _____, Fee _____, Other INDIAN (NAVAJO)

Pit Location: Pit dimensions: length 70', width 30', depth 6'
(Attach diagram) Reference: wellhead X, other _____
Footage from reference: 45'
Direction from reference: 165° Degrees _____ East North _____
_____ of _____
_____ West South _____

Depth To Ground Water: Less than 50 feet (20 points)
(Vertical distance from 50 feet to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 Points) 0
high water elevation of
ground water)

Wellhead Protection Area: Yes (20 points) 0
(Less than 200 feet from a private No (0 points)
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)
(Horizontal distance to perennial 200 feet to 1000 feet (10 points) 0
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points)
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: 11/29/99 Dated Completed: 12/1/99

Remediation Method: Excavation ☒ Approx. cubic yards 250
(Check all appropriate sections) Landfarmed ☒ Insitu Bioremediation ☐
Other _____

Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: Pet. HC - impacted soil was removed from the pit using a backhoe. Excavation activities were monitored using a PID. Impacted soil is being treated in a 6" lift in a dermed onsite landfarm. A four point composite conf. sample was collected from the walls + 5 pt. composite from the floor. Excavation activities took place until analytical results indicated the samples met action levels. Excavator was filled with clean onsite borrow fill.

Ground Water Encountered: No ☒ Yes ☐ Depth _____

Final Pit: Sample location WALLS / FLOOR
Closure Sampling: _____
(if multiple samples, attach sample results and diagram of sample locations and depths)
Sample depth 3' - 7'
Sample date 11/30, 12/1/99 Sample time 1310, 1315 / 1000
Sample Results

Benzene (ppm) N/A
Total BTEX (ppm) N/A
Field headspace (ppm) 0.6 WALLS / 8 FLOOR
TPH 540 WALLS / 620 FLOOR
(ppm)

Ground Water Sample: Yes ☐ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF


DATE 12/2/99

SIGNATURE



PRINTED NAME
AND TITLE

DAVID R. CESARIK
SR. GEOLOGIST



80 Road 2400
Aztec, NM 87410
T/F: 505.334.4974

CORDILLERAN

July 24, 2000

Mr. Tucker Bayless
Robert L. Bayless, Producer LLC
PO Box 168
Farmington, NM 87499



RE: GLIN TOMAS #1

Dear Mr. Bayless:

Cordilleran Compliance Services, Inc. (Cordilleran) is pleased to provide this follow-up letter report which briefly summarizes the results of recent unlined surface impoundment (pit) closure activities. The earthen pits were located at the former *Robert L. Bayless, Producer LLC (Bayless) Glin Tomas #1* well site situated at SE/SW Section 22, Township 22 North, Range 6 West in Sandoval County, New Mexico (please see Vicinity Map, attached).

BACKGROUND

The two pits consisted of a former Reserve Pit and a former Drain Pit. Mr. James Miles of the Federal Indian Minerals Office (FIMO) ordered that the pits be properly closed. The pits were closed in accordance with the "San Juan Basin Area Wide Surface Impoundment Closure Plan" prepared by *Bayless* and approved by the New Mexico Oil Conservation Division (OCD) on June 8, 1994 (attached).

Consolidated Constructors (Consolidated) conducted excavation activities at the subject pits using a rubber tire mounted backhoe with environmental oversight provided by *Cordilleran*. *Cordilleran* monitored excavation activities for physical evidence of environmental impact using a photoionization detector (PID). Following excavation activities at the two pits, *Cordilleran* collected a representative soil sample from each of the four walls of the two excavations. The four wall samples were composited to one sample in the field. In addition, five representative floor samples were collected and composited to form a second set of samples. The two sets of samples were field-tested using a PID in accordance with *OCD* headspace analysis procedures. The samples were submitted to *On Site Technologies, Ltd. (On Site)* in Farmington for laboratory analysis for Total Petroleum Hydrocarbons (TPH) Diesel Range Organics (DRO) using method SW8015B (please see laboratory reports, attached).

Cordilleran Compliance Services, Inc.
Grand Junction, CO • Denver, CO • Casper, WY • Laramie, WY • Farmington, NM

Environmental, Health & Safety Consultants

Information regarding depth to first groundwater in the area of the subject pits was very limited. *Cordilleran* contacted both the State Engineer's Office (SEO) in Aztec and the US Geological Survey (USGS) in Albuquerque on December 2, 1999. Mr. Bob Oxford of the SEO responded to *Cordilleran* that according to their records the closest water well to the subject pits is located 2 miles away in Section 11. The owner of the well is Homer Barry. The well is 174 feet deep and produces at a rate of 5 gallons/minute. Mr. Jim Bartolino of the USGS stated that the only information he had regarding depth to first groundwater in the region was a 1967 professional paper entitled "Water Supply Paper 1576H." The paper stated that depth to first groundwater was 200 feet below ground surface approximately 12 miles NNE of Counselor. In addition, the pits were not located within a Wellhead Protection Area, and the closest Surface Water was a pond located at a residence over ½ mile away. Based on the aforementioned, *Cordilleran* has completed the OCD's *Pit Remediation and Closure Report* forms (attached) and assigned a ranking score of "0." Therefore, the following laboratory/field analytical results and action levels apply.

Table 1. Pit Analytical Results (in parts per million [ppm])

Parameter	Reserve Pit	Drain Pit	Action Level
PID/Walls	0.6	0.4	100
PID/Floor	8.0	14**	100
TPH/Walls	540*	1,320	5,000
TPH/Floor	620	42	5,000

*First test was 10,500 ppm. Pit was re-excavated and re-sampled.

**First test was 360 ppm. Pit was re-excavated and re-sampled.

Clean backfill soil was obtained from the well location by *Consolidated*, placed in the excavated pits and compacted by wheel rolling. Approximately 300 cubic yards of petroleum hydrocarbon impacted soil from the 2 pits was placed in an approximately 6-inch lift within a bermed-land farm on site by *Consolidated*.

RECENT ACTIVITIES

The land farm was disked periodically in order to enhance biodegradation by indigenous microorganisms of the petroleum hydrocarbon-impacted soil. On June 15, 2000, *Cordilleran* collected one representative 5-point composite soil sample from the land farm. The sample was delivered on ice in an insulated cooler under proper chain-of-custody procedures to *On Site's* laboratory for TPH – DRO analysis using method SW8015B and Aromatic Volatiles (benzene, toluene, ethylbenzene, total xylenes; BTEX) by Gas Chromatograph (GC/PID) using SW8021B.

Results

The analytical results indicated that the representative soil sample collected from the land farm was below regulatory agency action levels (please see Table 2, below). Therefore, at this time, the treated soil can be spread upon the well location to replace the borrow fill.

Table 2. Land Farm Analytical Results (ppm)


Analyte	Results	Action Level
B/BTEX	ND/. 002	10/50
TPH-DRO	4,800	5,000

ND = non-detect

Cordilleran has completed the OCD's *Pit Remediation and Closure Report* forms (attached) on behalf of *Bayless*, to reflect land farm analytical results, and based on the results requests site closure. Please do not hesitate to contact the undersigned should you have any questions or comments.

Sincerely,


Cordilleran Compliance Services, Inc.



David R. Cesark
Senior Geologist

Attachments

CC: Mr. James Miles, FIMO
Mr. Bill Liese, BLM
Mr. Denny Foust, NMOCD-Aztec
Mr. Bill Olson, NMOCD-Santa Fe
Mr. Jim Walker, USEPA Region 9
Mr. Craig Meis, Cordilleran-Grand Junction
File



OFF: (505) 325-5667



LAB: (505) 325-1556

December 07, 1999

Dave Cesark
CCS, Inc.
80 Road 2400
Aztec, NM 87410
TEL: (505) 334-4974
FAX

RE: Glin Tomas #1

Order No.: 9911042

Dear Dave Cesark,

On Site Technologies, LTD. received 4 samples on 11/30/99 for the analyses presented in the following report.

The Samples were analyzed for the following tests:
Diesel Range Organics (SW8015B)

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read 'D Cox', is written over a horizontal line.

David Cox

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 07-Dec-99

Client:	CCS, Inc.	Client Sample Info:	Glin Tomas #1
Work Order:	9911042	Client Sample ID:	Drain Pit Walls
Lab ID:	9911042-01A	Matrix:	SOIL
Project:	Glin Tomas #1	Collection Date:	11/30/99 1:25:00 PM
		COC Record:	10432

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: DC
T/R Hydrocarbons: C10-C28	1320	25		mg/Kg	1	12/1/99

Qualifiers:

- PQL - Practical Quantitation Limit
- ND - Not Detected at Practical Quantitation Limit
- J - Analyte detected below Practical Quantitation Limit
- B - Analyte detected in the associated Method Blank

- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range
- Surr: - Surrogate

1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 07-Dec-99

Client:	CCS, Inc.	Client Sample Info:	Glin Tomas #1
Work Order:	9911042	Client Sample ID:	Drain Pit Floor
Lab ID:	9911042-02A	Matrix:	SOIL
Project:	Glin Tomas #1	Collection Date:	11/30/99 1:05:00 PM
		COC Record:	10432

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: DC
T/R Hydrocarbons: C10-C28	42	25		mg/Kg	1	12/1/99

Qualifiers:	PQL - Practical Quantitation Limit	S - Spike Recovery outside accepted recovery limits
	ND - Not Detected at Practical Quantitation Limit	R - RPD outside accepted recovery limits
	J - Analyte detected below Practical Quantitation Limit	E - Value above quantitation range
	B - Analyte detected in the associated Method Blank	Surr: - Surrogate

1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 07-Dec-99

Client:	CCS, Inc.	Client Sample Info:	Glin Tomas #1
Work Order:	9911042	Client Sample ID:	Reserve Pit Walls
Lab ID:	9911042-03A	Matrix:	SOIL
Project:	Glin Tomas #1	Collection Date:	11/30/99 1:10:00 PM
		COC Record:	10432

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: DC
T/R Hydrocarbons: C10-C28	10500	250		mg/Kg	10	12/1/99

Qualifiers:	PQL - Practical Quantitation Limit	S - Spike Recovery outside accepted recovery limits
	ND - Not Detected at Practical Quantitation Limit	R - RPD outside accepted recovery limits
	J - Analyte detected below Practical Quantitation Limit	E - Value above quantitation range
	B - Analyte detected in the associated Method Blank	Surr: - Surrogate

1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 07-Dec-99

Client:	CCS, Inc.	Client Sample Info:	Glin Tomas #1
Work Order:	9911042	Client Sample ID:	Reserve Pit Floor
Lab ID:	9911042-04A	Matrix:	SOIL
Project:	Glin Tomas #1	Collection Date:	11/30/99 1:15:00 PM
		COC Record:	10432

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: DC
T/R Hydrocarbons: C10-C28	620	25		mg/Kg	1	12/1/99

Qualifiers:

PQL - Practical Quantitation Limit

ND - Not Detected at Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits


E - Value above quantitation range

Surr: - Surrogate

1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -



CHAIN OF CUSTODY RECORD

Date: 11/30/99

Page: 1 of 1

612 E. Murray Dr. • P.O. Box 2606 • Farmington, NM 87499
LAB: (505) 325-5667 • FAX: (505) 327-1496

Purchase Order No.:		Project No.	
Name: <u>DAVE COARK</u>		Title: <u>SA ME</u>	
Company: <u>CCS, INC.</u>		Company: <u>SA ME</u>	
Address: <u>80 ROAD 2400</u>		Mailing Address: <u>SA ME</u>	
City, State, Zip: <u>AZTEC, NM, 87410</u>		City, State, Zip: <u>334-4974</u>	
Telephone No.:		Telefax No.:	
334-4974		334-4974	
TELEPHONE NO.		TELEFAX NO.	
334-4974		334-4974	
PROJECT LOCATION: <u>GLIN TOMAS #1</u>		ANALYSIS REQUESTED	
SAMPLER'S SIGNATURE: <u>[Signature]</u>		LAB ID	
SAMPLE IDENTIFICATION		LAB ID	
DATE	TIME	MATRIX	PRES.
11/30	1305	SOIL	N/A
"	1305	"	"
"	1310	"	"
"	1315	"	"
DRAIN PIT WALLS		1	
" " FLOOR		1	
RESERVE PIT WALLS		1	
" " FLOOR		1	
Number of Containers		LAB ID	
1		7911042-01A	
1		- 02A	
1		- 03A	
1		- 04A	
1		- 05A	
1		- 06A	
1		- 07A	
1		- 08A	
1		- 09A	
1		- 10A	
1		- 11A	
1		- 12A	
1		- 13A	
1		- 14A	
1		- 15A	
1		- 16A	
1		- 17A	
1		- 18A	
1		- 19A	
1		- 20A	
1		- 21A	
1		- 22A	
1		- 23A	
1		- 24A	
1		- 25A	
1		- 26A	
1		- 27A	
1		- 28A	
1		- 29A	
1		- 30A	
1		- 31A	
1		- 32A	
1		- 33A	
1		- 34A	
1		- 35A	
1		- 36A	
1		- 37A	
1		- 38A	
1		- 39A	
1		- 40A	
1		- 41A	
1		- 42A	
1		- 43A	
1		- 44A	
1		- 45A	
1		- 46A	
1		- 47A	
1		- 48A	
1		- 49A	
1		- 50A	
1		- 51A	
1		- 52A	
1		- 53A	
1		- 54A	
1		- 55A	
1		- 56A	
1		- 57A	
1		- 58A	
1		- 59A	
1		- 60A	
1		- 61A	
1		- 62A	
1		- 63A	
1		- 64A	
1		- 65A	
1		- 66A	
1		- 67A	
1		- 68A	
1		- 69A	
1		- 70A	
1		- 71A	
1		- 72A	
1		- 73A	
1		- 74A	
1		- 75A	
1		- 76A	
1		- 77A	
1		- 78A	
1		- 79A	
1		- 80A	
1		- 81A	
1		- 82A	
1		- 83A	
1		- 84A	
1		- 85A	
1		- 86A	
1		- 87A	
1		- 88A	
1		- 89A	
1		- 90A	
1		- 91A	
1		- 92A	
1		- 93A	
1		- 94A	
1		- 95A	
1		- 96A	
1		- 97A	
1		- 98A	
1		- 99A	
1		- 100A	
1		- 101A	
1		- 102A	
1		- 103A	
1		- 104A	
1		- 105A	
1		- 106A	
1		- 107A	
1		- 108A	
1		- 109A	
1		- 110A	
1		- 111A	
1		- 112A	
1		- 113A	
1		- 114A	
1		- 115A	
1		- 116A	
1		- 117A	
1		- 118A	
1		- 119A	
1		- 120A	
1		- 121A	
1		- 122A	
1		- 123A	
1		- 124A	
1		- 125A	
1		- 126A	
1		- 127A	
1		- 128A	
1		- 129A	
1		- 130A	
1		- 131A	
1		- 132A	
1		- 133A	
1		- 134A	
1		- 135A	
1		- 136A	
1		- 137A	
1		- 138A	
1		- 139A	
1		- 140A	
1		- 141A	
1		- 142A	
1		- 143A	
1		- 144A	
1		- 145A	
1		- 146A	
1		- 147A	
1		- 148A	
1		- 149A	
1		- 150A	
1		- 151A	
1		- 152A	
1		- 153A	
1		- 154A	
1		- 155A	
1		- 156A	
1		- 157A	
1		- 158A	
1		- 159A	
1		- 160A	
1		- 161A	
1		- 162A	
1		- 163A	
1		- 164A	
1		- 165A	
1		- 166A	
1		- 167A	
1		- 168A	
1		- 169A	
1		- 170A	
1		- 171A	
1		- 172A	
1		- 173A	
1		- 174A	
1		- 175A	
1		- 176A	
1		- 177A	
1		- 178A	
1		- 179A	
1		- 180A	
1		- 181A	
1		- 182A	
1		- 183A	
1		- 184A	
1		- 185A	
1		- 186A	
1		- 187A	
1		- 188A	
1		- 189A	
1		- 190A	
1		- 191A	
1		- 192A	
1		- 193A	
1		- 194A	
1		- 195A	
1		- 196A	
1		- 197A	
1		- 198A	
1		- 199A	
1		- 200A	
1		- 201A	
1		- 202A	
1		- 203A	
1		- 204A	
1		- 205A	
1		- 206A	
1		- 207A	
1		- 208A	
1		- 209A	
1		- 210A	
1		- 211A	
1		- 212A	
1		- 213A	
1		- 214A	
1		- 215A	
1		- 216A	
1		- 217A	
1		- 218A	
1		- 219A	
1		- 220A	
1		- 221A	
1		- 222A	
1		- 223A	
1		- 224A	
1		- 225A	
1		- 226A	
1		- 227A	
1		- 228A	
1		- 229A	
1		- 230A	
1		- 231A	
1		- 232A	
1		- 233A	
1		- 234A	
1		- 235A	
1		- 236A	
1		- 237A	
1		- 238A	
1		- 239A	
1		- 240A	
1		- 241A	
1		- 242A	
1		- 243A	
1		- 244A	
1		- 245A	
1		- 246A	
1		- 247A	
1		- 248A	
1		- 249A	
1		- 250A	
1		- 251A	
1		- 252A	
1		- 253A	
1		- 254A	
1		- 255A	
1		- 256A	
1		- 257A	
1		- 258A	
1		- 259A	
1		- 260A	
1		- 261A	
1		- 262A	
1		- 263A	
1		- 264A	
1		- 265A	
1		- 266A	
1		- 267A	
1		- 268A	
1		- 269A	
1		- 270A	
1		- 271A	
1		- 272A	
1		- 273A	
1		- 274A	
1		- 275A	
1		- 276A	
1		- 277A	
1		- 278A	
1		- 279A	
1		- 280A	
1		- 281A	
1		- 282A	
1		- 283A	
1		- 284A	
1		- 285A	
1		- 286A	
1		- 287A	
1		- 288A	
1		- 289A	
1		- 290A	
1		- 291A	
1		- 292A	
1		- 293A	
1		- 294A	
1		- 295A	
1		- 296A	
1		- 297A	
1		- 298A	
1		- 299A	
1		- 300A	
1		- 301A	
1		- 302A	
1		- 303A	
1		- 304A	
1		- 305A	
1		- 306A	
1		- 307A	
1		- 308A	
1		- 309A	
1		- 310A	
1		- 311A	
1		- 312A	
1		- 313A	
1		- 314A	
1		- 315A	
1		- 316A	
1		- 317A	
1		- 318A	
1		- 319A	
1		- 320A	
1		- 321A	
1		- 322A	
1		- 323A	
1		- 324A	
1		- 325A	
1		- 326A	
1		- 327A	
1		- 328A	
1		- 329A	
1		- 330A	
1		- 331A	
1		- 332A	
1		- 333A	
1		- 334A	
1		- 335A	
1		- 336A	
1		- 337A	
1		- 338A	
1		- 339A	
1		- 340A	
1		- 341A	
1		- 342A	
1		- 343A	
1		- 344A	
1		- 345A	
1		- 346A	
1		- 347A	
1		- 348A	
1		- 349A	
1		- 350A	
1		- 351A	
1		- 352A	
1		- 353A	
1		- 354A	
1		- 355A	
1		- 356A	
1		- 357A	
1		- 358A	
1		- 359A	
1		- 360A	
1		- 361A	
1		- 362A	
1		- 363A	
1		- 364A	
1		- 365A	
1		- 366A	
1		- 367A	
1		- 368A	
1		- 369A	
1		- 370A	
1		- 371A	
1		- 372A	
1		- 373A	
1		- 374A	
1		- 375A	
1		- 376A	
1		- 377A	
1		- 378A	
1		- 379A	
1		- 380A	
1		- 381A	
1		- 382A	
1		- 383A	
1		- 384A	
1		- 385A	
1		- 386A	
1		- 387A	
1		- 388A	
1		- 389A	
1		- 390A	
1		- 391A	
1		- 392A	
1		- 393A	
1		- 394A	
1		- 395A	
1		- 396A	
1		- 397A	
1		- 398A	
1		- 399A	
1		- 400A	
1		- 401A	
1		- 402A	
1		- 403A	
1		- 404A	
1		- 405A	
1		- 406A	
1		- 407A	
1		- 408A	
1		- 409A	
1		- 410A	
1		- 411A	
1		- 412A	
1		- 413A	
1		- 414A	
1		- 415A	
1		- 416A	
1		- 417A	
1		- 418A	
1		- 419A	
1		- 420A	
1		- 421A	
1		- 422A	
1		- 423A	
1		- 424A	
1			

OFF: (505) 325-5667



LAB: (505) 325-1556

December 07, 1999

Dave Cesark
CCS, Inc.
80 Road 2400
Aztec, NM 87410
TEL: (505) 334-4974
FAX

RE: Glin Tomas #1

Order No.: 9912002

Dear Dave Cesark,

On Site Technologies, LTD. received 1 sample on 12/01/1999 for the analyses presented in the following report.

The Samples were analyzed for the following tests:

Diesel Range Organics (SW8015B)

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to be "David Cox", written over a horizontal line.

David Cox

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Date: 07-Dec-99

Client:	CCS, Inc.	Client Sample Info:	Glin Tomas #1
Work Order:	9912002	Client Sample ID:	Reserve Pit Walls (Re-Sample)
Lab ID:	9912002-01A	Matrix:	SOIL
Project:	Glin Tomas #1	Collection Date:	12/01/1999 10:00:00 AM
		COC Record:	10433

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: DC
T/R Hydrocarbons: C10-C28	540	25		mg/Kg	1	12/01/1999

Qualifiers:	PQL - Practical Quantitation Limit	S - Spike Recovery outside accepted recovery limits
	ND - Not Detected at Practical Quantitation Limit	R - RPD outside accepted recovery limits
	J - Analyte detected below Practical Quantitation Limit	E - Value above quantitation range
	B - Analyte detected in the associated Method Blank	Surr: - Surrogate

1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

Page: 1 of 1[illegible]

Distribution:	White - On Site	Yellow - LAB	Pink - Sampler	Goldenrod - Client

OFF: (505) 325-5667
FAX: (505) 327-1496



LAB: (505) 325-1556
FAX: (505) 327-1496

June 27, 2000

Dave Cesark
CCS, Inc.
80 Road 2400
Aztec, NM 87410
TEL: (505) 334-4974
FAX

RE: Glin Tomas #1

Order No.: 0006040

Dear Dave Cesark,

On Site Technologies, LTD. received 1 sample on 6/15/2000 for the analyses presented in the following report.

- The Samples were analyzed for the following tests:
 - Aromatic Volatiles by GC/PID (SW8021B)
 - Diesel Range Organics (SW8015B)

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to be 'DC' or 'Cox', written over a horizontal line.

David Cox

OFF: (505) 325-5667
FAX: (505) 327-1496



LAB: (505) 325-1556
FAX: (505) 327-1496

ANALYTICAL REPORT

Date: 27-Jun-00

Client:	CCS, Inc.	Client Sample Info:	Glin Tomas #1
Work Order:	0006040	Client Sample ID:	Landfarm Composite
Lab ID:	0006040-01A	Matrix:	SOIL
Project:	Glin Tomas #1	Collection Date:	6/15/2000 10:35:00 AM
		COC Record:	10744

Parameter	Result	PQL	Qual	Units	DF	Date Analyzed
DIESEL RANGE ORGANICS		SW8015B				Analyst: HR
T/R Hydrocarbons: C10-C28	4800	25		mg/Kg	1	6/21/2000
AROMATIC VOLATILES BY GC/PID		SW8021B				Analyst: DM
Benzene	ND	1		µg/Kg	1	6/26/2000
Toluene	ND	2		µg/Kg	1	6/26/2000
Ethylbenzene	ND	1		µg/Kg	1	6/26/2000
m,p-Xylene	ND	2		µg/Kg	1	6/26/2000
o-Xylene	2.1	1		µg/Kg	1	6/26/2000

Qualifiers:

PQL - Practical Quantitation Limit

ND - Not Detected at Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Surrogate - Surrogate

1 of 1

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -



Page: 1 of 1

6612 E. Murray Dr. • P.O. Box 2606 • Farmington, NM 87499
LAB: (505) 325-5667 • FAX: (505) 327-1496

Distribution:	White - On Site	Yellow - LAB	Pink - Sampler	Goldenrod - Client
---------------	-----------------	--------------	----------------	--------------------