

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. Instructions in Rules and Regulations of the Commission.

DEC 4 1946

HOBBBS OFFICE

Prewitt, New Mexico

11/15/46

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

PETROLEUM PRODUCTS RFG. AND PRODUCING CO. SANTA FE Well No. 1 in SE 1/4 - NE 1/4

Company or Operator

Lease

of Sec. 21, T. 21N, R. 8W, N. M., P. M., Coyedito Field, San Juan County.

N

The well is 990 feet (N.) (S.) of the north line and 330 feet (E.) (W.) of the East line of SE 1/4 - NE 1/4

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is SANTA FE PACIFIC RAILROAD CO.

Address ALBUQUERQUE, NEW MEXICO

If government land the permittee is _____

Address _____

The lessee is PETROLEUM PRODUCTS RFG. AND PRODUCING CO.

Address PREWITT, NEW MEXICO

We propose to drill well with drilling equipment as follows: _____

Rotary tools

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
<u>13"</u>	<u>10-3/4"</u>	<u>32#</u>	<u>Second Hand</u>	<u>400'</u>	<u>Cemented</u>	<u>150</u>
<u>8-3/4"</u>	<u>7"</u>	<u>23#</u>	<u>New</u>	<u>5000'</u>	<u>Cemented</u>	<u>300</u>

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 600 feet.

Additional information:

Approved _____, 19____

except as follows:

Sincerely yours,

PETROLEUM PRODUCTS RFG. AND PRODUCING CO.

Company or Operator

By Ray M. Blotstein

Position

President

Send communications regarding well to

Name PETROLEUM PRODUCTS RFG. AND PRODUCING CO.

Address PREWITT, NEW MEXICO

OIL CONSERVATION COMMISSION,

By R. R. Spurrer

Title _____

NEW MEXICO OIL CONSERVATION COMMISSION
 Santa Fe, New Mexico

RECEIVED
 MAR 10 1947
 RECEIVED

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Prewitt, N.M.

3/4/47

Place

Date

OIL CONSERVATION COMMISSION,
 Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the CAYEDITO
PETROLEUM PRODUCTS RFG. AND PRODUCING CO. SANTA FE
 Company or Operator 21 N Lease SW Well No. 1 in SE - NE
 of Sec. 21 T. 21 N, R. SW, N. M. P. M., Cayedite Field,
San Juan County.

FULL DETAILS OF PROPOSED PLAN OF WORK
 FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Total depth is 4707 - pipe cemented 4600' with 50 sacks Ideal Cement - work performed by Halliburton. Plug at 4552. Will be tested with 1000 lbs. held for thirty minutes.

Approved MAR 10 1947, 19____
 except as follows:

PETROLEUM PRODUCTS RFG. AND PRODUCING CO.

Company or Operator

By Bill Glasscock

Position

Send communications regarding well to

PETROLEUM PRODUCTS RFG. AND PRODUCING CO

PREWITT, NEW MEXICO

Address

OIL CONSERVATION COMMISSION,

By Ray Yarbrough

Title Oil & Gas Inspector

10-10-1941

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

RECEIVED
MAR 31 1947
REGULATIVE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified on the plan is begun. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Prewitt, N.M.

Place

3/28/47

Date

OIL CONSERVATION COMMISSION,
 Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

PETROLEUM PRODUCTS RFG. AND PRODUCING CO. SANTA FE - CAYEDITO
 Company or Operator **SANTA FE - CAYEDITO** Well No. **1** in **SE NE**
 of Sec. **21**, T. **21 N**, R. **8 W**, N. M. P. M., **Cayedito** Field,
San Juan County.

FULL DETAILS OF PROPOSED PLAN OF WORK
FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

THE FOLLOWING POINTS ARE PLANNED FOR PERFORATING CASING:

4542 to 4544

4452

4362

The above work to be performed by Halliburton.

Approved **MAR 31 1947**, 19____
 except as follows:

PETROLEUM PRODUCTS RFG. AND PRODUCING CO.
 Company or Operator

By **W. R. M. Brown**

Position **Vice-President**

Send communications regarding well to

Name **PETROLEUM PRODUCTS RFG. AND PRODUCING CO.**

Address **Prewitt, New Mexico**

OIL CONSERVATION COMMISSION,
 By **Roy. Yarbrough**
 Title **Oil & Gas Inspector**

RECORD OF DRILL-STEM AND SPECIAL TESTS

Pipe cemented at 4600'.

Plugged back to 4570 and shot with 10 shots 4540 to 4550.

" " 4480 " " " 40 shots 4450 and 4465.

" " 4380 " " " 32 " 4360 to 4367.

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG). The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG).

[illegible]

COPY

COPY

○