

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Sanle, N. M.
Lease No. W 04697
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 8, 19 57

Meyer Govt.
Well No. 3 is located 656.61 ft. from N line and 2030.28 ft. from W line of sec. 20

20 (1/4 Sec. and Sec. No.) 23 (Twp.) 11 (Range) W (Meridian)
Wildcat (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6173.67 ft. (approx. ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

DET #1 3856-1932 - Initial shut in 30 minutes, open 40 minutes.
Final shut in 30 minutes, very faint blow, died, then equalized again.
Very faint blow decreasing to dead in 2 minutes, dead remainder of test. Recovered 31' oil cut mud, and approximately 1-2' oil cut.
1 inch of free oil floating on top. IP 2105, I 210, PS 110, IP 95, PP 95.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 101 South Lehman

Farmington, New Mexico

By B. V. Shepard
Title Exploitation Engineer


Approval expires 12-31-60.

Santa Fe, N.M.

U. S. LAND OFFICE

SERIAL NUMBER NM 02697

LEASE OR PERMIT TO PROSPECT



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

LOCATE WELL CORRECTLY

Company Shell Oil Company Address 101 S. Behrend, Farmington, N.M.

Lessor or Tract Federal Field Wildcat State New Mexico

Meyer Gov't Well No. 3 Sec. 20 T. 23N R. 11W Meridian NMPN County San Juan

Location 655.51 ft. [N.] of S. Line and 2030.98 ft. [E.] of W. Line of Section 20 Elevation 6182 RD
(Derive loc. relative to sea level)

SO of the well and all work done thereon

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date October 8, 1957 Signed _____ Title Exploitation Engineer

The summary on this page is for the condition of the well at above date.

The summary on this page is for the condition of the well at above date.

Commenced drilling July 29, 1957 Finished drilling August 9, 1957

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from _____ to _____

No. 2, from _____ to _____

No. 3, from _____ to _____

No. 4, from _____ to _____

No. 5, from _____ to _____

No. 6, from _____ to _____



IMPORTANT WATER SANDS

No. 1, from _____ to _____

No. 2, from _____ to _____

No. 3, from _____ to _____

No. 4, from _____ to _____

1957

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

MUDDING AND CEMENTING					
Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8"	165	150	Displacement	-	-

PLUGS AND ADAPTERS

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length 1 1/2 in. Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

SHOOTING RECORD

SHOOTING RECORD						
Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
			None			

TOOLS USED

TOOLS USED

Rotary tools were used from _____ feet to 4079 feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

DATES

Cable tools were used		DATES	
Abandoned as a dry hole		Put to producing	19
August 10	1957	barrels of fluid of which	% was oil; %
The production for the first 24 hours was		Gravity, °Bé.	
emulsion; % water; and % sediment.		Gallons gasoline per 1,000 cu. ft. of gas	
If gas well, cu. ft. per 24 hours			
Rock pressure, lbs. per sq. in.			

Forsee Drilling Company

EMPLOYEES Force Drilling Company

Rock pressure, 1000 lbs. per sq. ft. **EMPLOYEES** Force drawing, 1000 lbs. per sq. ft.

<u>J. S. Wortman</u>	Driller	<u>C. H. Igar</u>	Driller
<u>E. McKinney</u>	Driller		Driller

RECORD

FORMATION RECORD

FORMATION RECORD			FORMATION
FROM—	TO—	TOTAL FEET	
262	385	123	Pictured Cliffs
385	562	177	Lewis
562	2643	2081	Cliff House
2643	2785	142	Point Lookout
2785	3650	865	Mancos
3650	-		Gallup

100G OF OIL OR GAS WELL

YH202001 130-1100-

[illegible]

10. The Commission on the Rights of the Child is the only body of the United Nations that has the mandate to monitor and report on the rights of the child. The Commission was established in 1991 and is the only body of the United Nations that has the mandate to monitor and report on the rights of the child.

SECRET NO. 100-442842

Revised: 10/1/60
Drilling History and Bitch Sample Description

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidedracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

U. S. GOVERNMENT PRINTING OFFICE

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 08-22-2011 BY 60322 UCBAW

CONFIDENTIAL

SECRET

01841 21007

247a

GEORGE MOTTAMER

FORMATION

TOTAL FEET

—0J

FROM—

FORMATION RECORD-Continued